

BUILDING MATERIALS

Gordon-Van Tine Co. DAVENPORT
IOWA

**FACTORY
TO YOU
PRICES**

Index

	Page		Page
Cabinets	31, 32	Order Blank	72
Casings	27, 28	Paint	59
Doors	5, 11, 30, 35	Plywood	44
Flooring	40	Porch Work	38
Frames	19, 22	Roofings	69
Glass	39	Sash	24
Gutters	54	Screens	6
Hardware	46, 58	Shingles	72
Index	4	Stair Work	36
Insulation	41, 42	Storm Sash	8
Ladders	53	Terms	3
Lumber	74	Tinwork	54
Mouldings	28	Wallboards	44
Nails	51	Windows	20


Mike Jordan 1986

Why you

WHEN YOU BUY

you buy
DIRECT
at low

FACTORY-TO



Plant at Chehalis, Washington.

We manufacture most of our building material in our own factories. At our Davenport Millwork Plant No. 1 (illustrated below) we carry nearly a million dollars worth of building material in stock at all times. Because we do business all over the United States, we manufacture doors, windows, mouldings, screens, storm sash and other building materials in huge quantities on the most modern, improved machinery. That is the reason for the low prices in this book.



Plant at St. Louis, Missouri.



SPRING EDITION 1938

Plant No. 1 at Davenport, Iowa.

When you buy material from Gordon-Van Tine you are dealing directly with the producer. You know that buying direct saves profits that otherwise go to the jobber, the wholesaler and the retailer. We own and operate our own mills and factories in which we manufacture our materials. Thus you buy direct and save all in-between profits. And more—every item you buy from Gordon-Van Tine Company is Guaranteed to be Satisfactory. See this Guarantee on Page 1.

FREE DELIVERY

FAST TRUCKS TO SERVE YOU

Shop by Phone



Regular Trips Every Day

We deliver any order from a paint brush to a complete home right to your door. If you live on an acceptable road, you can arrange to have truck deliveries made on large orders. Call our store.

Our great fleet of trucks make regular scheduled trips every day. It doesn't matter what your order may be—it will be delivered to you promptly and without charge. Do not feel because your order is small—a few strips of moulding, a single screen, or a piece of hardware, that you are making an out of the way request to have it delivered.

Our Stores are as close to you as your telephone. With this catalog you can select any item from our large stock and have it delivered right to your door just by phoning for it the way you order your groceries. No bundles to lug around—no time wasted. In this complete catalog you will find descriptions and the prices printed on each item. If you want prices on materials not shown in the catalog, just call us by phone. There is not the slightest obligation. If you want to see the material by all means come to our stores; but for convenience and fast service, just use the phone.

And remember, when you order from Gordon-Van Tine Company your satisfaction is certain. We Guarantee Satisfaction or Your Money Back. We also Guarantee that your material will be delivered to you in perfect condition.

Davenport Store & Yard



Nowhere in the United States is there a building material store as large, modern and complete as ours. Doors, windows, roofing, lumber, glass, paint, hardware, tools—everything for building, remodeling or fix-up work is displayed so you can see and handle it. Our big store means better and faster service for you. And, of course, ours is the only store that carries a complete line of building materials. No matter what you need, we have it. Large auto parking lot.

Quincy Store & Yard

Our store in Quincy carries the most complete stock of millwork, builders' hardware and paints; and our Quincy lumber yard has a complete stock of lumber for you.

No matter what you want, we can deliver it to you within a few hours' time. Our Quincy Store is headquarters for prompt, efficient builder's service in the Quincy territory at lowest wholesale prices. No matter what you want to build, remodel or repair—use this Store, get better service and save money.



Moline Store, 1509 6th Ave.

Our Moline Building Material Store is conveniently located at 1509 Sixth Avenue—right down town in the shopping district. This store carries large stocks of building materials, paints, hardware, tinwork, etc., and has complete displays that you will find very interesting. We cordially invite you to visit our Moline Store.



Bettendorf Store and Yard

Our Bettendorf Store and Lumber Yard is at 1603 State St. Lumber, building material, masonry material, paint, roofing, hardware—this store carries a complete line of all building items. Lots of parking space.

Rock Island Store

Our big Rock Island Store is easy to get to—at 1611 2nd Avenue. Free parking space in rear of store. Complete stocks of paint, hardware, tinwork—everything for building or remodeling. Phone R. I. 798.



Gordon-Van Tine Co.

DAVENPORT
East River St.
Dial 3-8041

BETTENDORF
1603 State St.
Dial 2-7149

MOLINE
1509 6th Ave.
Mol. 333

ROCK ISLAND
1611 2nd Ave.
R. I. 798

QUINCY
715 Maine St.
Main 739


5,000

BUILDING MATERIAL BARGAINS ON THE FOLLOWING PAGES !!!

The following pages of this book show the greatest line of building material bargains ever listed by the Gordon-Van Tine Company—the world's largest concern selling building material direct to the consumer.

Everything from a can of paint or a paint brush to linseed oil by the gallon and white lead by the hundred pound keg; everything from a screen door to the complete millwork for a home; everything from ten feet of oak flooring to ten cars of lumber can be purchased from Gordon-Van Tine Company right from this catalog, and at the lowest prices in America today.

No matter what you are going to build, remodel or repair, Gordon-Van Tine will save you money on material that is guaranteed to give you complete satisfaction. If you are going to do anything from the smallest repair job to a special home or flat building, the materials and prices shown on the pages following will save you real money. Make up your order direct from these pages. Full information on delivery is shown on page 1.



**Direct from Mills
to YOU**

Gordon-Van Tine prices are low because they are direct from our own mills-to-you. We manufacture millwork in huge quantities at our own plants and sell direct to you. This means that you pocket all in-between profits. Buy direct from Gordon-Van Tine mills and you are buying right from the manufacturer at manufacturer's prices.

Let Us Figure Your Bills of Material for You

If your job of remodeling or building is such that you cannot make up your order direct from this catalog; if you want special material or material not shown, or if you want lumber in any quantities, call us by phone and let us figure out the material you need and give you a rock-bottom mill-to-you price. We will figure your bills for any job—large or small—and guarantee to save you money on top of quality material. There is no obligation on your part.

The Famous Gordon-VanTine HOME DOCTOR SERVICE

REMODEL
MODERNIZE
BEAUTIFY

Your Home

No matter what needs fixing about your home, we do the job complete for you. A phone call will bring a skilled workman to do any job complete.

Think of it—our Home Doctor Service will fix anything in your home. A new shelf, cracked plaster, floors varnished, walls decorated, roof repaired, furnace cleaned—no matter what you need fixed about your home—we do the job complete.

A phone call will bring a skilled mechanic at once. His expert advice is yours on any repair problem. And, of course, he submits the cost of the job to you for your "yes" or "no."

Now, at your ease and without effort, you can keep your home young and attractive. When it is ill just phone our nearest store. We take care of everything.

And finally—we give you 12 months to pay for any work we do for you.

Phone
Nearest Store
for your copy of
our Remodeling
Catalog



A Service You'll Like

The Gordon-Van Tine Remodeling Department will take your remodeling problem, and show you how it can be done best and at lowest cost. First, one of our experts will talk over your remodeling plans with you, get your ideas and see how much you wish to spend. Next we submit sketches of your remodeled home. Then we give you complete costs including all material and labor. Thus, before work is even started, you know just how your remodeled home will look when completed and how much the entire job will cost you.

Get Expert Advice

Just phone our nearest store and tell us that you want more information about remodeling. At a time that is convenient for you one of our experts will be glad to come out and talk over the proposition with you. After he has answered your questions and has given you the facts you can then decide whether or not to turn your old home into a new one. There is no obligation on your part.



Gordon-Van Tine supplied the materials and drew the plans for this splendid remodeling job located at Ninth Street and Forty-fourth Avenue, Rock Island. The old schoolhouse was turned into a beautiful four-apartment building that returns a handsome income every month in the year. Mr. Henry LeCot is the owner.

Here is another example of the remarkable remodeling possibilities of old homes. This old house, located in Moline, Illinois, was turned into the handsome two-family home shown above and returns a tidy monthly income to it's owner. Gordon-Van Tine supplied the materials.

Gordon-Van Tine Co.

HOME BUILDING SPECIALISTS



SPECIALISTS

The Housewife—The greatest Specialist of them all. A Specialist in making home life happy and comfortable; a Specialist in raising children; a Specialist in cooking; a Specialist in financing daily home needs; a Specialist in a dozen different ways. Hats off to the housewife—as a Specialist she's tops.

We believe you will agree that 73 years in the building business gives us the right to call ourselves Home Building Specialists. Out of our many years of home building experience came the development of the famous "Van Tine System" which makes home building as easy as buying a car.

The "Van Tine" System Will . . .

1. Plan your home to fit your ideas, needs and pocketbook. Our book of Plans and Home Building Information is Free!
2. Bring you a money-saving, guaranteed complete price on your home. Also iron-clad specifications covering guaranteed material.
3. Show you how the FHA financing plan—the simplest, most liberal plan ever made—will work out in your case. You can build your home now and pay for it like rent—as you live in it and enjoy it.
4. Make available the services of skilled local contractors. Assist you in drawing up contracts that protect your interests.
5. Supply supervision by a Building Engineer during construction of your home.


THIS SERVICE IS FREE!

The first step in our Home Building Service is to place in your hands our Book of Homes—the finest and most complete book of its kind that has ever been printed. Phone or call at our Stores for your Free Copy.

The following steps in our Service—material costs, construction costs, selection of reliable contractors, financing, etc. are at your disposal. There is no obligation. Just phone our nearest store, or call at our store—whichever is most convenient.

Save MONEY

FROM THIS BOOK



H. G. ROBERTS
President

MY FATHER started this business 73 years ago—back in 1865. His first catalog had only 8 pages and offered about 40 items for sale.

I wish he could be alive today to see this catalog. It is the biggest Building Material book we have ever issued.

It offers everything you'll need for building or remodeling.

About prices. Remember this—low prices are useless without quality. Our prices will surely save you money on quality materials. The great growth of our business has been due to one simple rule, "Offer the lowest prices that good, guaranteed material can possibly be sold for."

Your order will receive careful attention. We will please you so well that you will return for more of our material and will praise it to your friends.

YOU PRICES

Guarantee of SATISFACTION or MONEY BACK

We guarantee all items in this catalog to be exactly as described. If you are not satisfied with any article you buy from us—send it back and we will replace the article or return your money—as you prefer. Transportation charges you have paid will also be returned.

We guarantee that all materials will reach you in perfect condition. Should any damages occur in shipment we agree to make them good.

Gordon-Van-Tine Co.




PUT THE Savings IN YOUR POCKET

Fast-Quick Service

... no matter where you live

THE map at the right shows why we can give you fast delivery on your order and the lowest freight or trucking rates. The central location of our two big Building Material Plants at Davenport, Iowa, means that we can ship to any point in the United States quickly and at the lowest freight or truck charges.

The tremendous stocks at our Davenport plants is another reason why we can ship your building material order—large or small—without delay. Everything you might need for building, remodeling or fix-up work is in stock—ready to send to you promptly.



Prices in this catalog do not include freight. Freight rates on building materials are so low that we can ship material to you—no matter where you live—and save you money.

Freight Rates Same to All


Freight rates are the same to all. Remember, no matter whom you buy from, the goods have to be shipped in, and you pay the freight—either directly or added to your purchase price. The freight is exactly the same, whether you pay it or a dealer pays it. For an example of how little freight amounts to, see reverse side of order blank on page 72. Also see page 3 for information about Free estimates.



Illustrated above is one of the railroad side-tracks running into our Davenport Plant No. 1. Our sidetracks will accommodate 25 cars at a time. No costly hauling of goods to depots. We have our own Traffic Department who see to it that orders are shipped the quickest, cheapest way.



One of the Truck Loading Platforms at Davenport Plant.
Below—Interior Views in Davenport Plant.



It's easy

TO ORDER MATERIALS FROM THIS CATALOG



1

USE ORDER BLANK . . .

ORDER BLANK

Section: *Paints and Coatings*

Order No. *12345*

Date *12-15-35*

To: *Mr. J. H. Smith*

Address: *123 Main St., Chicago, Ill.*

Shipping Point: *Chicago, Ill.*

Quantity: *100 lbs.*

Unit Price: *\$1.50*

Total: *\$150.00*

Notes: *See page 12 for details.*

It's easy to order from this catalog. Just take the handy Order Blank—see Page 72—and fill in your name, address and shipping point. If you wish materials shipped over a certain railroad or truck line, fill in these spaces; otherwise, our Traffic Department will route your shipment the most direct and cheapest way. Then, fill in the article number, the quantity wanted, the name of the article, the unit price (if more than one of an article is ordered) and extend the total. Note sample Order Blank at the left. When your order is completed, total the prices and send the order to us in the enclosed envelope which needs no stamp.

Send for FREE ESTIMATE

The services of the specialists in our Estimating Department are yours for the asking. Just make up a list of the items you need—doors, windows, roofing, lumber, paint, etc.—and send it to us. You can use the Order Blank in the back of the book for this list. We will reply by return mail with a wholesale, freight-paid price that will save you 25c to 30c on every dollar. Remember, our Estimating Service is Free—it does not cost you a penny.

2

How to Send Money . . .

If you wish to send cash with your order you are perfectly safe in doing so if you register your letter. The easiest and safest ways to send money are: (1) Post office money order; (2) Express money order; (3) Bank draft; (4) Your personal check.

AMERICAN EXPRESS COMPANY

Pay to the order of *Gordon Van Tine Co.*

Amount *\$100.00*

Date *12-15-35*

Signature *John Doe*

FIRST TRUST AND SAVINGS BANK

Pay to the order of *Gordon Van Tine Co.*

Amount *\$100.00*

Date *12-15-35*

Signature *John Doe*



W. E. Kling, Mgr.,
Estimating Dept.

Special Material

By special material we mean material not shown in this catalog—different sizes or designs. Because our building material factories are equipped with the most modern machinery we can make up special material at lower prices and in faster time than anyone else we know of. Just write for our Free Estimate.

Estimating Department at Plant No. 1.

LIBERAL TERMS

1. **Cash in Full:** You need not hesitate about sending cash in full. If we do not satisfy you in quality, service and saving, you get your money back without question, together with any freight charges you have paid, provided the material is returned in good condition.

2. **Inspection Terms:** With orders for over \$50.00 just send us your check for one-fifth the total. We will then forward the material to you, and will not call upon you for the balance due us until you have received the material.

3. **Bank Guarantee:** On large orders, if you do not wish to send check for one-fifth of the total with your order, send a deposit of \$100.00 as an evidence of good faith. Have the bank write telling us that the balance is on deposit and will be paid to Gordon-Van Tine Co., after you have received the material.

**ESTIMATE FROM THE
GORDON-VAN TINE COMPANY, DAVENPORT, IOWA**

Name *Mr. J. H. Smith*

Address *123 Main St., Chicago, Ill.*

Shipping Point *Chicago, Ill.*

Quantity	Description	Unit Price	Total
100	Paint	\$1.50	\$150.00
50	Lumber	\$2.00	\$100.00
20	Windows	\$5.00	\$100.00
10	Doors	\$10.00	\$100.00
5	Roofing	\$20.00	\$100.00
2	Special Material	\$50.00	\$100.00
	Total		\$550.00



COMBINATION DOORS

Storm and Screen



Standard Door

The Standard Combination Door is widely used because the screen and storm sash panels occupy only the upper half of door and are not so easily damaged.

Screen panel wired with fine 16-mesh wire; storm sash panel glazed 6 lights clear glass. 1 1/8 inches thick. Machine sanded, ready for paint.

Over-all Size				1736 Galvanized Wire	1737 Copper Bronze Wire
Width		Height			
Ft.	In.	Ft.	In.		
2	6 1/2	6	7	\$6.15	\$6.45
2	6 1/2	6	9	6.20	6.50
2	8 1/2	6	9	6.40	6.75
2	8 1/2	7	1	6.75	7.05
2	10 1/2	7	1	6.90	7.20
3	0 1/2	6	9	6.80	7.10
3	0 1/2	7	1	7.10	7.40

- Two Doors for Price of One
- Stays on Hinges All Year 'Round

A Combination Door gives you a Screen Door in summer and a Storm Door in winter. Door stays on hinges all year 'round. No lugging doors to and from the basement. Just change panels. All you need is a screw driver.


Our Combination Doors are built to last. Made of Clear Ponderosa Pine, 1 1/8 inches thick. Wired with fine 16-mesh Galvanized or Copper Wire; glazed clear glass.

Panels Easily Changed in 2 Minutes.



Circle Top Door

For use with circle top doors. Screen panel wired with fine 16-mesh wire; storm sash panel glazed clear glass. 1 1/8 inches thick.




Size	1756 Galvanized	1757 Copper
3-0 x 6-8	\$17.95	\$18.35
3-0 x 7-0	18.25	18.70

De Luxe Combination Door

Has full length screen and storm sash panels. Screen panel wired with fine 16-mesh screen wire; storm sash panel glazed 9 lights clear glass. 1 1/8 inches thick. Machine sanded.

Over-all Size				1752 Galvanized Wire	1753 Copper Bronze Wire
Width		Height			
Ft.	In.	Ft.	In.		
2	6½	6	7	\$6.65	\$7.00
2	6½	6	9	6.70	7.05
2	8½	6	9	6.90	7.30
2	8½	7	1	7.25	7.60
2	10½	6	11	7.30	7.65
2	10½	7	1	7.40	7.75
3	0½	6	9	7.30	7.65
3	0½	7	1	7.60	7.95

Door Hardware in Sets



Economy Set


You get: (1), Strong latch with push lock to lock door from inside. Dull Brass finish. (2), One pair 3-inch loose pin hinges. (3), Strong tempered door spring with hooks. All complete with screws.

200—Complete for.....\$0.82


Superior Set

You get: (1), Strongest barrel type latch with inside locking attachment. Plated steel. (2), Three 3-inch loose pin hinges. (3), Strong tempered door spring with hooks. All complete with screws.

250—Complete for.....\$0.95




LOWEST PRICES ON QUALITY SCREEN DOORS



Door 1762



Door 1766



Door 1770

Sturdy, long-lasting screen doors built of Clear Ponderosa Pine. Strongest construction. Machine sanded, ready for paint.

1762—Screen Door: Three cross rails give this door great strength. Wired with fine 16-mesh wire. 1 1/8 inches thick.

1766—Screen Door: Has large screen panel. Wired with fine 16-mesh wire. 1 1/8 inches thick.

1770—Bargain Screen Door: Will give good service. Wired with 12-mesh wire. 7/8-inch thick.

Screen Door Prices

Over-all Size				1762 16- mesh Galv. Wire	1764 16- mesh Copper Wire	1766 16- mesh Galv. Wire	1768 16- mesh Copper Wire	1770 12- mesh Wire
Width		Height						
Ft.	In.	Ft.	In.					
2	6½	6	7	\$2.95	\$3.45	\$3.25	\$3.80	\$1.90
2	8½	6	9	3.20	3.85	3.40	4.00	1.90
2	8½	7	1	3.30	4.00	3.50	4.15
3	0½	6	9	3.40	4.20	3.60	4.30
3	0½	7	1	3.50	4.30	3.70	4.45



SCREEN YOUR PORCH


By screening your porch you add another comfortable room to your home for the summer months—a pleasant living room during the day and a cool, restful sleeping room at night. When you consider the many, many years porch screens will serve you, the cost amounts to very little.

How To Get FREE Estimate


Just send us a rough pencil sketch of your porch and mark in the measurements as shown on the sample sketch below. If we find we need more information in order to make up a correct estimate, we will write you at once.

Our Screen Department will plan your screen porch so that you will get a good looking and correctly laid-out job (note illustration of a typical Gordon-Van Tine screen porch at top of page) at a money-saving price that will cover complete materials—specially built screen sections, screen door and all hardware.

Write today for Free Estimate.



FOR THE MAN WHO WANTS TO MAKE HIS OWN SCREENS



For Screens 3/4 In. Thick

Prices per 100 lineal feet

8583—Top and Side Rail.
Size 3/4 x 1-3/4 in. \$2.05

8582—Bottom Rail.
Size 3/4 x 2-3/4 in. \$3.07

8584—Grooved Side Rail. (For Half Screens.) Size 3/4 x 1-3/4 in. \$2.05

For Screens 1-1/8 In. Thick

8603—Top and Side Rail.
Size 1-1/8 x 1-3/4 in. \$3.71

8601—Bottom Rail.
Size 1-1/8 x 1-3/4 in. \$5.63

8605—Grooved Side Rail. (For Half Screens.) Size 1-1/8 x 1-3/4 in. \$3.71

8607—Slide. (For Half Screens.) Size 1/4 x 3/8 in. 67c

8587—Screen Moulding. Holds wire and covers edges. Size 3/16 x 5/8 inches 67c

8587—Per 100 lineal feet. 67c

Screen Frame Nails—

6031—10d finish. Pound. 5c

Joint Fastener—3 sizes, 3/8x5-in.; 1/2 x5-in.; and 5/8x5-in. Give size.

6221—Box of 50 for. 10c

2101—Corner Brace—Wrought steel.

With screws.

Size, Inches Each Dozen

2x5/8 2-1/2c 20c

2-1/2x1/2 2-1/2c 20c

3x5/8 3c 30c

4x7/8 4c 40c

2103—Inside Brace—With screws.

Wrought steel.

2x5/8 2-1/2c 20c

3x3/4 3c 30c

4x7/8 6c 60c

2107—Dual Metal Corners—Size 7/8 and 1-1/8 in. Set of 4. 20c

2105—Single Metal Corners—With nails. Set of 4. 10c

Screen Wire Tacks—3/8-in. long.

3313—2 oz. Box. 4c

BETTER

All Gordon-Van Tine screens are built of Ponderosa Pine selected for its lasting qualities. See page 7 for other important reasons why our screens will give you years of extra service. Complete screen hardware is shown on page 50.

Screens for 4-Light Windows

Window Glass Size	Opening Size				2922	2924
	Width		Height		Galvanized	Copper
Wd. Ht.	Ft.	In.	Ft.	In.		
10 x 24	2	1	4	7 1/2	\$1.36	\$1.71
10 x 28	2	1	5	3 1/2	1.48	1.89
12 x 20	2	5	3	11 1/2	1.33	1.72
12 x 24	2	5	4	7 1/2	1.46	1.92
12 x 26	2	5	4	11 1/2	1.53	2.04
12 x 28	2	5	5	3 1/2	1.58	2.13
12 x 30	2	5	5	7 1/2	1.67	2.25

Screens for 8-Light Windows

Glass Size	Opening Size				2932	2934
	Width		Height		Galvanized	Copper
Wd. Ht.	Ft.	In.	Ft.	In.		
10 x 12	2	1	4	7 1/2	\$1.36	\$1.71
10 x 14	2	1	5	3 1/2	1.48	1.89
12 x 14	2	5	5	3 1/2	1.58	2.13

Screens for 12-Light Windows


Glass Size	Opening Size				2942	2944
	Width		Height		Galvanized	Copper
Wd. Ht.	Ft.	In.	Ft.	In.		
8 x 10	2	4 1/2	3	11 1/2	\$1.34	\$1.74
9 x 12	2	7 1/2	4	7 1/2	1.55	2.05
10 x 12	2	10 1/2	4	7 1/2	1.65	2.24
10 x 14	2	10 1/2	5	3 1/2	1.82	2.49

Screens for 1-Light Sash


Glass Size	Opening Size				2908	2907
	Width		Height		Galvanized	Copper
Wd. Ht.	Ft.	In.	Ft.	In.		
16 x 20	1	8	2	2 1/2	\$0.78	\$0.86
24 x 16	2	4	1	10 1/2	.83	.94
24 x 20	2	4	2	2 1/2	.90	1.04
24 x 24	2	4	2	6 1/2	.96	1.13

Screens for 3-Light Cellar Sash


Glass Size	Opening Size				2910	2909
	Width		Height		Galvanized	Copper
Wd. Ht.	Ft.	In.	Ft.	In.		
8 x 10	2	4	1	4	\$0.71	\$0.77
10 x 12	2	10	1	6	.82	.91
10 x 14	2	10	1	8	.83	.97
10 x 16	2	10	1	10	.88	1.02



4-8-12 Light Screens




1-Light Screen



Cellar Sash Screen

You can save money by making your own screens! You'll find it an easy job with these materials. Our screen stock—top, side and bottom rails—is made of Redwood selected for lasting qualities. Easy to work. Braces, nails, tacks—everything you need is listed. Our Galvanized screen wire will give years of service; however, for longest wear we recommend the use of our Copper Bronze wire.



IMPORTANT—All Gordon-Van Tine screen wire is fine 16-mesh. We use no coarse 14- or 12-mesh wire. 16-mesh keeps out all small insects and bugs.

Galvanized Wire—Our rust-resisting Galvanized wire is made from steel wire, electroplated with zinc metal. Will give years of service.

Copper Bronze Wire—Is absolutely rust-proof. Costs more but is cheapest in the end because it lasts years longer.

9807—Galvanized

Width Inches	Running Foot		Roll 100 Ft.	
	9807 Galv.	9808 Copper	9807 Galv.	9808 Copper
17	\$0.05 1/2	\$0.11	\$4.18	\$8.65
19	.06	.12	4.67	9.67
21	.06 1/2	.13 1/2	5.16	10.69
22	.07	.14	5.40	11.19
23	.07	.15	5.65	11.69
24	.07 1/2	.15 1/2	5.90	12.20
25	.08	.16	6.15	12.70
26	.08	.16 1/2	6.39	13.21
27	.08 1/2	.17 1/2	6.64	13.72
28	.08 1/2	.18	6.85	14.23
29	.09	.18 1/2	7.13	14.74

9808—Copper Bronze

Width Inches	Running Foot		Roll 100 Ft.	
	9807 Galv.	9808 Copper	9807 Galv.	9808 Copper
30	\$0.09 1/2	\$0.19	\$7.37	\$15.25
31	.09 1/2	.20	7.62	15.76
32	.10	.20 1/2	7.87	16.27
33	.10 1/2	.21	8.12	16.78
34	.10 1/2	.21 1/2	8.37	17.28
36	.11	.23	8.85	18.30
39	.12	.25	9.59	19.83
42	.13	.27	10.33	21.35
46	.14 1/2	.29	11.32	23.38
48	.15	.31	11.80	24.40


SCREENS



Do you want screens that will give you years of extra service? Do you want screens that will keep out not only flies but all the small bugs and insects as well? Then, buy guaranteed Gordon-Van Tine Screens because, as shown at the left, they are the best made.

And, at our factory-to-you prices below, you will save money on every screen you buy.

We build our screens from Ponderosa Pine—the best wood for screens, because it is strong and proof against any weather. Every Gordon-Van Tine Screen is guaranteed to satisfy you or your money will be returned. All screens ready for prompt shipment and safe delivery is guaranteed.




Factory-to-You Prices

2912 Galvanized Screens

Our rust-resisting Galvanized wire is made from pure steel, electroplated with zinc metal. Should last from 10 to 15 years with good care.

2914 Copper Bronze Screens


Our Copper Bronze wire costs you less in the end, because it is permanent and absolutely rust-proof. No wear-out—no wire repairs.




Our screens are wired with fine 16-mesh (16-mesh to the inch) rust-resisting electro Galvanized wire, or rust-proof Copper wire. Keeps out smallest insects.



The wire on our screens is stretched drum-tight by special machines. We piled 85 lbs. of screws on the wire of one of our screens. The wire held firm!




We make our window screens one and one-half inch longer than necessary. This permits you to dress your screens down for a perfect fit.



Our screens are 1-1/8 inches thick and are built with strong slot and tenon joints—not just nailed together. Will never sag or get out of shape and will give years of extra service.


Size of Window Glass		Over-All Size of Screen				2912 Gal- vanized Wire	2914 Copper Bronze Wire	Size of Window Glass		Over-All Size of Screen				2912 Gal- vanized Wire	2914 Copper Bronze Wire
		Width		Height						Width		Height			
Wd.	Ht.	Ft.	In.	Ft.	In.			Wd.	Ht.	Ft.	In.	Ft.	In.		
12 x 20		1	4	3	11½	\$1.01	\$1.15	24 x 28		2	4	5	3½	\$1.57	\$2.07
12 x 24		1	4	4	7½	1.11	1.28	24 x 30		2	4	5	7½	1.63	2.17
								24 x 32		2	4	5	11½	1.70	2.26
14 x 20		1	6	3	11½	1.07	1.24	26 x 14		2	6	2	11½	1.15	1.45
14 x 24		1	6	4	7½	1.15	1.39	26 x 16		2	6	3	3½	1.22	1.54
16 x 20		1	8	3	11½	1.11	1.34	26 x 18		2	6	3	7½	1.30	1.65
16 x 24		1	8	4	7½	1.22	1.48	26 x 20		2	6	3	11½	1.36	1.74
								26 x 22		2	6	4	3½	1.43	1.86
18 x 20		1	10	3	11½	1.15	1.43	26 x 24		2	6	4	7½	1.50	1.96
18 x 24		1	10	4	7½	1.28	1.57	26 x 26		2	6	4	11½	1.57	2.05
18 x 28		1	10	5	3½	1.38	1.74	26 x 28		2	6	5	3½	1.63	2.17
								26 x 30		2	6	5	7½	1.70	2.26
20 x 16		2	0	3	3½	1.08	1.31	28 x 20		2	8	3	11½	1.40	1.83
20 x 20		2	0	3	11½	1.21	1.50	28 x 24		2	8	4	7½	1.55	2.05
20 x 22		2	0	4	3½	1.28	1.57	28 x 26		2	8	4	11½	1.62	2.17
20 x 24		2	0	4	7½	1.32	1.66	28 x 28		2	8	5	3½	1.70	2.28
20 x 26		2	0	4	11½	1.38	1.75	28 x 30		2	8	5	7½	1.76	2.39
20 x 28		2	0	5	3½	1.45	1.83	28 x 32		2	8	5	11½	1.85	2.50
20 x 30		2	0	5	7½	1.50	1.93								
22 x 24		2	2	4	7½	1.38	1.78	30 x 24		2	10	4	7½	1.62	2.13
22 x 26		2	2	4	11½	1.45	1.87	30 x 26		2	10	4	11½	1.69	2.25
22 x 28		2	2	5	3½	1.50	1.96	30 x 28		2	10	5	3½	1.76	2.37
22 x 30		2	2	5	7½	1.57	2.05	30 x 30		2	10	5	7½	1.82	2.49
								30 x 32		2	10	5	11½	1.91	2.61
24 x 16		2	4	3	3½	1.17	1.48	32 x 24		3	0	4	7½	1.65	2.25
24 x 18		2	4	3	7½	1.23	1.57	32 x 26		3	0	4	11½	1.73	2.37
24 x 20		2	4	3	11½	1.30	1.66	32 x 28		3	0	5	3½	1.82	2.49
24 x 22		2	4	4	3½	1.38	1.78								
24 x 24		2	4	4	7½	1.45	1.87	38 x 24		3	6	4	7½	1.85	2.54
24 x 26		2	4	4	11½	1.50	1.96	38 x 26		3	6	4	11½	1.93	2.69

How to Measure for Screens . .




The easiest way is to measure the glass in lower half of your window. See diagram at the left. If glass measures 26 in. wide and 28 in. high, write your order 26 x 28—listing width first.

Diagram at right shows how to measure for complete opening size. Take this measure outside, measuring space into which screen will fit.



Screen Hardware Set

Here's a special, low price on all the hardware you need to hang your screens. Set includes: 1 pair wrought steel hangers with screws; 2 1-1/2 inch hooks and eyes.



100—Complete Set..... 8c



STRONG STORM DOOR

This strong, rugged storm door is built especially for use where the door is to be subject to hard wear. As you will see from the illustration, the construction of this door gives it unusual strength. It is built of Douglas Fir and is full 1-1/8 inches thick. Glazed 1-light of clear glass. Shipped in the white, ready for paint.

Opening Size				1715 Clear Glass Price Each
Width		Height		
Ft.	In.	Ft.	In.	
2	6½	6	7	
2	8½	6	9	
2	8½	7	1	
3	0½	6	9	
3	0½	7	1	

Porch Enclosure Sash



Close in your porch against the cold drafts of winter. Our Porch Enclosure Sash make it easy and low in cost. Built of clear Ponderosa Pine, 1-3/8 inches thick, glazed with clear glass. There are ten stock sizes that can be used to fit most porches. Send us a rough sketch of your porch with measurements and we will tell you what sash to use. This service is Free.

Over-all Size of Sash				2967 Price Each	Over-all Size of Sash				2967 Price Each
Width		Height			Width		Height		
Ft.	In.	Ft.	In.		Ft.	In.	Ft.	In.	
1	8 1/4	4	5 3/4	\$2.11	1	10 1/4	5	1 3/4	\$2.65
1	10 1/4	4	5 3/4	2.26	2	0 1/4	5	1 3/4	2.77
2	0 1/4	4	5 3/4	2.42	2	2 1/4	5	1 3/4	2.88
2	2 1/4	4	5 3/4	2.55	2	4 1/4	5	1 3/4	2.96
2	4 1/4	4	5 3/4	2.60	2	6 1/4	5	1 3/4	3.20

COMBINATION STORM AND SCREEN DOORS

Turn to page 5 for prices and information on Combination Storm and Screen Doors.

HARDWARE

See page 50 for complete storm sash and storm door hardware.




The picture at the left was taken in a corner of the Storm Sash Department in our Davenport Plant No. 1. We carry huge stocks of storm sash in all the sizes listed on this page and on page 9. Your order will be filled promptly and your sash will come to you carefully crated—in perfect condition. Every Gordon-Van Tine Storm Sash is guaranteed to be satisfactory or money will be returned.

4-LIGHT STORM SASH

Four-light storm sash are 1-1/8 inches thick and are glazed with clear glass. See page 9 for features of our storm sash which mean extra years of service for you.

Window Glass Size Wd. Ht.	Opening Size				2821 Clear Glass
	Width		Height		
	Ft	In.	Ft.	In.	
10 x 20	2	1	3	11½	\$1.96
10 x 24	2	1	4	7½	2.15
10 x 28	2	1	5	3½	2.37
12 x 20	2	5	3	11½	2.15
12 x 24	2	5	4	7½	2.45
12 x 26	2	5	4	11½	2.57
12 x 28	2	5	5	3½	2.69
12 x 30	2	5	5	7½	2.88



4-Light Storm Sash

8-LIGHT STORM SASH

1-1/8 inches thick, glazed clear glass. If you want one of the lights of glass fixed so that you can swing it open for ventilation, add 90c.

Glass Size	Opening Size				2831
	Ft.	In.	Ft.	In.	
10 x 12	2	1	4	7 1/2	\$2.34
10 x 14	2	1	5	3 1/2	2.52
12 x 14	2	5	5	3 1/2	2.91




8-Light Storm Sash

12-LIGHT STORM SASH

Glazed clear glass. 1-1/8 inches thick. Swing light 90c extra.

Glass Size	Opening Size				2841
	Ft.	In.	Ft.	In.	
8 x 10	2	4 1/2	3	11 1/2	\$ 2.59
9 x 12	2	7 1/2	4	7 1/2	2.84
10 x 12	2	10 1/2	4	7 1/2	3.10
10 x 14	2	10 1/2	5	3 1/2	3.25



12-Light Storm Sash

COTTAGE WINDOW STORM SASH

Glazed clear glass. 1-1/8 inches thick.

Bottom Glass	Top Glass	Opening Size				2852
		Ft.	In.	Ft.	In.	
40 x 40	40 x 16	3	8	5	3 1/2	\$4.95
44 x 40	44 x 16	4	0	5	3 1/2	5.69
44 x 44	44 x 16	4	0	5	7 1/2	6.06



Cottage Window Storm Sash

1-LIGHT STORM SASH

Glazed clear glass. 1-1/8 inches thick.

Glass Size	Opening Size				2853
	Ft.	In.	Ft.	In.	
16 x 20	1	8	2	2 1/2	\$0.92
24 x 16	2	4	1	10 1/2	.99
24 x 20	2	4	2	2 1/2	1.15
24 x 24	2	4	2	6 1/2	1.25



1-Light Storm Sash




Saves you HEAT-MONEY AND HEALTH

Storm sash really cost you nothing because every cent you spend for them comes back to you in fuel savings and added winter comfort. No matter how well-made and well-fitted your windows are, the cold air rushing against them chills the glass and lowers the temperature in the room. Storm sash form a dead air space which serves as a blanket of insulation between the outside cold and the warmth of the room.

Our storm sash are 1-1/8 inches thick, are glazed with selected glass and are made of Ponderosa Pine—the best wood for storm sash. It is light, strong and proof against all kinds of weather. We say that Gordon-Van Tine storm sash are the best made and know you will agree when you check the features shown at the bottom of this page. Every sash is guaranteed and all sizes listed are ready for prompt shipment.



WHAT STORM SASH WILL DO FOR YOU



Save enough fuel in one year to almost pay for your storm sash. This saving goes on, year after year.




Stop uncomfortable and unhealthy drafts which are so often the cause of colds and other sickness.



Keep out dirt and soot, thus reducing damage to curtains, drapes, rugs and furniture.




Stop damage to drapes and curtains caused by watersoiling as frost melts. Storm sash prevent dripping windows.



HOW TO MEASURE FOR STORM SASH

The easiest way to measure your windows for storm sash is to measure the glass in the lower half of window. See diagram at the left. If your glass measures 26 inches wide and 28 inches high, write your order 26x28—listing the width first.

The diagram at the right shows how to measure windows for complete opening sizes. Take these measurements from the outside, measuring the space into which your storm sash will fit.



Why Gordon-Van Tine Storm Sash are Best




Putty Lock

Locks putty to the rails and bars and absolutely prevents it from falling off. See picture. An extra groove is run into all rails and bars. This groove is primed with linseed oil to make a perfect bond between putty and wood. The putty is forced into the lock which forms a binding key.


Slot and Tenon Joints

Our storm sash are built with strong slot and tenon joints—not just nailed together. See picture at right. This means they will never sag or get out of shape and will give you years of extra service. We also make all of our storm sash 1-1/2 inches longer than window opening so that you can dress your storm sash down to fit snugly.



VENTILATORS

If you want ventilators in the bottom rail of your storm sash—see illustration below—add 15c to the price of each storm sash. Be sure to specify that you wish ventilators included.



Complete Hardware Set

Here's all the hardware you will need to hang your storm sash. Note special, low price. Set includes: 1 pair wrought steel hangers and 2—1-1/2 inch hooks and eyes.




100—Complete Set8c

PRICES 2-LIGHT STORM SASH

Size of Window Glass Wd. Ht.		Over-all Size of Sash				2811 Glazed Clear Glass
		Width		Height		
		Ft.	In.	Ft.	In.	
12 x 20	1	4	3	11½	\$1.34	
12 x 24	1	4	4	7½	1.50	
14 x 20	1	6	3	11½	1.42	
14 x 24	1	6	4	7½	1.63	
16 x 20	1	8	3	11½	1.57	
16 x 24	1	8	4	7½	1.69	
18 x 20	1	10	3	11½	1.65	
18 x 24	1	10	4	7½	1.88	
18 x 28	1	10	5	3½	2.07	
20 x 16	2	0	3	3½	1.57	
20 x 20	2	0	3	11½	1.84	
20 x 22	2	0	4	3½	1.92	
20 x 24	2	0	4	7½	2.04	
20 x 26	2	0	4	11½	2.07	
20 x 28	2	0	5	3½	2.19	
20 x 30	2	0	5	7½	2.25	
22 x 24	2	2	4	7½	2.07	
22 x 26	2	2	4	11½	2.19	
22 x 28	2	2	5	3½	2.30	
22 x 30	2	2	5	7½	2.42	
24 x 16	2	4	3	3½	1.73	
24 x 18	2	4	3	7½	1.88	
24 x 20	2	4	3	11½	2.04	
24 x 22	2	4	4	3½	2.07	
24 x 24	2	4	4	7½	2.27	
24 x 26	2	4	4	11½	2.30	
24 x 28	2	4	5	3½	2.46	
24 x 30	2	4	5	7½	2.57	
24 x 32	2	4	5	11½	2.88	
26 x 14	2	6	2	11½	1.69	
26 x 16	2	6	3	3½	1.88	
26 x 18	2	6	3	7½	2.04	
26 x 20	2	6	3	11½	2.07	
26 x 22	2	6	4	3½	2.19	
26 x 24	2	6	4	7½	2.30	
26 x 26	2	6	4	11½	2.46	
26 x 28	2	6	5	3½	2.65	
26 x 30	2	6	5	7½	2.80	
26 x 32	2	6	5	11½	2.92	
28 x 20	2	8	3	11½	2.19	
28 x 24	2	8	4	7½	2.46	
28 x 26	2	8	4	11½	2.65	
28 x 28	2	8	5	3½	2.80	
28 x 30	2	8	5	7½	2.84	
28 x 32	2	8	5	11½	3.30	
30 x 24	2	10	4	7½	2.57	
30 x 26	2	10	4	11½	2.80	
30 x 28	2	10	5	3½	2.84	
30 x 30	2	10	5	7½	3.26	
30 x 32	2	10	5	11½	3.34	
32 x 24	3	0	4	7½	2.88	
32 x 26	3	0	4	11½	2.88	
32 x 28	3	0	5	3½	3.30	
38 x 24	3	6	4	7½	4.41	
38 x 26	3	6	4	11½	4.85	

slab-type ENTRANCE DOORS



Bradford

Windsor

Norwich

LaSalle

SLAB DOORS 1 3/4 INCHES THICK	SIZE				Bradford		Windsor		Norwich		LaSalle	
	Width		Height		1051 Ponderosa Pine	1001 Veneered Red Oak	1061 Ponderosa Pine	1011 Veneered Red Oak	1059 Ponderosa Pine	1009 Veneered Red Oak	1053 Ponderosa Pine	1003 Veneered Red Oak
	Ft.	In.	Ft.	In.								
	3	0	6	8	\$16.95	\$21.70	\$26.95	\$31.95	\$21.45	\$26.15	\$21.45	\$26.35
	3	0	7	0	17.25	22.15	27.45	32.40	21.85	26.60	21.85	26.80

IN this day of beautiful homes in English, Spanish, Colonial and American designs, the style of the front door has come to be of great importance. It must harmonize with the general design of the home. It must be smart in appearance and beautiful to the eye, and it must be strong and imposing, for it marks the principal entrance to the home.

Wide Variety of Designs

The slab doors on this page easily fill these specifications. Here we offer you a choice of four modern V-Joint slab door designs, one of which will surely match the style of your home. Note the low price on these beautiful slab doors.

Finest Materials

Supplied in the best Oak or Ponderosa Pine. Built up on a Pine core to which the tongued and grooved V-jointed veneer is glued under tremendous hydraulic pressure. Perfect workmanship is guaranteed—these doors will always hang straight and true. Supplied only in the heavy 1-3/4-inch thickness. In the glazed doors, we use the finest plain plate glass.

Ornamental Slab Door Hardware

You will want to use a style of hardware that will carry out the beauty of your slab doors. Ornamental forged steel hardware is practically always specified as most suitable for slab doors. See pages 46 and 47 for money-saving prices on this style of hardware.

Colonial Front Door



This beautiful door is of genuine Colonial design with the raised panels and raised mouldings so typical of this pattern. Our Colonial door is a very strong door, full 1-3/4 inches thick and built of Ponderosa Pine, a wood that is proof against all kinds of weather.

Colonial-Ponderosa Pine

SIZE				1647 Colonial Door
Width		Height		
Ft.	In.	Ft.	In.	
3 3	0 4	6 6	8 8	
				\$12.45 12.95

Frames and Trim

Turn to page 19 for door frames and to page 26 for selection of modern door trim designs. Our prices will save you a tidy sum of money.

Hardware

See pages 46, 47 and 48 for money-saving prices on hardware.

Toronto Door


A very popular door with unusually large size glass. Recommended for entrance doors where no sidelights are used. This is an exceptionally handsome and strongly built door. Stiles and rails are pinned with 5-inch hardwood dowels. Glazed with clear glass or 1-1/2-inch bevel plate glass.

Toronto-Ponderosa Pine

SIZE				1 3/4 Inches Thick		
Width		Height		1561 Clear Glass	1562 Plate Bevel	Glass Size
Ft.	In.	Ft.	In.			
2	8	6	8	\$7.25	\$17.05	22 x 38
3	0	7	0	8.00	20.35	26 x 42

Toronto-Ponderosa Pine

Size				1-3/4 Inches Thick		
Width		Height		1561 Clear Glass	1562 Bevel Plate	Glass Size
Ft.	In.	Ft.	In.			
2	8	6	8	\$ 9.25	\$19.20	22 x 38
3	0	7	0	10.65	23.00	26 x 42





*Handsome,
Beautiful*

FRONT DOORS

**Every Door
Guaranteed**

The four doors on this page are the last word in modern door beauty. They can be used with practically any style home.

Oak Doors: Oak exterior doors are made with a built-up Pine core to which heavy 1/8-inch Oak veneer is glued under hydraulic pressure. Only specially selected, richly figured Oak veneering is used. Fifteen days needed for shipment of Oak doors.

Ponderosa Doors: Our solid Ponderosa Pine doors are the most durable doors you can buy. We suggest their use where the door is to be severely exposed to the weather.


When Ordering specify wood wanted (Pine or Oak), how you wish doors glazed (Clear Glass, Plain Plate or Bevel Plate), and thickness (1-3/8-inch or 1-3/4-inch).

Doors Mortised: We will mortise these doors to fit any lock in this catalog for 25c per door. Give catalog number of lock set and state whether hinges are to be right-hand or left-hand side (as you face door from the outside).



Door Department

Here's a picture taken in the Door Department at Davenport Plant No. 1. All doors made in our own door factory and the quality is guaranteed. All glass is set in putty and then secured by wood stops, making it absolutely tight.



The LaFayette

A very popular door because of the large glass. Size of glass is given in price table. Because of the large size of the glass we recommend ordering plate glass.

LaFayette—Ponderosa Pine

1 3/8 Inches Thick		1 3/4 Inches Thick			
SIZE		1502 Clear Glass	1502 Clear Glass	1501 Plain Plate	1501 Bevel Plate
Wd.	Ht.				
2-8	6-8	\$7.65	\$ 9.70	\$17.65	\$26.70
3-0	6-8	8.35	10.50	19.75	29.50
3-0	7-0	8.80	11.15	21.05	31.85

LaFayette—Veneered Oak

1 3/4 Inches Thick

SIZE		Glass Size	1101—2-Inch Bevel Plate	Hard- ware (see Page 46)
Wd.	Ht.			
2-8	6-8	20x56	\$28.95	
3-0	6-8	24x56	31.55	
3-0	7-0	24x60	33.95	

The Lawrence

Here is an attractive door that will add to the appearance of any home. Note the pleasing division of the glass. Fifteen days needed for shipment on Oak doors.


Lawrence—Ponderosa Pine

1 3/8 Inches Thick		1 3/4 Inches Thick			
SIZE		1516 Clear Glass	1516 Clear Glass	1515 Plain Plate	1515 Bevel Plate
Wd.	Ht.				
2-8	6-8	\$ 9.20	\$11.65	\$17.55	\$27.60
3-0	6-8	9.60	12.15	17.95	27.95
3-0	7-0	10.05	12.80	19.00	31.10

Lawrence—Veneered Oak

1 3/4 Inches Thick

SIZE		1116 Clear Glass	1115 1-Inch Bevel Plate
Wd.	Ht.		
2-8	6-8	\$14.15	\$30.25
3-0	6-8	14.60	30.65
3-0	7-0	15.30	33.50



The Columbia

Another handsome door that is in big demand by folks building new homes or remodeling old ones. The division of the glass is in perfect harmony with the door.



Columbia—Ponderosa Pine

1 3/8 Inches Thick		1 3/4 Inches Thick			
SIZE		1519 Clear Glass	1519 Clear Glass	1518 Plain Plate	1518 Bevel Plate
Wd.	Ht.				
2-8	6-8	\$ 9.20	\$11.65	\$17.95	\$26.85
3-0	6-8	9.60	12.15	18.80	27.95
3-0	7-0	10.05	12.80	20.00	30.65

Columbia—Veneered Oak

1 3/4 Inches Thick

SIZE		1134 Clear Glass	1133 1-Inch Bevel Plate
Wd.	Ht.		
2-8	6-8	\$14.15	\$29.60
3-0	6-8	14.60	30.35
3-0	7-0	15.30	33.00



The Pasadena

The Pasadena design has enjoyed a large sale for a good many years. It is a simple pattern that never grows tiresome. Also widely used for outside openings leading to porches.

Pasadena—Ponderosa Pine

1 3/8 Inches Thick		1 3/4 Inches Thick			
SIZE		1513 Clear Glass	1513 Clear Glass	1511 Plain Plate	1511 Bevel Plate
Wd.	Ht.				
2-8	6-8	\$ 9.20	\$11.65	\$17.25	\$25.50
3-0	6-8	9.60	12.15	18.95	28.00
3-0	7-0	10.05	12.80	19.65	29.15

Pasadena—Veneered Oak

1 3/4 Inches Thick

SIZE		1113 Clear Glass	1112 Plain Plate	1111 Bevel Plate
Wd.	Ht.			
2-8	6-8	\$13.75	\$21.60	\$27.75
3-0	6-8	14.35	23.95	30.50
3-0	7-0	14.90	24.45	31.85

G.V.T.

Beautiful EXTERIOR DOORS



Monterey

The Monterey, Reno and San Diego doors are of the same general design, and their beauty is due to the large panel which is unusually attractive when finished. These doors differ only in the division of the glass which is divided to match the style of our windows. (See page 20.) The Monterey door with its 1-light of glass, will harmonize with our plain 2-light windows. The Reno with its three vertical lights, will conform to our Pasadena windows which have vertical lights in the top sash. The San Diego is an exact match for our Colonial or Cape Cod windows. All doors built with strongest dowel pin construction.

Oak Doors are made with a built-up Pine core to which the heavy 1/8-inch Oak veneer is glued under hydraulic pressure. Only specially selected Oak veneering and panels are used.

Our Solid Ponderosa Pine Doors, with richly grained 3-ply Fir panels, are the most durable doors you can buy. We recommend their use where the front door is to be severely exposed to the weather.

When Ordering

When ordering be sure and specify wood wanted, how you wish doors glazed and thickness desired.



Reno

PONDEROSA PINE STILES AND RAILS—FIR PANELS

MONTEREY			1 3/8 In. Thick		1 3/4 In. Thick	
SIZE		Glass Size	1322 Clear Glass	1321 Bevel Plate	1322 Clear Glass	1321 Bevel Plate
Wd.	Ht.					
2-8	6-8	22x22	\$7.10	\$13.00	\$9.25	\$15.25
3-0	6-8	26x22	7.50	14.25	9.90	16.65
3-0	7-0	26x22	7.95	15.95	10.50	18.50

MONTEREY—1 3/4 In. Thick—Oak

MONTEREY			Veneered Oak	
SIZE		Glass size	1122 Clear Glass	1121 Bevel Plate
Wd.	Ht.			
2-8	6-8	22x22	\$13.10	\$18.00
3-0	6-8	26x22	14.20	19.80
3-0	7-0	26x22	15.00	21.65



San Diego

PONDEROSA PINE STILES AND RAILS—FIR PANELS

RENO			1 3/8 In. Thick		1 3/4 In. Thick	
SIZE		Glass Size	1332 Clear Glass	1331 Bevel Plate	1332 Clear Glass	1331 Bevel Plate
Wd.	Ht.					
2-8	6-8	22x22	\$7.80	\$13.75	\$10.15	\$16.10
3-0	6-8	26x22	8.15	15.60	10.65	17.95
3-0	7-0	26x22	8.60	17.25	11.25	19.70

RENO—1 3/4 In. Thick—Oak

RENO			Veneered Oak	
SIZE		Glass Size	1132 Clear Glass	1131 Bevel Plate
Wd.	Ht.			
2-8	6-8	22x22	\$16.45	\$21.75
3-0	6-8	26x22	17.65	23.05
3-0	7-0	26x22	18.60	25.00

SHEFFIELD

The Sheffield and Douglas doors are strong doors because they are built of carefully selected, air-seasoned Ponderosa Pine with genuine dowel pin construction using full 5-inch hardwood dowel pins. These doors are glazed with selected clear glass or polished plate (see price tables) and are carried in stock in both the 1-3/8-inch or 1-3/4-inch thickness.

SAN DIEGO—Ponderosa Pine—1 3/8 In. Thick

SIZE		Glass Size	1326 Clear Glass	1325 Bevel Plate
Wd.	Ht.			
2-8	6-8	22x22	\$ 8.10	\$14.15
3-0	6-8	26x22	8.45	16.00
3-0	7-0	26x22	8.90	17.65

SAN DIEGO—Ponderosa Pine—1 3/4 In. Thick

SIZE		Glass Size	1326 Clear Glass	1325 Bevel Plate
Wd.	Ht.			
2-8	6-8	22x22	\$10.45	\$16.50
3-0	6-8	26x22	10.95	18.35
3-0	7-0	26x22	11.55	20.10

SAN DIEGO—Veneered Oak—1 3/4 In. Thick

SIZE		Glass Size	1126 Clear Glass	1125 Bevel Plate
Wd.	Ht.			
2-8	6-8	22x22	\$16.85	\$22.75
3-0	6-8	26x22	18.05	25.50
3-0	7-0	26x22	19.00	27.35

DOOR HARDWARE

See pages 46, 47 and 48 for money-saving prices on door hardware.

DOOR TRIM

Illustrations and prices on modern door trim designs will be found on page 26. Door frames are shown on page 19.

DOUGLAS


The Douglas and Sheffield doors are good looking, well-made doors. They are built in our own door factory and are machine sanded and ready for paint or varnish when they reach you. Fully guaranteed. When you order, be sure to specify door thickness you want (1-3/8 inch or 1-3/4-inch thick); also glass wanted (clear glass or plain plate glass).

DOUGLAS—Ponderosa Pine—1 3/8 In. Thick

SIZE		Glass Size	1559 Clear Glass	1560 Plain Plate
Wd.	Ht.			
2-6	6-6	21 1/2 x 28	\$6.70	\$8.40
2-8	6-8	23 1/2 x 30	7.00	9.50
2-8	7-0	23 1/2 x 34	7.25	9.95
3-0	6-8	27 1/2 x 30	7.20	9.90
3-0	7-0	27 1/2 x 34	7.50	11.35

DOUGLAS—Ponderosa Pine—1 3/4 In. Thick

SIZE		Glass Size	1559 Clear Glass	1560 Plain Plate
Wd.	Ht.			
2-8	6-8	23 1/2 x 30	\$ 9.15	\$11.55
2-8	7-0	23 1/2 x 34	9.60	12.85
3-0	6-8	27 1/2 x 30	9.55	12.95
3-0	7-0	27 1/2 x 34	10.20	14.60



SHEFFIELD—Ponderosa Pine—1 3/8 In. Thick

SIZE		Glass Size	1557 Clear Glass	1558 Plain Plate
Wd.	Ht.			
2-6	6-6	21 1/2 x 28	\$6.45	\$8.15
2-8	6-8	23 1/2 x 30	6.75	9.25
2-8	7-0	23 1/2 x 34	7.00	9.70
3-0	6-8	27 1/2 x 30	6.95	9.65
3-0	7-0	27 1/2 x 34	7.25	11.10

SHEFFIELD—Ponderosa Pine—1 3/4 In. Thick

SIZE		Glass Size	1557 Clear Glass	1558 Plain Plate
Wd.	Ht.			
2-8	6-8	23 1/2 x 30	\$8.90	\$11.30
2-8	7-0	23 1/2 x 34	9.35	12.60
3-0	6-8	27 1/2 x 30	9.30	12.70
3-0	7-0	27 1/2 x 34	9.95	14.35

GENUINE *Colonial type* ENTRANCE DOORS




Concord



Puritan



Salem



Revere

These Doors 1 3/4 Inches Thick	SIZE				Concord	Puritan	Salem	Revere
	Width		Height		1281	1283	1287	1285
					Ponderosa Pine	Ponderosa Pine	Ponderosa Pine	Ponderosa Pine
	Ft.	In.	Ft.	In.				
	3	0	6	8	\$14.95	\$16.85	\$19.25	\$16.00
	3	0	7	0	15.90	18.05	21.10	16.60

THESE doors are faithful reproductions of door designs found in the genuine old Colonial Homes of the East and South. Their beauty is clearly shown by the illustrations above and it will surely be very easy to select a design that will harmonize with any home of Colonial planning. We have added these doors to our stock because of the ever-increasing popularity of Colonial and Cape Cod Homes and the need for doors of genuine Colonial style.

Prompt Service

We have these designs in stock at our Davenport Plant No. 1 and can ship them immediately. They will be very carefully packed and will reach you in perfect condition. We Guarantee Safe Delivery.

Not only are these doors of true Colonial design, but they are built after the same high standards—to give a lifetime of service.


Specifications

Colonial Doors are carefully manufactured in our own factory from Clear Ponderosa Pine, a wood that is famous for its resistance to all kinds of weather. Strongest dowel-pin construction. 1-3/4 inches thick. Solid stiles and rails and raised panels. In the glass doors only selected Clear Glass is used. Glass is set in putty and sealed weather-tight by wood stops. Machine sanded, ready for paint or varnish.


When ordering, give catalog number and list width first and height last.

PONDEROSA PINE FRONT DOORS *are priced low*

Quebec



Clinton



The Quebec and Clinton doors are of the same design, but are glazed differently. The Quebec has 6 lights of glass; the Clinton 9. Both are attractive doors and have the strength of solid Ponderosa Pine stiles, rails, panels and dowel-pin construction. 1-3/8 or 1-3/4 inches thick, glazed Clear Glass or Plain Plate.

Quebec—Ponderosa Pine					
SIZE				1 3/8 Inches Thick	
Width		Height		1563 Clear Glass	1564 Plain Plate
Ft.	In.	Ft.	In.		
2	8	6	8	\$7.35	\$10.15
3	0	6	8	8.20	13.65
3	0	7	0	8.35	13.85

Clinton—Ponderosa Pine					
SIZE				1 3/8 Inches Thick	
Width		Height		1565 Clear Glass	1566 Plain Plate
Ft.	In.	Ft.	In.		
2	8	6	8	\$8.25	\$11.00
3	0	6	8	8.80	13.95
3	0	7	0	8.95	14.15

Quebec 1 3/4 Inches Thick					
SIZE				1563 Clear Glass	1564 Plain Plate
Width		Height			
Ft.	In.	Ft.	In.		
2	8	6	8	\$9.75	\$13.25
3	0	6	8	10.65	15.85
3	0	7	0	10.95	17.95

Clinton 1 3/4 Inches Thick					
SIZE				1565 Clear Glass	1566 Plain Plate
Width		Height			
Ft.	In.	Ft.	In.		
2	8	6	8	\$10.65	\$13.45
3	0	6	8	11.15	16.00
3	0	7	0	11.95	18.50

Outside Doors *and Complete Door Sets*

Buy your doors complete, everything you need at one low price

We price the doors on this page in two ways. (1) Doors only; (2) Complete door sets. We suggest that you buy your doors in complete sets because this is by far the easiest way. You waste no time picking out the items you need, there is no chance of error, and last, but most important, you save money! And here is another saving you make—all doors shipped with complete sets come mortised for locks. We do this work by machine and know exactly what the size of the mortise should be. No chance of damaged doors because of wrong mortise.

For a full description of what you get when you buy your doors in complete sets, read information at the right.

Strong, Handsome Doors

Take your choice of these three good looking guaranteed doors. The Manchester is priced in both Ponderosa Pine and Fir. The Oxford and Chile doors are all Fir. Genuine dowel pin construction used in these doors. Shipped carefully packed and are machine sanded, ready for paint or varnish.

MANCHESTER DOOR

A sturdy, attractive door carried in Ponderosa Pine and Fir. We offer the Manchester door in two thicknesses— $1\frac{3}{8}$ - and $1\frac{3}{4}$ -inches. Glazed clear glass. Priced in complete sets and doors only.

Manchester Ponderosa Pine

Price Doors Only		SIZE				Price Complete Sets	
$1\frac{3}{8}$ Inches Thick	$1\frac{3}{4}$ Inches Thick	Width		Height		$1\frac{3}{8}$ Inches Thick	$1\frac{3}{4}$ Inches Thick
		Ft.	In.	Ft.	In.		
\$5.30		2	6	6	6	\$12.40	
5.65	\$7.35	2	8	6	8	12.90	\$14.80
6.10	8.10	2	8	7	0	13.55	15.55
6.00	7.95	3	0	6	8	13.45	15.45
6.50	8.65	3	0	7	0	14.15	16.30

Manchester All Fir— $1\frac{3}{8}$ Inches Thick

Price Doors Only		SIZE				Price Complete Sets	
$1\frac{3}{8}$ Inches Thick	Glass Size	Width		Height		$1\frac{3}{8}$ Inches Thick	Buy Your Door Complete
		Ft.	In.	Ft.	In.		
\$4.60	$21\frac{5}{8} \times 32$	2	6	6	6	\$11.10	
4.90	$23\frac{5}{8} \times 34$	2	8	6	8	11.60	
5.35	$27\frac{5}{8} \times 34$	3	0	6	8	12.25	

OXFORD DOOR

Built of solid Douglas Fir stiles and rails and richly grained 3-ply Fir panels. Glazed with Clear Glass. The Oxford door is priced two ways: (1) doors only, and (2), in complete sets. Full information about Complete Sets given above. All doors are carefully packed for shipment and Safe Delivery is Guaranteed.

Oxford All Fir

Price Doors Only

SIZE		Glass Size		1398	
Width Height		Inches		$1\frac{3}{8}$ Inches Thick	
Ft.	In.	Ft.	In.		
2	6	6	6	$21\frac{5}{8} \times 32$	\$4.60
2	8	6	8	$23\frac{5}{8} \times 34$	4.90
3	0	6	8	$27\frac{5}{8} \times 34$	5.35

Price Complete Door Sets

SIZE		Glass Size		1398S	
Width Height		Inches		$1\frac{3}{8}$ Inches Thick	
Ft.	In.	Ft.	In.		
2	6	6	6	$21\frac{5}{8} \times 32$	\$11.10
2	8	6	8	$23\frac{5}{8} \times 34$	11.60
3	0	6	8	$27\frac{5}{8} \times 34$	12.25



Oxford

CHILE DOOR

The Chile and Oxford doors are made of old growth Douglas Fir—a wood noted for its beauty of grain and for its resistance to all kinds of weather. The Chile doors are priced individually; also in Complete Door Sets. For full description of Complete Door Sets and what they include, see information given above.

Chile All Fir

Price Doors Only

SIZE		Glass Size		1396	
Width Height		Inches		$1\frac{3}{8}$ Inches Thick	
Ft.	In.	Ft.	In.		
2	6	6	6	$21\frac{5}{8} \times 24$	\$4.35
2	8	6	8	$23\frac{5}{8} \times 26$	4.65
3	0	6	8	$27\frac{5}{8} \times 26$	5.60

Price Complete Door Sets

SIZE		Glass Size		1396S	
Width Height		Inches		$1\frac{3}{8}$ Inches Thick	
Ft.	In.	Ft.	In.		
2	6	6	6	$21\frac{5}{8} \times 24$	10.85
2	8	6	8	$23\frac{5}{8} \times 26$	11.35
3	0	6	8	$27\frac{5}{8} \times 26$	11.90



Chile Door

WHAT YOU GET

1 Your Choice of Doors

Take your choice of the three strong, guaranteed doors shown on this page. Doors are machine sanded, ready for finishing. Extra strong dowel joint construction.

2 Outside Door Frame

Finest Ponderosa Pine door frame for 2x4 wall stud construction. For frame homes. Weathertight. $1\frac{1}{2}$ inch outside casing. Shipped cut-to-fit, ready to set up.




3 Modern Door Trim

One side of beautiful Yellow Pine interior door trim in Backband design illustrated at the left. Casing $3\frac{1}{2}$ inches wide. Machine sanded, ready for finish.

4 Complete Door Hardware

Handsome lock set in Dull Brass finish, illustrated at right. This is our popular Regal design bit key lock with bevel edge. Three hinges, size $3\frac{1}{2}$ inches, Dull Brass finish.



Doors Mortised for Locks

Doors in door sets come already mortised for lock. So that we can mortise your door correctly, state if hinges are to be on right or left-hand side of door as you face door from outside.

Interior Doors *and Complete Door Sets*

Save time and money--Buy Your Doors Complete...


Buy these popular interior doors in complete sets and save time and money. You get everything you need—see information at the right. You don't have to worry about selecting the right items, about errors, about mortising your door for the lock, etc. This is the simple and easy way to buy—the real way to save money. Yellow Pine trim and jamb furnished for Fir and Birch doors; Oak trim and jambs supplied for Oak doors.

Doors in Complete Sets Mortised for Locks

When you buy Complete Door Sets, your door comes already mortised for lock. This means an extra saving in time and money; also safeguards against defacing door because of poor mortise.

Mortising doors by hand is a costly job as you know. We do this work by machine at a fraction of the cost. You put the saving in your own pocket.

Doors and Door Sets can be shipped immediately in the sizes shown on this page. Every door Guaranteed.



WHAT YOU GET when you buy a Complete Door Set.

1 Your choice of the three interior doors shown below. Doors mortised for lock, machine sanded, ready for finishing.



2 Jamb

Yellow Pine door jamb, cut-to-fit and ready to set up. Oak jamb for Oak doors. Door stops included. See picture at left.

3 Trim

Two sides handsome Yellow Pine Backband Trim. See picture at right. Oak trim for Oak doors. Casings 3 1/2 inches wide.



4 Complete Hardware

Regal Design Bevel Edge bit-key lock set in Dull Brass finish. 1 pair 3 1/2-inch Dull Brass hinges. All screws and keys included. See illustration at the left.

HANDSOME TWO-PANEL DOORS

We furnish Two Panel Doors in—

- (1) All Fir.
- (2) Ponderosa Pine Stiles and Rails with Fir Panels.
- (3) Ponderosa Pine Stiles and Rails with Birch Panels.
- (4) Veneered Red Oak.

Two Panel Doors are 1 3/8 inches thick and are built with strongest dowel pin construction. Richly grained, 3-ply panels.

The prices given below cover doors only; also Complete Door Sets. For a full description of what you get when you buy doors in Complete Sets, see above. You save money by ordering your doors in Complete Sets.

The Two Panel Door is a very attractive door in appearance and is also widely used because of its strength. The low prices are possible because we manufacture these doors in huge quantities in our own factory.

Price 2 Panel Doors and Complete Door Sets—1 3/8 Inches Thick

PRICE DOORS ONLY				SIZES 1-3/8 Inches Thick				PRICE COMPLETE DOOR SETS				
1422 Fir Stiles, Rails and Panels	Ponderosa Pine Stiles and Rails		1222 Veneered Red Oak Oak					1422S Fir Stiles, Rails and Panels	Ponderosa Pine Stiles and Rails		1222S Veneered Red Oak	
	1623 Fir Panels	1151 Birch Panels							1623S Fir Panels	1151S Birch Panels		
				Width		Height						
				Ft.	In.	Ft.	In.					
\$2.93	\$3.67	\$4.12	\$8.83	2	0	6	0	\$7.15	\$8.06	\$8.40	\$14.70	
3.07	3.85	4.32	9.02	2	0	6	6	7.35	8.31	8.68	15.04	
3.14	3.91	4.39	9.09	2	0	6	8	7.41	8.37	8.74	15.20	
3.38	4.25	4.76	9.48	2	4	6	6	7.65	8.72	9.11	15.49	
3.46	4.33	4.86	9.53	2	4	6	8	7.77	8.85	9.26	15.65	
3.56	4.46	5.00	9.79	2	6	6	6	7.83	8.92	9.35	15.98	
3.61	4.52	5.07	9.86	2	6	6	8	7.93	9.04	9.46	16.04	
3.76	4.73	5.30	10.24	2	8	6	8	8.08	9.26	9.70	16.44	


5 PANEL DOOR

The 5-Cross Panel Door is one of the most widely used interior doors because it is an unusually strong door and lowest in cost. Will give a lifetime of service even though it is subject to very hard use. We supply this door in all Fir—solid Fir stiles, rails and panels. Sturdy dowel pin construction. 1 3/8 inches thick.


5-Cross Panel Doors are priced below in Complete Door Sets and doors only. See above for full information about Door Sets.

Price 5X Panel Door

Doors Only	SIZES 1-3/8 Inches Thick				Complete Sets
	Width		Height		
	Ft.	In.	Ft.	In.	
1475 All Fir					1475S All Fir
\$2.57	2	0	6	0	\$6.80
2.71	2	0	6	6	6.99
2.75	2	0	6	8	7.09
2.98	2	4	6	6	7.26
3.05	2	4	6	8	7.38
3.13	2	6	6	6	7.40
3.17	2	6	6	8	7.50
3.32	2	8	6	8	7.64



5 Cross Panel



Princeton

PRINCETON DOOR

This 3-panel Fir door, with large panels above and below, divided by small center panel, is widely used because of its attractive pattern and strength. Priced door only and in sets. Dowel pin construction.

We can offer you the low, factory-to-you prices because we build these doors in our own factory. You get the savings of large quantity manufacture; also put all in-between profits in your own pocket.

Price Princeton Door

Price Doors Only	SIZES 1-3/8 Inches Thick				Price Complete Sets
	Width		Height		
	Ft.	In.	Ft.	In.	
1480 Fir					1480S Fir
\$2.57	2	0	6	0	\$6.80
2.71	2	0	6	6	6.99
2.75	2	0	6	8	7.09
2.98	2	4	6	6	7.26
3.05	2	4	6	8	7.38
3.13	2	6	6	6	7.40
3.17	2	6	6	8	7.50
3.32	2	8	6	8	7.64



MODERN

All Doors Made in Our Own Factory-

You buy your doors from Gordon-Van Tine at money-saving prices for two reasons. First, because we manufacture them in huge quantities in our own door factory and pass the savings on to our customers. Second, because you buy direct—at wholesale—and put all in-between profits in your own pocket.

Door Guarantee

Every door is Guaranteed to be Satisfactory or your money will be returned. We also Guarantee Safe Delivery.

Eldorado Insert-Panel Door

The Eldorado door, shown above and at the left, is one of our most beautiful interior doors. It will add charm to the interior of your home, and because of its special construction (see right) will give a lifetime of service.

This door is carried in stock in Pine, Gum and Oak. Pine doors have Ponderosa Pine stiles and rails and 3-ply Birch or Fir Panels. The Oak and Gum doors are veneered. The stiles and rails are built on a core of Ponderosa Pine to which the Oak and Gum veneer is applied. 3-ply Oak and Gum panels selected for grain. Genuine dowel pin construction. Doors 1-3/8 or 1-3/4 inches thick.


NOTE: Door Set prices include Yellow Pine trim and jamb for Pine doors; Gum trim and jamb for Gum door; Oak trim and jamb for Oak door.

The great strength of our Eldorado door is shown by the cross section below. Into the outside stile (3) is fitted a second and smaller stile (2) which holds the large center panel (1).



Complete Door Sets

1 Buy Eldorado Doors in Complete Sets and get everything you need at one low price—easily and quickly. In Complete Sets Eldorado Doors come mortised for lock.



2

DOOR JAMBS

Cut-to-fit, ready to set up. Yellow Pine jamb for Fir and Birch doors; Gum jamb for Gum doors; Oak jamb or Oak doors. Size 3/4 x 5-3/8 inches.

3

BEAUTIFUL DOOR TRIM

Two sides Backband trim, 3-1/2-inch casings. Yellow Pine trim for Fir and Birch doors; Gum trim for Gum doors, Oak trim for Oak doors.



4

HARDWARE

Handsome Regal design bevel edge bit—key lock in Dull Brass finish. Complete with keys. Three hinges, 3-1/2 inches, Dull Brass finish. All screws included.



Price Eldorado Doors Only

1⅜ Inches Thick				SIZES				1¾ Inches Thick		
Ponderosa Pine Stiles and Rails		1373 Veneered Gum Stiles, Rails & Panels	1371 Veneered Oak Stiles, Rails & Panels					Ponderosa Pine St. & Rls. 1351 Fir Panels	1373 Veneered Gum	1371 Veneered Oak
1351 Fir Panels	1301 Birch Panels									
\$4.56	\$4.90	\$7.26	\$9.41	2	0	6	0	\$6.12	\$8.51	\$11.16
4.79	5.14	7.41	9.60	2	0	6	6	6.44	8.66	11.35
4.86	5.22	7.46	9.66	2	0	6	8	6.56	8.71	11.41
5.28	5.66	7.77	10.05	2	4	6	6	7.07	9.02	11.80
5.39	5.78	7.82	10.11	2	4	6	8	7.19	9.07	11.86
5.54	5.95	8.02	10.37	2	6	6	6	7.38	9.27	12.12
5.62	6.02	8.07	10.43	2	6	6	8	7.50	9.32	12.21
5.88	6.31	8.37	10.82	2	8	6	8	7.89	9.62	12.56

Price Complete Eldorado Door Sets

1⅜ Inches Thick				SIZES				1¾ Inches Thick		
1351S Fir	1301S Birch	1373S Gum	1371S Oak	Width		Height		1351S Fir	1373S Gum	1371S Oak
				Ft.	In.	Ft.	In.			
\$ 9.22	\$ 9.69	\$13.57	\$17.24	2	0	6	0	\$10.79	\$14.77	\$18.44
9.49	9.96	13.81	17.58	2	0	6	6	11.12	15.06	18.77
9.60	10.09	13.94	17.73	2	0	6	8	11.29	15.19	18.93
9.91	10.44	14.19	18.04	2	4	6	6	11.64	15.44	19.23
10.06	10.60	14.31	18.19	2	4	6	8	11.86	15.56	19.39
10.15	10.70	14.57	18.46	2	6	6	6	11.99	15.82	19.65
10.29	10.85	14.62	18.59	2	6	6	8	12.21	15.88	19.79
10.52	11.10	14.93	18.98	2	8	6	8	12.52	16.19	20.16

DOORS

You Save Money at FACTORY-TO-YOU Prices

We have been manufacturing and selling doors for 73 years! This long experience has naturally shown us what is needed in materials and construction to make doors that will give you a lifetime of service and satisfaction. As a result, every door you buy from us is Guaranteed to satisfy you or your money will be returned.

Safe Delivery Guaranteed

Doors are carefully packed and will reach you in perfect condition. We Guarantee Safe Delivery.



Beautiful Colonial Interior Doors

The ever-growing popularity of Colonial and Cape Cod Homes has created a great demand for an interior door of true Colonial design. Our Lowell Door meets this demand. It is of genuine Colonial style, perfectly proportioned, with raised panels. The Lowell Door can also be used in other types of homes, especially in homes of English design.

Carried in Ponderosa Pine or Gum. The Pine doors are 1 3/8 or 1 3/4 inches thick and have solid Pine

stiles, rails and panels; the Gum doors are veneered doors with 3-ply Gum panels and are 1 3/8 inches thick. Strongest dowel pin construction.

The Lowell Door is priced doors only and in Complete Door Sets. If you buy doors in sets and want a different design trim (see page 26), write for prices. Set prices include Yellow Pine Backband trim with Pine Doors and Gum trim and Jamb with Gum Doors.

Price Doors Only

SIZES				Ponderosa Pine		Gum
Width		Height		1653 1 3/8 In. Thick	1631 1 3/4 In. Thick	1631 1 3/8 In. Thick
Ft.	In.	Ft.	In.			
2	0	6	0	\$4.24	\$5.89	\$8.27
2	0	6	6	4.53	6.17	8.42
2	0	6	8	4.59	6.27	8.47
2	4	6	6	4.93	6.71	8.77
2	4	6	8	5.03	6.80	8.82
2	6	6	6	5.15	6.98	9.02
2	6	6	8	5.21	7.08	9.07
2	8	6	8	5.43	7.39	9.37

Price Complete Door Sets

SIZES				Ponderosa Pine		Gum
Width		Height		1653S 1 3/8 In. Thick	1631S 1 3/4 In. Thick	1631S 1 3/8 In. Thick
Ft.	In.	Ft.	In.			
2	0	6	0	\$8.90	\$10.47	\$14.36
2	0	6	6	9.16	10.81	14.60
2	0	6	8	9.26	10.97	14.72
2	4	6	6	9.56	11.37	14.98
2	4	6	8	9.71	11.54	15.10
2	6	6	6	9.79	11.65	15.24
2	6	6	8	9.90	11.81	15.36
2	8	6	8	10.14	12.15	15.66



Lowell

Complete Door Sets

YOU GET—

1 Door: Choice of two doors shown on this page. Doors shipped mortised for locks.

2 Door Jamb: Door jamb, cut-to-fit and ready to set up. Stops included. See picture on page 16.

3 Door Trim: 2 sides, Yellow Pine backband trim for Pine doors; Gum trim for Gum doors. 3 1/2-inch casings. See picture on page 16.

4 Hardware: Regal design bevel edge bit-key lock, Dull Brass finish and three 3 1/2-inch hinges. Shown on page 16. If you want Beverley locks, add for difference in price. See page 46.

One Panel Design Door

The one panel door owes its unusual beauty to its large panel and simple, graceful design. We carry this door with Pond. Pine stiles and rails and Fir panels; also in all Fir. The Fir used in our doors is famous for its beautiful grain, rich shadings and fine texture. Dowel pin construction.

As shown below, we price this door in Complete Door Sets and doors only. Buy your doors in Complete Sets—get everything you need at one low price—easily and quickly. No time lost—no chance of error.

Doors Only		SIZES				Complete Sets	
1601 Ponderosa Pine Stiles and Rails Fir Panels	1421 All Fir	1 ³ / ₈ Inches Thick				1601S Ponderosa Pine Stiles and Rails Fir Panels	1421S All Fir
		Width		Height			
		Ft.	In.	Ft.	In.		
\$4.22	\$2.99	2	0	6	0	\$8.40	\$7.27
4.40	3.13	2	0	6	6	8.68	7.48
4.46	3.16	2	0	6	8	8.79	7.56
4.81	3.43	2	4	6	6	9.11	7.78
4.89	3.50	2	4	6	8	9.26	7.90
5.02	3.60	2	6	6	6	9.35	7.95
5.08	3.65	2	6	6	8	9.46	8.06
5.20	3.80	2	8	6	8	9.70	8.20



One-Panel Door

FRENCH DOORS TERRACE DOORS

MIRROR DOORS FRENCH WINDOWS

French doors are widely used between the hall and living room. In this position they keep the living room warm and comfortable on cold winter nights and add beauty and charm to the entire living portion of the house. They are often placed between living and dining rooms or leading into a sun parlor or porch. We carry two French Door designs; one divided 10 lights of glass per door and the second divided 15 lights per door.



1840



1846



French Doors are made of Ponderosa Pine, 1 3/8 or 1 3/4 inches thick, as listed. Glazed double strength or plain plate glass. Machine sanded, ready for finish. Astragal furnished to make tight joint between doors.



1840—10 Lights per Door

Opening Size Wd. Ht.	1 3/8 In. Thick		1 3/4 In. Thick	
	1840 D.S.	1841 Plate	1840 D.S.	1841 Plate
4-0 x 6-8	\$12.90	\$21.05	\$16.00	\$24.15
4-0 x 7-0	13.35	21.50		

1846—15 Lights per Door

Opening Size Wd. Ht.	1 3/8 In. Thick		1 3/4 In. Thick	
	1846 D.S.	1847 Plate	1846 D.S.	1847 Plate
5-0 x 6-8	\$14.70	\$23.85	\$18.35	\$27.00
5-0 x 7-0	16.10	24.25		

TERRACE DOORS



Terrace Doors are widely used in vestibules, sun porches, sleeping porches, where good light is wanted. Also used singly or in pairs, when extra heavy French doors are wanted.

When hung in pairs we recommend astragals (see page 29).

1 3/8 or 1 3/4 inches thick, as listed below. Built of Veneered Red Oak, Sap Gum or Ponderosa Pine. Glazed with clear double strength or best polished plate glass.



Size of Opening Wd. Ht.	Ponderosa Pine		Gum		Red Oak	
	1 3/8-Inch D.S.	1 3/8-Inch Plate	1 3/4-Inch D.S.	1 3/4-Inch Plate	1 3/8-Inch D.S.	1 3/8-Inch Plate
2-8 x 6-8	\$8.50	\$14.75	\$10.50	\$17.65	\$15.00	\$22.15
3-0 x 6-8	8.75	16.90	10.65	18.85	15.30	23.35
3-0 x 7-0	9.05	17.15	11.00	19.30	16.00	23.80

FRENCH WINDOWS

French windows are being specified in the majority of homes today because of their beauty and utility. The illustration at the right will give you an idea of the attractiveness of French windows. Our French windows are made of Ponderosa Pine and are 1 3/8 inches thick. Each window is divided with 10 lights of clear glass or plain plate glass. Machine sanded, ready for finish.



Interior trim will be found on pages 26 and 27. Frames on pages 19 and 22. Hardware on pages 46 and 49.

Opening Size		2501	2502
Width	Height	Clear Glass	Plain Plate
2 10 3	4 6	\$4.38	\$ 8.30
2 10 4	6 6	4.84	10.05
2 10 4	10 6	5.15	11.25
2 10 5	2 6	5.45	11.50
2 10 5	6 6	5.50	11.70

MIRROR DOORS

Full length polished plate mirror on one side with reverse side matching our beautiful 1-panel Eldorado door on page 16. Supplied in Ponderosa Pine stiles and rails and Fir panels; also in Oak and Gum.

Genuine dowel pin construction. We can furnish mirror with 1 1/2-inch bevel, if desired, at \$6.00 per door extra.



A Mirror door does not need wall space for it occupies space already used. Every home should have one — every housewife wants one.

MIRROR DOOR PRICES

1-3/8 Inch Thick Size Width Height Ft. In. Ft. In.	Size of Mirror, Inches	1813 Pine Stiles Rails, Fir Panels	1815 All Gum	1814 All Oak
2 0 6 0	15 3/8 x 58 1/4	\$17.95	\$20.65	\$22.80
2 0 6 6	15 3/8 x 64 1/4	19.50	22.15	24.35
2 0 6 8	15 3/8 x 66 1/4	19.95	22.55	24.75
2 6 6 6	21 3/8 x 64 1/4	27.10	29.60	31.95
2 6 6 8	21 3/8 x 66 1/4	27.75	30.20	32.55
2 8 6 8	23 3/8 x 66 1/4	29.80	32.30	34.75

MAKE YOUR OWN MIRROR DOOR

This Mirror door outfit enables you to make a mirror door out of any door now in your home. We furnish plain glass mirror, glass stops, screws and mouldings which frame the mirror and hold it firmly in place. Glass stop and mouldings furnished in Yellow Pine, Ponderosa Pine, Birch and Oak. State which is wanted.

Fits 1, 2 or 5 Panel Doors. SIZE				Size of Mirror	9012 Plain Plate Mirror	9011 Price 1 1/2 In. Bevel Mirror
Ft.	In.	Ft.	In.			
2	0	6	0	16 x 60	\$12.65	\$18.40
2	0	6	6	16 x 66	13.80	20.70
2	0	6	8	16 x 68	14.20	21.40
2	6	6	6	22 x 66	20.00	28.00
2	6	6	8	22 x 68	20.55	28.45
2	8	6	8	24 x 68	22.20	30.90
2	6	7	0	22 x 72	21.65	30.65
2	8	7	0	24 x 72	23.40	32.75
3	0	7	0	28 x 72	26.90	37.40




This cross section shows how mirror is applied.

Clear Ponderosa Pine Door Frames

Guaranteed Ponderosa Pine Door Frames. Carefully built to protect your home against drafts and loss of heat. All frames on this page shipped knocked down, ready to set-up.

When Ordering: Frames rabbetted for doors, 1-3/8 or 1-3/4 inches thick. If your door is 1-3/8 inches thick, your frame should have 1-3/8-inch rabbet; 1-3/4 inches thick, 1-3/4-inch rabbet. Give rabbet wanted.

PLAIN CAP DOOR FRAME



3802

For Outside Doors also exterior French Doors. Made to receive screen and storm doors 1-1/8 inches thick. Prices do not include inside casings. See page 26.

3802
PLAIN CAP


3802. Specifications: For 2 x 4 studding. Outside Casing 1-1/8 x 4-1/2 inches; Jambs 1-3/8 x 5-1/4 inches; Sill 1-5/8 x 7-1/4 inches, Drip Cap 1-1/8 x 1-5/8 inches. Pine or Oak sill.

SIZE				3802 Pine Sill	3802 Oak Sill
Width		Height			
Ft.	In.	Ft.	In.		
2	6	6	6	\$4.57	\$5.91
2	8	6	8	4.79	6.20
3	0	6	8	4.93	6.46
3	0	7	0	5.07	6.60
4	0	6	8	5.44	7.39
4	0	7	0	5.58	7.53
5	0	6	8	6.04	8.39
5	0	7	0	6.19	8.54

MOULDED CAP DOOR FRAME

3812: Same as 3802 except Drip Cap which is 1-1/8 x 2-1/2 inches; Crown Mould 3/4 x 2 inches; Head Casing 1-1/8 x 5-3/4 inches.

SIZE				3812 Pine Sill	3812 Oak Sill
Width		Height			
Ft.	In.	Ft.	In.		
2	6	6	6	\$5.04	\$6.38
2	8	6	8	5.26	6.67
3	0	6	8	5.43	6.96
3	0	7	0	5.56	7.09
4	0	6	8	6.02	7.97
4	0	7	0	6.16	8.11
5	0	6	8	6.69	9.04
5	0	7	0	6.85	9.20




3812

These frames have the attractive Moulded Cap shown above. Be sure to state whether you want 1-3/8- or 1-3/4-inch rabbet on your frames.

3812
MOULDED CAP

Brick Veneer Door Frames




Ponderosa Pine. Jambs 1-3/8 x 6 inches; Brick Mould 1-1/8 x 2 inches; Lining 3/4 x 4-1/2 inches. Side Jambs 1-1/2-inch longer than opening to allow for setting in concrete and trimming. No sills included. Rabbetted for doors 1-3/8 or 1-3/4 inches thick. State which is wanted.

SIZE				3826 Price Each
Width		Height		
Ft.	In.	Ft.	In.	
2	8	6	8	
3	0	6	8	\$4.08
3	0	7	0	4.21
				4.41

Plank Door Frame

Jambs 6-5/8 inch (for 9 in. wall) or 10-5/8 inches (for 13 in. wall). Brick Mould 1-1/8 x 2 inches with beaded edge. Side jambs 1-1/2 inches longer than opening to allow for setting in concrete and trimming. No sills or arch boards included. Add 20c per frame for arch boards. State whether 1-3/8 or 1-3/4 inch rabbet is wanted.

SIZE				3821 For 9 in. Wall	3822 For 13 in. Wall
Width		Height			
Ft.	In.	Ft.	In.		
2	8	6	8		
3	0	7	0	\$3.70	\$6.18
				3.98	6.65



Inside Frames or Jambs


Inside Door Jambs or Frames are ready to set up but shipped knocked down, carefully bundled for shipment. We carry Jambs in Yellow Pine, Gum and Plain Red Oak. Furnished 1/2-inch oversize below dado to allow for trimming. Jambs are 3/4 x 5-3/8 inches with side jambs dadoed for head. For cutting down inside jambs in width add 25c per jamb. Priced with or without stops.


SIZE				Yellow Pine		Gum		Oak	
Width		Height		3901 No Stops	3901 With Stops	3909 No Stops	3909 With Stops	3903 No Stops	3903 With Stops
Ft.	In.	Ft.	In.						
2	6	6	6	\$1.10	\$1.33	\$1.62	\$1.96	\$2.50	\$2.98
2	8	6	8	1.10	1.33	1.62	1.96	2.50	2.98
3	0	7	0	1.20	1.48	1.76	2.18	2.73	3.30
4	0	7	0	1.26	1.56	1.87	2.30	2.87	3.47
5	0	7	0	1.32	1.64	1.96	2.40	3.02	3.66
6	0	7	0	1.38	1.71	2.06	2.53	3.16	3.81
10	0	8	0	1.76	2.18	2.64	3.24	4.05	4.87

Circle Top Frame

Made of Ponderosa Pine. Outside Casing 1-1/8 inches thick by 4-1/2 inches wide. Jambs 1-3/8 inches by 5-1/4 inches. Sill 1-5/8 x 7-1/4 inches. Drip Cap 1-1/8 x 1-5/8 inches. Shipped knocked down, ready to set up. Frame made to receive 1-1/8-inch screen or storm doors. Made 2 x 4 studding and for doors 1-3/8- or 1-3/4-inch thick. Be sure to state rabbet wanted.

SIZE				3923 Pine Sill	3923 Oak Sill
Width		Height			
Ft.	In.	Ft.	In.		
3	0	6	8	\$10.54	\$12.07
3	0	7	0	10.69	12.22





2111—Two Light




2407—Pasadena



2403—Colonial

Window Features



Putty Lock

Locks putty to rails and bars and absolutely prevents it from falling off.

Strongest Joints

Mortise and tenon joints, steel pinned. Gives window most strength.



Ready for Cord

Windows are plowed and bored for sash cord. Bore is deep enough to hold the knot in the cord.

Double Hung Windows

Guaranteed Windows at Factory-to-You Prices

WE offer check rail windows in the three designs shown on this page and in the five styles on the opposite page. Our check rail windows are built of clear Ponderosa Pine, thoroughly kiln-dried. All flat surfaces machine sanded, ready for finish. Glass is carefully selected and graded. Windows are 1-3/8 inches thick.

If you wish bottom sash glazed Florentine glass (for bathroom windows) add 50 cents extra per window.

Check rail windows are priced individually and in Complete Sets. In a Complete Window Set you get window, frame, trim and all hardware. Everything you need—at one low money-saving price. Easy and simple. See right for full information about Complete Window Sets.

In Colonial and Pasadena windows the number of lights in upper sash depends on the window size. Number of lights as follows:


Window Width	Pasadena	Colonial
12 to 18 inches	2 lights	4 lights
20 to 30 inches	3 lights	6 lights
32 to 38 inches	4 lights	8 lights
40 to 44 inches	5 lights	10 lights

Glass is proportioned in size so that windows—large or small—will be in harmony.

Complete Window Sets

What You Get—

1. **Choice of Window**
Plain 2-light window, Pasadena window or Colonial window. See Complete Set price list below.




2. Window Frame

Strong, weathertight Ponderosa Pine window frame. Cut-to-fit, ready to set up. 1 1/4-inch outside casing. Complete with Jam-proof pulleys. See picture.

3. Window Trim

One side handsome backband trim in Yellow Pine with stool and apron. 3 1/2-inch casings. See picture at right.



4. Hardware

4 sash weights of correct weight. Sash cord. 2 Bar Sash Lifts and Sash Fastener in Dull Brass finish. All complete as shown in picture at left.



Prices of Check Rail Windows and Complete Window Sets

Windows Only			1 3/8 Inches Thick						Complete Window Sets		
2111 2-Light Design	2407 Pasadena Design	2403 Colonial Design	Glass Size of Window		Over-all Size of Windows				2111S 2-Light Design	2407S Pasadena Design	2403S Colonial Design
			Width	Height	Width		Height				
					Inches	Ft. In.	Ft. In.	Ft. In.			
\$1.40	\$1.58	\$1.64	12 x 20	1 4	3 10	\$ 6.05	\$ 6.24	\$ 6.30			
1.58	1.75	1.83	12 x 24	1 4	4 6	6.66	6.83	6.90			
1.47	1.65	1.72	14 x 20	1 6	3 10	6.18	6.36	6.43			
1.71	1.88	1.95	14 x 24	1 6	4 6	6.85	7.03	7.09			
1.63	1.80	1.88	16 x 20	1 8	3 10	6.39	6.57	6.63			
1.78	1.96	2.03	16 x 24	1 8	4 6	7.03	7.21	7.27			
1.73	1.92	1.98	18 x 20	1 10	3 10	6.55	6.74	6.79			
1.99	2.18	2.24	18 x 24	1 10	4 6	7.33	7.51	7.57			
2.19	2.38	2.44	18 x 28	1 10	5 2	7.96	8.15	8.20			
1.63	1.81	1.99	20 x 16	2 0	3 2	6.25	6.43	6.62			
1.91	2.17	2.28	20 x 20	2 0	3 10	6.84	7.09	7.21			
2.01	2.27	2.38	20 x 22	2 0	4 2	7.32	7.58	7.69			
2.11	2.37	2.48	20 x 24	2 0	4 6	7.53	7.78	7.90			
2.19	2.45	2.56	20 x 26	2 0	4 10	7.90	8.15	8.27			
2.29	2.55	2.66	20 x 28	2 0	5 2	8.17	8.42	8.54			
2.37	2.63	2.73	20 x 30	2 0	5 6	8.46	8.71	8.83			
2.19	2.45	2.56	22 x 24	2 2	4 6	7.81	8.06	8.18			
2.29	2.55	2.66	22 x 26	2 2	4 10	8.19	8.45	8.57			
2.39	2.65	2.76	22 x 28	2 2	5 2	8.49	8.70	8.78			
2.55	2.80	2.91	22 x 30	2 2	5 6	8.78	9.04	9.16			
1.81	1.99	2.18	24 x 16	2 4	3 2	7.07	7.25	7.43			
1.99	2.25	2.35	24 x 18	2 4	3 6	7.27	7.52	7.64			
2.11	2.37	2.48	24 x 20	2 4	3 10	7.54	7.80	7.91			
2.19	2.45	2.56	24 x 22	2 4	4 2	7.77	8.03	8.14			
2.37	2.63	2.74	24 x 24	2 4	4 6	8.09	8.35	8.46			
2.39	2.65	2.76	24 x 26	2 4	4 10	8.36	8.62	8.73			
2.57	2.83	2.93	24 x 28	2 4	5 2	8.77	9.02	9.14			
2.70	2.96	3.07	24 x 30	2 4	5 6	9.09	9.34	9.46			
3.01	3.37	3.37	24 x 32	2 4	5 10	9.70	10.07	10.07			
1.76	1.94	2.12	26 x 14	2 6	2 10	6.73	6.91	7.11			
1.99	2.17	2.35	26 x 16	2 6	3 2	7.41	7.59	7.78			
2.11	2.37	2.48	26 x 18	2 6	3 6	7.77	8.03	8.14			
2.19	2.45	2.56	26 x 20	2 6	3 10	7.85	8.10	8.22			
2.29	2.55	2.66	26 x 22	2 6	4 2	8.05	8.31	8.43			
2.39	2.65	2.76	26 x 24	2 6	4 6	8.24	8.50	8.62			
2.57	2.83	2.93	26 x 26	2 6	4 10	8.60	8.85	8.97			
2.77	3.04	3.14	26 x 28	2 6	5 2	9.16	9.42	9.55			
2.96	3.21	3.32	26 x 30	2 6	5 6	9.46	9.72	9.83			
2.57	2.83	2.93	28 x 24	2 8	4 6	8.77	9.03	9.14			
2.77	3.04	3.14	28 x 26	2 8	4 10	9.11	9.37	9.51			
2.96	3.21	3.32	28 x 28	2 8	5 2	9.46	9.72	9.83			
2.98	3.24	3.34	28 x 30	2 8	5 6	9.64	9.90	10.00			
3.46	3.83	3.83	28 x 32	2 8	5 10	10.39	10.76	10.76			
2.70	2.97	3.08	30 x 24	2 10	4 6	9.01	9.27	9.38			
2.96	3.23	3.34	30 x 26	2 10	4 10	9.40	9.65	9.77			
2.98	3.25	3.37	30 x 28	2 10	5 2	9.61	9.86	9.98			
3.41	3.69	3.80	30 x 30	2 10	5 6	10.21	10.48	10.59			
3.49	3.88	3.88	30 x 32	2 10	5 10	10.59	10.96	10.96			
3.01	3.35	3.49	32 x 24	3 0	4 6	9.47	9.82	9.96			
3.03	3.37	3.52	32 x 26	3 0	4 10	9.66	10.01	10.15			
3.46	3.81	3.95	32 x 28	3 0	5 2	10.20	10.55	10.69			
4.42	4.85	5.02	38 x 24	3 6	4 6	11.52	11.87	11.99			
4.85	5.27	6.20	38 x 26	3 6	4 10	12.11	12.44	12.59			

Double Hung Windows

Glazed with Clear Glass

Priced Singly or in Complete Sets

Genuine Cape Cod Design Window

This window faithfully reproduces the windows found in the beautiful old Colonial homes. It is perfectly proportioned and should be used in all Colonial and Cape Cod homes; also in homes of English design.

Specifications:


Cape Cod check rail windows are built of clear kiln-dried Ponderosa Pine. Have wider dividing bars than ordinary windows. Strongest mortise and tenon construction—see page 20. 1 3/8 inches thick. Only carefully selected and graded glass used with putty firmly held in place by Putty Lock illustrated on page 20.

If you need sizes not shown, write for Free Estimate.

For your convenience, we price Cape Cod windows in two ways. (1) Windows only. (2) In Complete Window Sets. Ordering your windows in Complete Sets is, of course, the easiest way because you get everything complete and save time and any chance of error. Full information about Complete Window Sets is given below.

Note: Prices on Complete Window Sets include Yellow Pine Backband design trim. If you want trim in other designs (see page 27) or in Gum or Oak, just write for Free Estimate.

We can furnish Cape Cod windows with bottom lights glazed Florentine glass (for bathroom use) for 50 cents extra.



Cape Cod Window

A design copied from the genuine old Colonial homes of our forefathers. Has wider dividing bars than ordinary windows to carry out authentic Colonial style. Glazed with selected Clear Glass.

Complete Window Sets

What You Get—


1. Window. Set prices include the beautiful Cape Cod window completely glazed. Machine sanded, ready for any finish.

2. Window Frame



2. Ponderosa Pine, weathertight frame with pulleys and 1 1/2-inch outside casing.

3. Window Trim



3. One side Yellow Pine Backband trim with stool and apron. 3 1/4-inch casings. See picture at right.



4. Hardware

4 sash weights of correct weight. Sash Cord. 2 Bar Sash Lifts and Sash Fastener in Dull Brass finish. Complete with screws. Illustrated at left.

Size Glass Opening	Over-all Size of Window				No. Lights of Glass	Price Window Only 2433	Price Complete Set 2433S
	Wd.	Ht.	Ft.	In.			
16 x 20	1	8	3	10	8	\$2.15	\$6.90
16 x 24	1	8	4	6	8	2.30	7.54
18 x 20	1	10	3	10	8	2.33	7.14
18 x 24	1	10	4	6	8	2.41	7.75
20 x 16	2	0	3	2	12	2.53	7.14
20 x 20	2	0	3	10	12	2.74	7.66
20 x 24	2	0	4	6	12	2.98	8.32
24 x 16	2	4	3	2	12	2.78	7.90
24 x 20	2	4	3	10	12	2.78	8.19
24 x 24	2	4	4	6	12	3.05	8.75
24 x 26	2	4	4	10	12	3.07	9.03
24 x 28	2	4	5	2	12	3.19	9.37
26 x 20	2	6	3	10	12	3.14	8.78
26 x 24	2	6	4	6	12	3.20	9.03
26 x 26	2	6	4	10	12	3.30	9.32
26 x 28	2	6	5	2	12	3.44	9.82
28 x 20	2	8	3	10	12	3.06	9.05
28 x 24	2	8	4	6	12	3.35	9.53
28 x 26	2	8	4	10	12	3.46	9.79
28 x 28	2	8	5	2	12	3.65	10.14
30 x 24	2	10	4	6	12	3.25	9.54
30 x 28	2	10	5	2	12	3.52	10.14
38 x 24	3	6	4	6	16	4.17	11.22

Number of Lights of Glass in Cape Cod Windows



See price table at left for number of lights of glass in Cape Cod windows. Drawings at left show how well glass sizes in Cape Cod windows harmonize no matter how windows are divided.

In Cape Cod windows 12 to 18 inches wide there are 8 lights of glass.

In Cape Cod windows 20 to 30 inches wide there are 12 lights.

In Cape Cod windows 32 to 38 there are 16 lights.

4-8-12 Light Windows - Cottage Windows



4-Light Window



8-Light Window

These check rail windows are made of Ponderosa Pine and are 1 3/8 inches thick. Glazed Clear Glass. Have all the features of our check rail windows—mortise and tenon joints, putty lock, etc., as shown on page 20.

4-Light Windows and Complete Sets

Price Window Only 2121	Size of Each Glass	Over-all Size of Window				Price Complete Sets 2121S
		Width		Height		
		Ft.	In.	Ft.	In.	
\$2.06	10 x 20	2	1	3	10 1/2	\$7.49
2.26	10 x 24	2	1	4	6 1/2	7.95
2.55	10 x 28	2	1	5	2 1/2	8.57
2.24	12 x 20	2	5	3	10 1/2	7.85
2.57	12 x 24	2	5	4	6 1/2	8.43
2.67	12 x 26	2	5	4	10 1/2	8.63
2.83	12 x 28	2	5	5	2 1/2	9.12
3.03	12 x 30	2	5	5	6 1/2	9.43

8-Light Windows and Complete Sets

Price Window Only 2131	Size of Each Glass	Over-all Size of Window				Price Complete Sets 2131S
		Width		Height		
		Ft.	In.	Ft.	In.	
\$2.34	9 x 12	1	11	4	6 1/2	\$7.76
2.45	10 x 12	2	1	4	6 1/2	8.06
2.65	10 x 14	2	1	5	2 1/2	8.62
3.06	12 x 14	2	5	5	2 1/2	9.25
3.28	12 x 16	2	5	5	10 1/2	9.98

Priced in Complete Sets (except Cottage Window) and windows only. See above for full information on Complete Window Sets. We recommend buying Complete Sets because you save time and get everything you need at one low price.


12-Light Windows and Complete Sets

Price Window Only 2141	Size of Each Glass	Over-all Size of Window				Price Complete Sets 2141S
		Width		Height		
		Ft.	In.	Ft.	In.	
\$2.72	8 x 10	2	4 1/2	3	10 1/2	\$8.27
2.93	8 x 12	2	4 1/2	4	6 1/2	8.78
2.98	9 x 12	2	7 1/2	4	6 1/2	9.06
3.18	9 x 14	2	7 1/2	5	2 1/2	9.61
3.26	10 x 12	2	10 1/2	4	6 1/2	9.51
3.41	10 x 14	2	10 1/2	5	2 1/2	9.99
3.96	10 x 16	2	10 1/2	5	10 1/2	11.00


Cottage Windows—Windows Only

Over-all Size of Windows				Size of Bottom Glass		Size of Top Glass		2451 Window Only
Width		Height						
Ft.	In.	Ft.	In.	Wd.	Ht.	Wd.	Ht.	
3	8	5	0	40 x 40		40 x 14		\$5.22
3	8	5	2	40 x 40		40 x 16		5.22
4	0	5	2	44 x 40		44 x 16		6.06
4	0	5	6	44 x 44		44 x 16		6.66

See page 7 for screens.



12-Light Window



Cottage Window

Pine Window Frames

Cut-To-Fit Bundled Ready-To-Set Up

These frames are shipped in exact sizes listed. Shipped knocked down (to save freight), ready to set-up. No further cutting or fitting necessary. Clear Ponderosa Pine—easier to work, weathertight, lasts longer.

Use 3112 frames for frame buildings (2x4 studs with siding or shingles and lath and plaster inside). For Moulded Cap in place of Plain Cap, add 33c per frame.


3112—Frames for Check Rail Windows.

See NOTE at Bottom of Page.


Window Glass Size	To Fit Window Size		Price 3112 1 1/2 In. Casing
Wd. Ht.	Width	Height	
2-Light Window Frames			
16x20	1 8	3 10	\$2.85
16x24	1 8	4 6	3.04
16x28	1 8	5 2	3.12
18x20	1 10	3 10	2.91
18x24	1 10	4 6	3.09
20x20	2 0	3 10	2.96
20x22	2 0	4 2	3.05
20x24	2 0	4 6	3.15
20x26	2 0	4 10	3.24
20x28	2 0	5 2	3.34
22x24	2 2	4 6	3.28
22x26	2 2	4 10	3.38
22x28	2 2	5 2	3.49
24x18	2 4	3 6	3.03
24x20	2 4	3 10	3.16
24x22	2 4	4 2	3.25
24x24	2 4	4 6	3.34
24x26	2 4	4 10	3.45
24x28	2 4	5 2	3.55
24x30	2 4	5 6	3.64
26x14	2 6	2 10	2.76

Window Glass Size	To Fit Window Size		Price 3112 1 1/2 In. Casing
Wd. Ht.	Width	Height	
2-Light Window Frames			
26x15	2 6	3 2	\$2.98
26x18	2 6	3 6	3.08
26x20	2 6	3 10	3.21
26x22	2 6	4 2	3.32
26x24	2 6	4 6	3.41
26x26	2 6	4 10	3.51
26x28	2 6	5 2	3.60
26x30	2 6	5 6	3.70
28x24	2 8	4 6	3.53
28x26	2 8	4 10	3.61
28x28	2 8	5 2	3.71
28x30	2 8	5 6	3.82
30x24	2 10	4 6	3.58
30x26	2 10	4 10	3.68
30x28	2 10	5 2	3.78
30x30	2 10	5 6	3.88
32x24	3 0	4 6	3.66
32x26	3 0	4 10	3.74
32x28	3 0	5 2	3.84
32x30	3 0	5 6	3.94
38x24	3 6	4 6	3.84
38x26	3 6	4 10	3.94
38x28	3 6	5 2	4.04


Window Glass Size	To Fit Window Size		Price 3112 1 1/2 In. Casing
Wd. Ht.	Width	Height	
4-Light Window Frames			
40x28	3 8	5 2	\$4.11
40x30	3 8	5 6	4.20
10x20	2 1	3 10	3.10
10x24	2 1	4 6	3.28
10x28	2 1	5 2	3.38
12x16	2 5	3 2	2.92
12x20	2 5	3 10	3.16
12x24	2 5	4 6	3.34
12x26	2 5	4 10	3.45
12x28	2 5	5 2	3.54
12x30	2 5	5 6	3.63
8-Light Window Frames			
10x12	2 1	4 6	3.28
10x14	2 1	5 2	3.49
12x14	2 5	5 2	3.59
12-Light Window Frames			
8x10	2 4 1/2	3 10	3.21
9x12	2 7 1/2	4 6	3.52
10x12	2 10 1/2	4 6	3.65
10x14	2 10 1/2	5 2	3.84



Brick Veneer and Masonry Frames



3116—Box Window Frame. For standard 9-inch brick wall or 13-inch wall by adding extension jamb.



3119—Brick Veneer Frames. Pulley stile and Head jambs 3/4x5-1/4 in. Sill 1-5/8x7-1/4 inch.




Twin and Triple Frames

For frames for Twin Windows, double price of single frame and add 50c.



For Triple Frame, multiply single frame price by three and add \$1.00.

Casement Sash - French Window Frames



Ponderosa Pine. All exposed parts absolutely clear. Illustration shows frame for sash swinging out. Shipped bundled ready to set up. For intermediate sizes order next larger size. Frames are made with 1 1/4 in. casing, plain cap.


LOUVRE FRAMES



Louvers are absolutely necessary in insulated attics which have no sash. Insulated attics must have air circulation during winter to prevent frost accumulation which melts and causes water damage. Ponderosa Pine with copper screen nailed on back. Made to order. Specify frame or brick construction. Priced per Louvre of not over 5 sq. ft.

3851.....	\$ 5.60
3852.....	8.25
3853.....	10.60

Cellar Sash Frames



Ponderosa Pine for concrete, brick, block or stone walls. Hanging stile 1 1/4 x 2 in. Jamb 1 1/4 x 5 1/2 in., rabbetted 3/4 x 1 1/4 in. Sill 1 1/4 x 5 1/2 in. All shipped knocked down.

For 2-Light Cellar Sash


Glass Size	Size of Sash		3641
	Width	Height	
	Ft. In.	Ft. In.	
12x14	2 5	1 6	\$1.31
12x16	2 5	1 8	1.34
For 3-Light Sash			
8x10	2 4	1 2	\$1.19
10x12	2 10	1 4	1.36
10x16	2 10	1 8	1.44

Glass	Opening Size				3116	3119
For 2-Light Windows						
16x20	1	8	3	10	\$2.68	\$2.69
16x24	1	8	4	6	2.89	2.87
16x28	1	8	5	2	3.10	3.04
18x20	1	10	3	10	2.72	2.74
18x24	1	10	4	6	2.92	2.92
20x20	2	0	3	10	2.76	2.79
20x22	2	0	4	2	2.86	2.89
20x24	2	0	4	6	2.96	2.97
20x26	2	0	4	10	3.07	3.06
20x28	2	0	5	2	3.17	3.15
22x24	2	2	4	6	2.99	3.10
22x26	2	2	4	10	3.09	3.19
22x28	2	2	5	2	3.21	3.28
24x18	2	4	3	6	2.70	2.82
24x20	2	4	3	10	2.88	2.98
24x22	2	4	4	2	2.99	3.07
24x24	2	4	4	6	3.09	3.16
24x26	2	4	4	10	3.20	3.25
24x28	2	4	5	2	3.30	3.34
24x30	2	4	5	6	3.42	3.43
26x14	2	6	2	10	2.52	2.69
26x16	2	6	3	2	2.64	2.80
26x18	2	6	3	6	2.74	2.89
26x20	2	6	3	10	2.94	3.05
26x22	2	6	4	2	3.03	3.12
26x24	2	6	4	6	3.14	3.21
26x26	2	6	4	10	3.25	3.30
26x28	2	6	5	2	3.35	3.39
26x30	2	6	5	6	3.46	3.50

Glass	Opening Size				3116	3119
28x24	2	8	4	6	\$3.17	\$3.28
28x26	2	8	4	10	3.29	3.38
28x28	2	8	5	2	3.40	3.47
28x30	2	8	5	6	3.50	3.56
30x24	2	10	4	6	3.21	3.34
30x26	2	10	4	10	3.33	3.43
30x28	2	10	5	2	3.43	3.53
30x30	2	10	5	6	3.54	3.61
32x24	3	0	4	6	3.27	3.41
32x28	3	0	5	2	3.49	3.58
32x30	3	0	5	6	3.59	3.68
40x28	3	8	5	2	3.67	3.81
40x30	3	8	5	6	3.77	3.92
For 4-Light Windows						
12x20	2	5	3	10	2.94	3.05
12x24	2	5	4	6	3.14	3.21
12x26	2	5	4	10	3.25	3.31
12x28	2	5	5	2	3.35	3.40
12x30	2	5	5	6	3.46	3.50
For 8-Light Windows						
10x12	2	1	4	6	2.99	3.10
10x14	2	1	5	2	3.21	3.28
12x14	2	5	5	2	3.35	3.40
For 12-Light Windows						
8x10	2	4 1/2	3	10	2.94	3.04
9x12	2	7 1/2	4	6	3.17	3.28
10x12	2	10 1/2	4	6	3.26	3.41
10x14	2	10 1/2	5	2	3.48	3.58

To Fit Sash Size		Price 3501 Swing Out	Price 3512 Swing In or Stationary
Width	Height		
Ft. In.	Ft. In.		
2 0	2 1	\$2.39	\$2.42
2 0	2 5	2.56	2.56
2 4	1 9	2.43	2.52
2 4	2 1	2.61	2.68
2 4	2 5	2.78	2.82
2 4	2 9	2.96	2.98
2 4	2 11	3.03	3.04
2 8	2 6	3.06	3.12
2 10	4 6	4.40	4.38
2 10	5 2	4.86	4.80
2 10	5 6	5.05	4.96
3 4	1 11	3.07	3.20
3 4	2 11	3.56	3.64

NOTE: Sizes not listed take price of next larger size and add 35c for cutting down. For frames with narrower pulley stile, add 35c to price shown, for cutting down. If you want frames set up, add 40c per frame. For beveling casing for stucco, add 25c per frame. No window stops included.



Draftite Window Unit

You get: ① "DRAFTITE" FRAME
③ WEATHER STRIPPING

② READY-FIT WINDOW
④ ROT-PROOFED

Yesterday, you had to buy your windows, frames and weatherstripping separately. Today, you can buy **complete** Draftite "Ready-Fit" Window Units and get everything you need—easily, safely and at one price.

But the convenience and safety of ordering Draftite Units is by no means the most important thing for you to consider. Of greatest importance is the fact that the frames and windows in Draftite Units are so far superior to ordinary frames and windows. These improvements, described below, mean: (1) Frames and windows treated to **prevent rot**. (2) A warmer home. (3) An end to all window troubles. (4) A saving of time and money during installation.

Complete DRAFTITE Window Units Include—

Draftite Frames: Do not have a single joint through which air can pass into your home. The use of Pullman Balances (described at right) eliminates the old drafty weight boxes. Narrow outside casings. Frames knocked down. For setting up, add 50c. per frame.

"Ready-Fit" Windows: Are "Ready-Fitted" to Draftite frames in our factory—you save cost of fitting on the job. Windows slide between copper weatherstrip jambs set at a tension, so that they hug the sash. Thus, windows will always work easily, will never rattle, and will be absolutely draft-proof.


Rot-Proofing Treatment: Frames and windows are scientifically treated in a chemical solution to prevent rot! Adds years of life to frames and windows and saves you money on repairs and replacement costs.

Rust-Proof Copper Weatherstrip: Furnished for complete window (see details at right). Note the wide copper weatherstrip jambs. Windows slide between these jambs—wood to metal contact. Windows cannot stick, bind, rattle and are draft-proof. Spring Copper Weatherstrip will retain its resiliency in any climate for life of home.

Pullman Balances: 4 balances installed in frame. Tested in actual use for over 30 years. Lifetime automatic spring action and bronze rust-proof tapes. No sash cords to break, no weights to jam or drafty pulley boxes. Another saving in installation costs for you.



Screens and Storm Sash: "Ready-Fitted" to frame at our factory. No costly fitting on the job. Screens have finest 16-mesh wire. Priced separately.

FEATURES OF DRAFTITE WINDOW UNIT



The detail above illustrates the following features:

- A. Shows position of the Pullman Balances. 4 balances installed in each frame. Lifetime automatic spring action. No weights to jam, no binding, no drafty weight boxes.
- B. Bronze rust-proof tapes. No sash cord to break.
- C. Shows why frames are absolutely Draftite. Every joint made to stop entrance of air.
- D. Weatherstrip on top rail of upper sash.
- E. All Gordon-Van Tine windows have this famous Putty Lock which prevents putty from falling off.



Details F, G and H above illustrate the following:

- F. Shows the wide Copper Weatherstrip jambs between which the sash slide. Wood to metal contact. Means easy, smooth action—windows cannot stick, rattle and are draft-proof. Adjustable. An outstanding feature.
- G. Illustrates Copper Weatherstrip for bottom rail of lower sash.
- H. Note the sub-apron—another draft-proof feature. Siding fits up into front part of this rabbit. The smaller groove is a water drip preventing water from running back under sill. Note sill offset which makes tight screen and storm sash joint.

Lifetime Copper Weatherstrip

This detail illustrates the check rail Weatherstrip. Spring Copper Weatherstrip supplied for complete window will retain its resiliency in any climate for the life of your home.



COMPLETE DRAFTITE UNITS WITH CHOICE OF WINDOW DESIGNS				SIZES			PRICES ON TRIM, SCREENS AND STORM SASH				
With 2-Light Window See Page 20	With Pasadena Window See Page 20	With Colonial Window See Page 20	With Cape Cod Window See Page 21	Size of Glass	Opening Size		English Trim See Page 27		Ready-Fit Screens		Ready- Fit Storm Sash
					Width	Height	Y. P.	Gum	Galva- nized	Cop- per	
					Ft.-In.	Ft.-In.					
\$ 8.54	\$ 8.69	\$ 8.76	\$ 8.98	16 x 20	1-8	3-10	\$0.82	\$1.04	\$1.16	\$1.46	\$1.74
9.13	9.28	9.35	9.57	16 x 24	1-8	4-6	.82	1.04	1.27	1.60	1.82
9.78	9.93	10.00		16 x 28	1-8	5-2	.91	1.16	1.38	1.75	2.20
8.76	8.91	8.98	9.20	18 x 20	1-10	3-10	.82	1.04	1.20	1.54	1.78
9.36	9.51	9.58	9.80	18 x 24	1-10	4-6	.82	1.04	1.33	1.70	2.01
8.98	9.19	9.31	9.64	20 x 20	2-0	3-10	.82	1.04	1.27	1.62	1.97
9.27	9.48	9.60		20 x 22	2-0	4-2	.82	1.04	1.33	1.70	2.05
9.56	9.77	9.89	10.22	20 x 24	2-0	4-6	.82	1.04	1.38	1.78	2.17
9.86	10.07	10.19		20 x 26	2-0	4-10	.82	1.04	1.44	1.88	2.29
10.18	10.39	10.51		20 x 28	2-0	5-2	.91	1.16	1.52	1.95	2.32
9.82	10.03	10.15		22 x 24	2-2	4-6	.82	1.04	1.44	1.90	2.20
10.11	10.32	10.44		22 x 26	2-2	4-10	.91	1.16	1.52	1.98	2.32
10.44	10.65	10.77		22 x 28	2-2	5-2	.91	1.16	1.58	2.07	2.43
9.02	9.23	9.35		24 x 18	2-4	3-6	.82	1.04	1.30	1.69	2.01
9.42	9.63	9.75		24 x 20	2-4	3-10	.82	1.04	1.36	1.78	2.17
9.71	9.92	10.04		24 x 22	2-4	4-2	.82	1.04	1.44	1.90	2.20
10.04	10.25	10.37	10.70	24 x 24	2-4	4-6	.82	1.04	1.52	1.98	2.40
10.33	10.54	10.66	10.99	24 x 26	2-4	4-10	.91	1.16	1.58	2.07	2.43
10.70	10.91	11.03	11.36	24 x 28	2-4	5-2	.91	1.16	1.64	2.18	2.59
11.02	11.23	11.35		24 x 30	2-4	5-6	.95	1.18	1.71	2.27	2.70
8.47	8.68	8.80		26 x 14	2-6	2-10	.95	1.18	1.21	1.56	1.82
8.91	9.12	9.24		26 x 16	2-6	3-2	.95	1.18	1.27	1.65	2.01
9.24	9.45	9.57		26 x 18	2-6	3-6	.95	1.18	1.36	1.77	2.17
9.56	9.77	9.89	10.22	26 x 20	2-6	3-10	.95	1.18	1.42	1.85	2.20
9.89	10.10	10.22		26 x 22	2-6	4-2	.95	1.18	1.49	1.97	2.32
10.18	10.39	10.51	10.84	26 x 24	2-6	4-6	.95	1.18	1.55	2.07	2.43
10.55	10.76	10.88	11.21	26 x 26	2-6	4-10	.95	1.18	1.64	2.15	2.59
10.95	11.16	11.28	12.61	26 x 28	2-6	5-2	.95	1.18	1.71	2.27	2.78
11.32	11.53	11.65		26 x 30	2-6	5-6	.95	1.18	1.77	2.36	2.93
10.44	10.65	10.77	11.98	28 x 24	2-8	4-6	.95	1.18	1.62	2.15	2.59
10.84	11.05	11.17	11.50	28 x 26	2-8	4-10	.95	1.18	1.69	2.27	2.78
11.20	11.41	11.53	11.86	28 x 28	2-8	5-2	.95	1.18	1.77	2.38	2.93
11.46	11.67	11.79		28 x 30	2-8	5-6	.95	1.18	1.84	2.50	2.97
10.66	10.87	10.99	11.32	30 x 24	2-10	4-6	.95	1.18	1.69	2.24	2.70
11.09	11.30	11.42		30 x 26	2-10	4-10	.95	1.18	1.75	2.36	2.93
11.35	11.56	11.68		30 x 28	2-10	5-2	.95	1.18	1.84	2.49	2.97
11.93	12.14	12.26		30 x 30	2-10	5-6	.95	1.18	1.91	2.60	3.39
11.02	11.31	11.46		32 x 24	3-0	4-6	1.03	1.21	1.73	2.36	3.01
11.86	12.15	12.30		32 x 28	3-0	5-2	1.03	1.21	1.91	2.60	3.43
12.12	12.41	12.56		32 x 30	3-0	5-6	1.03	1.21	1.97	2.73	3.47
11.94	12.23	12.38	12.82	38 x 24	3-6	4-6	1.13	1.43	1.92	2.64	4.54
12.41	12.70	12.85		38 x 26	3-6	4-10	1.13	1.43	1.99	2.80	4.98
12.92	13.21	13.36		38 x 28	3-6	5-2	1.13	1.43	2.09	2.95	5.28
12.92	13.29	13.47		40 x 28	3-8	5-2	1.13	1.43	2.18	3.07	5.28
13.21	13.58	13.76		40 x 30	3-8	5-6	1.13	1.43	2.25	3.22	5.38




SASH for HOMES


The picture at the left was taken in our Davenport Plant No. 1 and shows a corner of our Sash Department. This picture will give you an idea of the huge sash stocks we have on hand at all times. Manufacturing sash in these quantities is bound to cut costs and that is why our prices will save you money.

Every Sash Guaranteed

All sash guaranteed Satisfactory or Money Back. We can fill your order immediately. See pages 48 and 49 for Sash Hardware.



2-Light Cellar Sash



3-Light Cellar Sash




Steel Cellar Sash




Screen & Storm Sash for Steel Sash



How Screens & Storm Sash are applied



2601-Hall Sash



2602-Hall Sash

2-Light Cellar Sash

Made of Clear Ponderosa Pine, 1 3/8 inches thick. Glazed with selected glass. Machine sanded, ready for paint. 2-inch bottom rail. Be sure and state size wanted.

2-Light Cellar Sash					
Size of Each Glass	Over-all Size				2641 Price Each
	Width		Height		
	Ft.	In.	Ft.	In.	
10x12	2	1	1	4	\$0.78
10x14	2	1	1	6	.83
10x16	2	1	1	8	.93
12x14	2	5	1	6	.95
12x16	2	5	1	8	1.03
14x16	2	9	1	8	1.10

3-Light Cellar Sash

Built of Ponderosa Pine with flat surfaces machine sanded, ready for paint. 1 3/8 inches thick. 2-inch bottom rail. Glazed with selected glass. Be sure and give size wanted.

3-Light Cellular Sash					
Size of Each Glass	Over-all Size				2643 Price Each
	Width		Height		
	Ft.	In.	Ft.	In.	
8x10	2	4	1	2	\$0.83
9x12	2	7	1	4	.93
9x14	2	7	1	6	1.01
10x12	2	10	1	4	.98
10x14	2	10	1	6	1.05
10x16	2	10	1	8	1.20

Steel Cellar Sash

One-piece Copper Alloy Steel cellar sash with double lock. Sash swings in from top. Weather-proof—will not leak or warp. Complete with glass, frame and hardware. Painted one priming coat of grey. Picture at left shows how easily screen or storm sash is applied. Only a screw driver needed.

Add extra for Screen . . . \$2.25
For Storm Sash, extra . . . \$2.35

Prices Steel Cellar Sash

Size of Each Glass	Frame Size		2751 Price Each
	Exterior	Interior	
10x12	34"x15"	37"x18"	\$3.25
12x18	40"x21"	43"x24"	3.75

Hall Sash

Ponderosa Pine, 1 3/8 inches thick, glazed selected glass. Wood dividing bars. Machine sanded, ready for paint. 2601 Sash divided vertical lights; 2602 Sash divided 8 square lights.

Over-all Size				2601 Price Each	2602 Price Each
Width		Height			
Ft.	In.	Ft.	In.		
3	4	1	11	\$1.88	\$2.01

Gable-Attic Sash

These sash are 1 3/8 inches thick. Ponderosa Pine, glazed selected glass. Machine sanded, ready for paint. Be sure and give size wanted.

Gable-Attic Sash

Size of Glass	Over-all Size				2621 Price Each
	Width		Height		
	Ft.	In.	Ft.	In.	
16x20	1	8	2	1	\$0.92
20x20	2	0	2	1	1.07
20x24	2	0	2	5	1.15
24x16	2	4	1	9	.99
24x20	2	4	2	1	1.15
24x24	2	4	2	5	1.25
24x28	2	4	2	9	1.35
24x30	2	4	2	11	1.42

Colonial-Pasadena

Built of Ponderosa Pine, 1 3/8 inches thick. Selected glass. Machine sanded, ready for finishing.

Colonial Sash

Divided 6 lights or to match Colonial and Cape Cod windows. Wood bars.

Over-all Size				2612 Price Each
Width		Height		
Ft.	In.	Ft.	In.	
2	4	1	9	\$1.36
2	4	2	1	1.51
2	4	2	5	1.61
2	4	2	9	1.72

Pasadena Sash

Divided vertical lights to match Pasadena windows. Wood bars.

Over-all Size				2611 Price Each
Width		Height		
Ft.	In.	Ft.	In.	
2	4	1	9	\$1.26
2	4	2	1	1.41
2	4	2	5	1.50
2	4	2	9	1.61

Casement Sash

Strongly built of Ponderosa Pine. 1 3/8 inches thick. Glazed selected glass secured by wood bars. Machine sanded, ready for finishing.

Casement Sash—2522

Each sash divided 8 lights of clear glass.

Over-all Size per Pair				2522 Price per Pair
Width		Height		
Ft.	In.	Ft.	In.	
2	8	2	6	\$3.18
2	8	3	0	3.28
2	8	3	6	3.48
2	8	4	0	3.77


Casement Sash—2523

Each sash divided 6 lights of glass as shown.


Over-all Size per Pair				2523 Price per Pair
Width		Height		
Ft.	In.	Ft.	In.	
2	8	2	6	\$2.94
2	8	3	0	3.20
2	8	3	6	3.71
2	8	4	0	4.03



Gable-Attic Sash



Colonial Sash



Pasadena Sash



2522-Casement Sash



2523-Casement Sash

SASH for BARNs

Hot Bed Sash-Transoms Windows-Coal Chute


All sash and windows on this page are manufactured in our own factory from thoroughly kiln-dried clear Ponderosa Pine. Strongest construction. Glazed with selected glass and machine sanded, ready for painting.

Prompt Shipment—Guaranteed Quality

These sash and windows are carried in stock ready for prompt shipment in the sizes listed. Every item is covered with our Guarantee of Satisfaction or Money Back. Safe delivery also guaranteed.



Plain Rail Windows



Rail Windows are 1 1/4 inches thick.

8-Light Windows

Made from Ponderosa Pine, carefully seasoned and kiln dried. Glazed select glass. Flat surfaces machine sanded. 1 1/4 inches thick.

Size of Each Glass	Over-all Size				2231 Window Only
	Width		Height		
	Ft.	In.	Ft.	In.	
8x10	1	8 1/2	3	10	\$1.82
9x12	1	10 1/2	4	6	2.06
10x12	2	0 1/2	4	6	2.16

12-Light Windows

Built of Ponderosa Pine, 1 1/4 inches thick. Glazed select glass. Sash weights and cord cannot be used on Plain Rail Windows.

Size of Each Glass	Over-all Size				2241 Window Only
	Width		Height		
	Ft.	In.	Ft.	In.	
8x10	2	4	3	10	\$2.33
9x12	2	7	4	6	2.65
10x12	2	10	4	6	2.80

Pony Hot Bed Sash

Pony Hot Bed Sash are especially adapted for use by amateurs. Ladies who attend to their own gardens will appreciate this size sash. Pony sash are easy to handle, and weigh a good deal less than the standard size. Glazed with 3 rows of 10-inch glass in single strength or heavy double strength. 1 1/4 inches thick.

Price per Sash

SIZE	2711	2711
Width Height	S.S.	D.S.
3 ft. x 4 ft.	\$3.55	\$3.70

Hot Bed Sash

Our standard size hot bed sash have been used by most of the large growers in the country. They are far superior to the ordinary sash built to sell at a price. Our sash are famous for their strength and lasting qualities. Glazed 3 rows 10-inch glass in single strength or heavier double strength. 1 1/4 inches thick.

Low wholesale prices are possible because we manufacture these sash in huge quantities.

Price per Sash

SIZE	2702	2702
Width Height	S.S.	D.S.
3 ft. x 6 ft.	\$4.50	\$4.70

Transoms

Strongly built of Ponderosa Pine, 1 1/4 inches thick. Glazed selected glass.

Over-all Size of Sash				2631 Each
Width		Height		
Ft.	In.	Ft.	In.	
2	6	1	0	\$0.72
2	8	1	0	.77
3	0	1	4	1.02

Barn Sash

Gordon-Van Tine Barn Sash are famous for the good service they give. Our prices are low because we build sash in huge quantities.

4-Light Barn Sash

Ponderosa Pine, glazed with selected glass. 1 1/2 or 1 3/4 inches thick.

Over-all Size				2645 1 $\frac{1}{2}$ In. Thick	2646 1 $\frac{3}{4}$ In. Thick
Width		Height			
Ft.	In.	Ft.	In.		
1	8	2	1	\$0.91	\$0.96
1	10	2	5	1.02	1.09
1	10	2	9	1.10	1.16
2	0	2	5	1.07	1.14

6-Light Barn Sash

2653. This type of 6-light Barn Sash has the glass divided 2-lights wide and 3-lights high. 1 3/4 inches thick. Ponderosa Pine, glazed clear glass.

Over-all Size				2653 1 3/4 In. Thick
Width		Height		
Ft.	In.	Ft.	In.	
1	8 1/4	2	11 1/2	
1	8 1/4	3	11 1/2	
1	10 1/4	3	5 1/2	
2	0 1/4	3	5 1/2	

6-Light Barn Sash

2652. In this 6-light Barn Sash the glass is divided 3-lights wide and 2-lights high. 1 1/2 or 1 3/4 inches thick. Ponderosa Pine, glazed clear glass.

Over-all Size				2652 1½ In. Thick	2651 1¾ In. Thick
Width		Height			
Ft.	In.	Ft.	In.		
2	4	2	1	\$1.17	\$1.25
2	7	2	5	1.34	1.42
2	10	2	5	1.41	1.50
2	10	3	1	1.88	2.01

9-Light Barn Sash

2649. Divided 3-lights wide and 3-lights high. 1 1/2 inches thick, glazed clear glass.

Over-all Size				2649 1 3/8 In. Thick
Width		Height		
Ft.	In.	Ft.	In.	
2	4	2	11	
2	7	3	5	\$1.77 2.08

9537 Majestic Coal Chute


Probably the most popular coal chute on the market. Made with heavy malleable iron frame and copper steel break-proof door. For opening 24 inches wide, 17 inches high and 13 inches deep. Weight, 55 lbs.

9537—Each.....\$8.95

9538 Majestic Coal Chute

Same strong construction as 9537 described above but is lighter in weight. 38 pounds. Size 23 inches wide, 17 inches high and 9 inches deep.

9538.....\$5.45




4-Light




2653 6-Light Sash



2652 6-Light Sash



2649 9-Light Sash




Coal Chute




8-Light




12-Light



2711—Sash




2702—Sash



Transom

Modern DOOR TRIM Designs




Royal Design

One of our latest and most popular trim designs. Has graceful side and head casings with moulded backband.

NOTE: Royal Design Door Trim comes in Yellow Pine, Gum and Oak. See price list at right. Order 1 side for outside door; 2 sides for inside door.

Size of Members



8719—Side Casing.
1/2 x 3 3/4 inches.
8719—Head Casing.
1/2 x 3 3/4 inches.
8721—Backband.
3/4 x 15/16-inch.

BUY your door trim in complete sets and save time and any chance of error. All parts cut to convenient lengths with liberal allowance for trimming and fitting.


Door trim consists of Side Casing, Head Casing; also Backband, where shown. Stops priced separately. Made of clear stock, selected for beauty of grain. Shipped sanded and carefully bundled.

NOTE: This trim made for frame construction. For brick veneer or solid brick walls, write for price.

PRICES PER SIDE

SIZES Width—Height	Royal Trim			Model Trim		Master Trim			English Trim	
	Y.P.	Gum	Oak	Y.P.	Gum	Y.P.	Gum	Oak	Y.P.	Gum
2-6 x 6-6	\$0.95	\$1.28	\$1.78	\$0.95	\$1.28	\$0.77	\$0.95	\$1.31	\$0.55	\$0.68
2-8 x 6-8	.99	1.31	1.83	.99	1.31	.79	.99	1.37	.55	.68
3-0 x 7-0	1.05	1.42	1.98	1.05	1.42	.86	1.05	1.46	.62	.74
6-0 x 7-0	1.22	1.64	2.28	1.22	1.64	.99	1.22	1.68	.70	.86
8-0 x 7-0	1.33	1.77	2.47	1.33	1.77	1.08	1.33	1.90	.77	.94

Stops. Per Set—Yellow Pine... 33c Gum... 45c Oak... 65c



Model Design

This is the original backband trim design which retains its popularity year after year. It owes its beauty to the plain digified lines of the design.

NOTE: Model Door Trim comes in Yellow Pine and Gum. Cannot be furnished in Oak.

Size of Members




8703—Side Casing.
5/8 x 3 1/2 inches.
8703—Head Casing.
5/8 x 3 1/2 inches.
8713—Backband.
15/16 x 3/4-inch.

Sanitary Design



A plain, handsome design with rounded edge casings. Comes in Yellow Pine only.

PRICES SANITARY TRIM

SIZES Width—Height	Price Per Side
2-6 x 6-6	\$1.12
2-8 x 6-8	1.24
3-0 x 7-0	1.24
6-0 x 7-0	1.44
8-0 x 7-0	1.63



8309—Side Casing.
3/4 x 4 1/4 inches.
8309—Head Casing.
3/4 x 4 1/4 inches.
8483—Base Blocks.
1 1/8 x 4 1/4 x 11 inches.




Master Design

A new, 2-piece narrow design trim that is modern in every detail.

NOTE: Master Design Trim can only be used with Draftite, weightless frames shown on page 23. Available in Yellow Pine, Gum and Oak woods. See prices in upper right corner of page.

Size of Members




8731—Side Casing.
1/2 x 2 inches.
8731—Head Casing.
1/2 x 2 inches.
8721—Backband.
3/4 x 15/16-inch.


English Design

Modern one-piece narrow design trim with moulded casings.

NOTE: English Design Trim can only be used with Draftite, weightless frames shown on page 23. English trim comes in Yellow Pine and Gum woods. Cannot be furnished in Oak. For prices in complete sets, see price table above.



8733—Side Casing.
3/4 x 2 1/4 inches.
8733—Head Casing.
3/4 x 2 1/4 inches.




Modern WINDOW TRIM Designs

Royal Trim

This beautiful design comes in Yellow Pine, Gum and Oak woods. See prices at right. Consists of side and head casings $3\frac{1}{4}$ inches wide and moulded backband. Complete with window stool, apron and stops. All Window Trim made of clear lumber, selected for beauty of grain.



Royal Trim



Size of Members
(See below)

- 8719—Side and Head Casings.
 $\frac{1}{2}$ x $3\frac{1}{4}$ inches.
8721—Back Band.
 $\frac{3}{4}$ x 15/16-inch.
8267—Stool.
 $1\frac{1}{2}$ x $3\frac{1}{2}$ inches.
8380—Apron.
 $\frac{1}{2}$ x $3\frac{1}{4}$ inches.
8096—Stops.
 $\frac{3}{8}$ x 1-5/16 inches.

WINDOW Trim consists of Side Casing, Head Casing, Backband (where shown), Stool, Apron and Stops. Priced in complete sets to make ordering easy and safe.

All trim carefully sanded, shipped in convenient lengths to allow for fitting and trimming. You need only 1 side of trim for each window; for twin window multiply price of single set by two; for triple window multiply price of single set by three.

NOTE: For brick veneer or solid brick construction you need special trim. Write for prices.

PRICES PER SIDE


Any Size Window Up to— Width—Height	Royal Trim			Model Trim		Master Trim			English Trim	
	Y.P.	Gum	Oak	Y.P.	Gum	Y.P.	Gum	Oak	Y.P.	Gum
2-4 x 4-6	\$1.29	\$1.76	\$2.46	\$1.17	\$1.76	\$1.12	\$1.43	\$2.02	\$0.82	\$1.04
2-4 x 5-2	1.42	1.93	2.70	1.30	1.92	1.24	1.57	2.21	.91	1.16
2-10 x 5-6	1.46	1.98	2.78	1.33	1.98	1.26	1.61	2.29	.95	1.18
3-0 x 5-10	1.50	2.03	2.86	1.38	2.03	1.30	1.66	2.37	1.03	1.21
3-8 x 6-2	1.76	2.39	3.37	1.61	2.39	1.53	1.95	2.77	1.13	1.43
4-0 x 6-6	1.77	2.41	3.39	1.63	2.41	1.55	1.96	2.80	1.14	1.46

Model Design

Our Model Design Backband Trim has wide $3\frac{1}{2}$ -inch casings and plain backband. A very popular and widely used pattern. Comes in Yellow Pine and Gum woods only. Cannot be furnished in Oak. Complete with stool, apron and stops.



Model Trim




Size of Members
(See below)

- 8703—Side and Head Casing.
 $\frac{3}{8}$ x $3\frac{1}{2}$ inches.
8713—Backband.
15/16 x $\frac{3}{4}$ -inch.
8669—Stool.
 $\frac{3}{4}$ x $3\frac{1}{4}$ inches.
8379—Apron.
 $\frac{3}{4}$ x $3\frac{1}{2}$ inches.
8098—Stop.
 $\frac{3}{8}$ x $1\frac{1}{8}$ inches

Sanitary Design

Rounded edge casings. 8309 Side and Head Casings size $\frac{3}{4}$ x $4\frac{1}{4}$ inches. 8267 Stool size $1\frac{1}{8}$ x $3\frac{1}{2}$ inches. 8379 Apron size $\frac{3}{4}$ x $3\frac{1}{2}$ inches. 8098 $\frac{1}{2}$ Stops size $\frac{3}{8}$ x $1\frac{1}{8}$ inches. Comes in Yellow Pine only.



Size of Members
(See above)

PRICES SANITARY TRIM

Any Size Window Up to and Including Width—Height	Price per Side
2-4 x 4-6	\$1.38
2-4 x 5-2	1.52
2-10 x 5-6	1.52
3-0 x 5-10	1.65
3-8 x 6-2	1.85
4-0 x 6-6	1.86




Sanitary Trim


Master Design

Very latest modern backband design with narrow 2-inch casings. Comes in Yellow Pine, Gum and Oak. See prices in upper right corner.

NOTE: Master Design Trim can only be used with Draftite weightless frames shown on page 23.



Master Trim




Size of Members
(See below)

- 8731—Side and Head Casing.
 $\frac{1}{2}$ x 2 inches.
8721—Backband.
 $\frac{3}{4}$ x 15/16-inch.
8267—Stool.
 $1\frac{1}{2}$ x $3\frac{1}{2}$ inches.
8378—Apron.
 $\frac{1}{2}$ x 2 inches.
8096—Stop.
 $\frac{3}{8}$ x 1-5/16 inches.

English Design

Handsome new 1-piece design with narrow $2\frac{1}{4}$ -inch casings. Comes in Yellow Pine and Gum; cannot be furnished in Oak.

NOTE: English Design Trim can only be used with Draftite weightless frames shown on page 23.



Size of Members
(See below)

- 8733—Side Casing.
 $\frac{3}{4}$ x $2\frac{1}{4}$ inches.
8733—Head Casing.
 $\frac{3}{4}$ x $2\frac{1}{4}$ inches.
8669—Stool.
 $\frac{3}{4}$ x $3\frac{1}{4}$ inches.
8378—Apron.
 $\frac{1}{2}$ x 2 inches.
8096—Stop.
 $\frac{3}{8}$ x 1-5/16 inches.



English Trim




The picture at the left was taken in the Moulding Department at our Davenport Plant No. 1. We carry great stocks of trim and mouldings and can fill your order immediately.

All mouldings are made from selected lumber, carefully inspected for grain. Flat surfaces machine sanded. Prices shown below are per 100 lineal feet, in random lengths. For specified lengths add 10% to prices shown.

NOTE: Master and English Design Trim should only be used with Draftite, weightless frames shown on page 23.



Door and Window Casings



Royal Design

8719—Royal Casing.
Size $\frac{1}{2}$ x $3\frac{1}{4}$ inches.
Yellow Pine, **\$3.99**
Gum, **\$5.23** Oak, **\$7.28**

8721—Backband.
Size $\frac{3}{4}$ x $15/16$ -inch.
Yellow Pine, **\$1.30**
Gum, **\$1.87** Oak, **\$2.60**

8836—Mullion Casing.
Size $\frac{1}{2}$ x $5\frac{1}{2}$ inches.
Yellow Pine, **\$5.98**
Gum, **\$10.14** Oak, **\$14.78**

8267—Window Stool.
Size $1\frac{1}{8}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$6.85**
Gum, **\$9.67** Oak, **\$14.10**

8380—Window Apron.
Size $\frac{1}{2}$ x $3\frac{1}{4}$ inches.
Yellow Pine, **\$3.99**
Gum, **\$5.23** Oak, **\$7.28**

Master Design

8731—Master Casing.
Size $\frac{1}{2}$ x 2 inches.
Yellow Pine, **\$2.99**
Gum, **\$3.37** Oak, **\$4.68**

8721—Backband.
Size $\frac{3}{4}$ x $15/16$ -inch.
Yellow Pine, **\$1.30**
Gum, **\$1.87** Oak, **\$2.60**

8834—Mullion Casing.
Size $\frac{1}{2}$ x $2\frac{1}{4}$ inches.
Yellow Pine, **\$2.99**
Gum, **\$3.73** Oak, **\$5.20**

8267—Window Stool.
Size $1\frac{1}{8}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$6.85**
Gum, **\$9.67** Oak, **\$14.10**

8378—Window Apron.
Size $\frac{1}{2}$ x 2 inches.
Yellow Pine, **\$2.99**
Gum, **\$3.37** Oak, **\$4.68**

English Design

8733—English Casing.
Size $\frac{3}{4}$ x $2\frac{1}{4}$ inches.
Yellow Pine, **\$3.06**
Gum, **\$3.73**

8834—Mullion Casing.
Size $\frac{1}{2}$ x $2\frac{1}{4}$ inches.
Yellow Pine, **\$2.99**
Gum, **\$3.73**

8669—Window Stool.
Size $\frac{3}{4}$ x $3\frac{1}{4}$ inches.
Yellow Pine, **\$3.99**
Gum, **\$5.23**

8378—Window Apron.
Size $\frac{1}{2}$ x 2 inches.
Yellow Pine, **\$2.99**
Gum, **\$3.37**

NOTE: The narrow English and Master Designs can only be used with Draftite weightless frames shown on page 23.

Model Design

8703—Model Casing.
Size $\frac{5}{8}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$3.99**
Gum, **\$6.28**

8713—Backband.
Size $15/16$ x $\frac{3}{4}$ -inch.
Yellow Pine, **\$1.30**
Gum, **\$1.89**

8832—Mullion Casing.
Size $\frac{5}{8}$ x $5\frac{1}{2}$ inches.
Yellow Pine, **\$5.98**
Gum, **\$10.14**

8669—Window Stool.
Size $\frac{3}{4}$ x $3\frac{1}{4}$ inches.
Yellow Pine, **\$4.07**
Gum, **\$5.23**

8379—Window Apron.
Size $\frac{3}{4}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$4.07**
Gum, **\$6.28**

NOTE: All prices on this page are per 100 lineal feet.

Sanitary Design

8309—Sanitary Casing.
Size $\frac{3}{4}$ x $4\frac{1}{4}$ inches.
Yellow Pine, **\$5.69**

8483—Base Blocks.
Size $1\frac{1}{8}$ x $4\frac{1}{4}$ x 11 inches.
Yellow Pine—Each, **10c**

8311—Mullion Casing.
Size $\frac{3}{4}$ x $5\frac{1}{2}$ inches.
Yellow Pine, **\$6.11**

8267—Window Stool.
Size $1\frac{1}{8}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$6.85**

8379—Window Apron.
Size $\frac{3}{4}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$4.07**

See pages 26 and 27 for Complete Sets of Door and Window Trim.

Economy Design

8729—Economy Casing.
Size $\frac{3}{4}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$4.07**


8838—Mullion Casing.
Size $\frac{3}{4}$ x $5\frac{1}{2}$ inches.
Yellow Pine, **\$6.11**

8669—Window Stool.
Size $\frac{3}{4}$ x $3\frac{1}{4}$ inches.
Yellow Pine, **\$4.07**

8387—Window Apron.
Size $\frac{3}{4}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$4.07**

NOTE: Prices are per 100 lineal feet. Add 10% for specified lengths.

Base Mouldings



Classic Base

8828—Classic Base.
Size $\frac{3}{4}$ x $7\frac{1}{4}$ inches.
Price per 100 lineal feet,
Yellow Pine, **\$8.32**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ inch.
Price per 100 lineal feet,
Yellow Pine, **\$1.04**

NOTE: Base prices are for random lengths. Add 10% for specified lengths.

Royal Base

8719—Royal Base.
Size $\frac{1}{2}$ x $3\frac{1}{4}$ -inches.
Prices per 100 lineal feet.
Yellow Pine, **\$3.99**
Gum, **\$5.23** Oak, **\$7.28**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ inch.
Prices per 100 lineal feet.
Yellow Pine, **\$1.04**
Gum, **\$1.50** Oak, **\$2.08**

Modern Base

8701—Base Moulding.
Size $9/16$ x $1\frac{1}{8}$ inches.
Yellow Pine, **\$1.30**
Gum, **\$1.87** Oak, **\$2.60**

8704—Modern Base.
Size $\frac{5}{8}$ x $3\frac{1}{2}$ inches.
Yellow Pine, **\$3.99**
Gum, **\$6.28** Oak, **\$8.74**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ inch.
Yellow Pine, **\$1.04**
Gum, **\$1.50** Oak, **\$2.08**

Luxor Base

8701—Base Moulding.
Size $9/16$ x $1\frac{1}{8}$ inches.
Yellow Pine, **\$1.30**
Gum, **\$1.87**

8830—Luxor Base.
Size $\frac{5}{8}$ x $5\frac{1}{4}$ inches.
Yellow Pine, **\$5.98**
Gum, **\$9.36**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ -inch.
Yellow Pine, **\$1.04**
Gum, **\$1.50**
Per 100 lineal feet.

Adams Base

8419—Adams Base.
Size $\frac{5}{8}$ x $5\frac{1}{2}$ inches.
Per 100 lineal feet.
Yellow Pine, **\$5.98**
Gum, **\$10.14**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ -inch.
Per 100 lineal feet.
Yellow Pine, **\$1.04**
Gum, **\$1.50**

All base machine sanded.

Penn Base

8417—Penn Base.
Size $\frac{3}{4}$ x $7\frac{1}{4}$ inches.
Per 100 lineal feet.
Yellow Pine, **\$8.32**

8422—Carpet Strip.
Size $\frac{1}{2}$ x $\frac{3}{4}$ -inch.
Per 100 lineal feet.
Yellow Pine, **\$1.04**

Penn and Adams are latest O. G. designs.

Finest INTERIOR MOULDINGS

STOOL, APRON, CORNICE MOULD,
STOPS, CHAIR RAIL, Etc..

All trim and mouldings shown on this page and on page 28, are manufactured in our own factory by high speed heavy moulding machines. You get the saving of large quantity manufacture; also the saving of buying direct from the factory.

In the manufacture of our mouldings only the finest lumber—carefully selected for grain—is used. Perfect workmanship guaranteed. All flat surfaces are machine sanded. Mouldings carefully packed for shipment—Safe Delivery Guaranteed.

NOTE: Prices quoted below (unless otherwise stated) are per 100 lineal feet, random lengths. If you want mouldings in specified lengths, add 10 per cent to prices.



8074—Ceiling Cornice
Modern pattern. Size $\frac{3}{4}$ x $4\frac{1}{2}$ inch. Prices per 100 lineal feet.

Yellow Pine \$5.81 Gum \$8.19

8076—Ceiling Cornice
Popular design. Size $\frac{3}{4}$ x $3\frac{1}{2}$ inch.

Yellow Pine \$4.64 Gum \$6.28

8715—Picture Moulding
Size $\frac{5}{8}$ x $1\frac{1}{2}$ inch. Per 100 lineal feet.

Yellow Pine \$2.08 Gum \$2.99 Oak \$4.16

8422—Carpet Strip
Use with Base. Size $\frac{1}{2}$ x $\frac{3}{4}$ -inch.

Yellow Pine \$1.04 Gum \$1.50 Oak \$2.08

8064—Quarter Round

No.	Size, Inches	Yellow Pine	Redwood	Gum	Oak
8064	$\frac{5}{8}$ x $\frac{5}{8}$	\$1.04	\$1.04	\$1.50	\$2.08
8065	$\frac{3}{4}$ x $\frac{3}{4}$	\$1.04	\$1.04	\$1.50	\$2.08

8491—Hardwood Thresholds
Oak. Price each. Size $\frac{5}{8}$ x $3\frac{3}{4}$ inch.
Lengths..... 2 ft. 9 in. 3 ft. 1 in. 4 ft. 1 in. 5 ft. 1 in.
Each..... \$0.19 \$0.20 \$0.28 \$0.35

8592—T Astragal
For Garage or French Doors to make weather-tight joint. Price per 8-foot length.

No.	For Doors	Pond. Pine	Gum	Oak
8592	$1\frac{3}{4}$ inch thick	\$0.83	\$1.02	\$1.47
8594	$1\frac{5}{8}$ inch thick	.69	.83	1.22

8098 $\frac{1}{2}$ —Bull Nose Stop
Size $\frac{3}{4}$ x $1\frac{1}{2}$ inch. Yellow Pine \$0.88. Gum \$1.26
8099 $\frac{1}{2}$ —Bull Nose Stop
Size $\frac{3}{4}$ x $1\frac{1}{2}$ inch. Yellow Pine \$1.12. Gum \$1.61

No.	Size	Yellow Pine	Gum	Oak
8090	$\frac{3}{8}$ x 1-9/16	\$1.46	\$2.09	\$2.91
8093	$\frac{3}{8}$ x 2-1/16	1.87	2.69	3.74
8096	$\frac{3}{8}$ x 1-5/16	1.15	1.64	2.28

8383—Moulded Edge Chair Rail
Size $\frac{1}{2}$ x 4 inch. Per 100 lineal feet.
Yellow Pine \$5.63 Gum \$6.73 Oak \$9.36

8384—Moulded Edge Chair Rail
Size $\frac{1}{2}$ x 3 inch. Per 100 lineal feet.
Yellow Pine \$3.99 Gum \$4.86

8704—Square Chair Rail
Size $\frac{5}{8}$ x $1\frac{1}{2}$ inch. Square edge. Prices per 100 lineal feet
Yellow Pine \$3.99 Gum \$6.28 Oak \$8.74

8580—Panel Mould
Size $\frac{3}{8}$ x $1\frac{1}{2}$ inch. Prices per 100 lineal feet.
Ponderosa Pine..... \$1.64

Window Apron and Stool
Prices per 100 lineal feet.

8267—Stool. Size $1\frac{1}{8}$ x $3\frac{1}{2}$ inch.
Yellow Pine \$6.85 Gum \$9.67 Oak \$14.10


8270—Stool. For brick veneer. Size $1\frac{1}{8}$ x $4\frac{1}{4}$ inch.
Yellow Pine \$8.67 Gum \$12.25 Oak \$17.86

8669—Stool. For 13-inch masonry wall. Size $\frac{3}{4}$ x $3\frac{1}{4}$ inch.
Yellow Pine \$3.88 Gum \$5.22 Oak \$7.28

8380—Apron. Size $\frac{1}{2}$ x $3\frac{1}{4}$ inch.
Yellow Pine \$3.99 Gum \$5.22 Oak \$7.28

8379—Apron. Size $\frac{3}{4}$ x $3\frac{1}{2}$ inch. Square edge design.
Yellow Pine \$4.07 Gum \$6.28

Exterior Mouldings at Factory-to-You Prices



Crown Moulding
Redwood. Price 100 lineal feet, random lengths.

No.	Size, Inches	Price
8007	$\frac{3}{4}$ x $1\frac{3}{4}$	\$2.08
8008	$\frac{3}{4}$ x $2\frac{1}{4}$	2.60
8003	$\frac{3}{4}$ x $2\frac{3}{4}$	3.12
8000	$\frac{3}{4}$ x $3\frac{1}{4}$	4.00
8002	$\frac{3}{4}$ x $3\frac{3}{8}$	4.58
8006	$\frac{3}{4}$ x $4\frac{1}{4}$	5.43
8005	$\frac{3}{4}$ x $4\frac{3}{8}$	6.29

8330—Belt Mould
Redwood. Size $1\frac{1}{2}$ x $1\frac{1}{2}$ inch.
Price 100 lineal feet..... \$6.29

8284—Drip Cap
Redwood. Per 100 lineal feet.

No.	Size, Inches	Price
8284	$1\frac{1}{8}$ x 2	\$4.29
8285	$1\frac{1}{8}$ x $2\frac{1}{2}$	5.20

O. G. Barn Battens
Size $\frac{3}{4}$ x $2\frac{1}{4}$ inch. Per 100 lineal feet.
Ponderosa Pine.... \$1.75 Fir..... \$1.45

Cove Moulding
Per 100 lineal feet.

No.	Wood	Size	Price
8060	Yellow Pine	$\frac{3}{4}$ x $\frac{7}{8}$	\$1.04
8060	Redwood	$\frac{3}{4}$ x $\frac{7}{8}$	1.04
8060	Oak	$\frac{3}{4}$ x $\frac{7}{8}$	2.08
8060	Gum	$\frac{3}{4}$ x $\frac{7}{8}$	1.50
8061	Yellow Pine	$\frac{3}{4}$ x $1\frac{1}{8}$	1.30

8441—Brick Mould
Size $1\frac{1}{2}$ x 2 inch. Ponderosa Pine.
Per 100 lineal feet..... \$4.39

8430—Blind Stop
Size $\frac{3}{4}$ x $1\frac{1}{4}$ inch. Redwood.
Per 100 lineal feet..... \$1.56

8432—Parting Stop
Size $\frac{1}{2}$ x $1\frac{1}{2}$ -inch. Redwood.
Per 100 lineal feet..... \$1.04

8038—Bed Moulding
Size $1\frac{1}{8}$ x $1\frac{1}{4}$ inches. Redwood.
Per 100 lineal feet..... \$3.77

8031—Bed Moulding
Redwood. Price per 100 lineal feet.

No.	Size, Inches	Price
8036	$\frac{3}{4}$ x $1\frac{1}{4}$	\$1.56
8031	$\frac{3}{4}$ x $1\frac{3}{4}$	2.08
8032	$\frac{3}{4}$ x 2	2.34
8030	$\frac{3}{4}$ x $2\frac{1}{4}$	2.60

Lattice
Redwood. Price 100 lineal feet.

No.	Size, Inches	Price
8280	$5/16$ x $1\frac{1}{8}$	\$0.88
8281	$5/16$ x $1\frac{3}{8}$	1.04
8282	$5/16$ x $1\frac{3}{4}$	1.34

Long Life

GARAGE DOORS



Triple Folding Garage Doors

Triple garage doors are neat, convenient and have strong, dowel pin construction. Since they open on the inside, ice or snow cannot interfere with their operation. Built of Edge-Grain Douglas Fir, 1-3/4 inches thick and glazed with clear window glass. Glass is set tightly in a wood bead. Doors not painted.

Folding doors furnished 3 doors to a set and come in three sizes. Please specify size when ordering. Can be hung with Folding Hardware shown below or with other types of Garage Door Hardware shown on page 52.

SIZE				1805 Per Set Three Doors	Glass Size
Width	Height				
Ft. In.	Ft. In.				
8 0	7 0			\$14.65	10 3/4 x 16
8 0	7 6			14.65	10 3/4 x 16
8 0	8 0			14.65	10 3/4 x 16



Swinging Garage Doors

These doors are of the same heavy, long-lasting dowel-pin construction as the Folding Doors shown above. Built of Edge Grain Douglas Fir, 1-3/4 inches thick, glazed with clear glass, held tightly by wood beads. Batten furnished for each pair of doors to make weathertight joint. Shipped sanded, ready for paint.

Use Swinging Door Hardware illustrated and priced at extreme right.

SIZE				Glass Size	1809 Per Pair
Width	Height				
Ft. In.	Ft. In.				
8 0	7 0			12x16	\$13.90
8 0	7 6			12x16	13.90
8 0	8 0			12x16	13.90



Roll-Up Overhead Garage Doors

A touch on the handle and this door rolls up under the roof—out of the way. Pull cord and door closes smoothly. Heavy springs and ball bearing rollers mean easy, safe action. Door never in the way—cannot be blocked by ice or snow.

Strong Ponderosa Pine door built with, hardwood dowel pin construction. 1-3/8 or 1-3/4 inches thick. We recommend the 1-3/8-inch thickness as strong enough for all ordinary garage door use. Top section glazed clear glass; all sections rabbetted to keep moisture out of joints.

At least 13-1/2 inches of headroom and 4-1/4 inches sideroom needed for door to roll up.

Prices cover both door and hardware including cylinder lock; also latching bars that can be used without locking door. Door quickly installed because all hardware is attached before shipment. Directions for hanging with each set. Doors used in pairs require 8-1/2-inch mullion.

SIZE				1819 1 3/8 Inches Thick	1820 1 3/4 Inches Thick
Width	Height				
Ft. In.	Ft. In.				
8 0	7 0			\$45.90	\$56.95
8 0	7 6			45.90	56.95
8 0	8 0			50.25	56.95

HARDWARE

Folding Door Hardware



3461 (For one door hinged to jamb; 2 doors folding back.) Set includes large swivel hanger, 6 feet track, 4-1/2 pairs 4-inch butts, 1 chain bolt, 1 foot bolt, door pull, door latch and pair padlock eyes, and all necessary bolts and screws.

3461, Per Set.....\$4.35

Note: For other types of Folding Door Hardware see page 52.

When folding Garage Doors are used with this hardware, your garage should be at least 3 feet longer than your car, as doors open in and need almost 3 feet to operate properly. If you want doors to fold, use this set.

Swinging Door Hardware





Illustration above shows hardware furnished for complete Swinging Door Hardware Set. Since doors swing out they leave entire garage space clear.

Set includes:

- 3 pairs 10-inch extra heavy japanned tee hinges with reversed pad.
- 1 chain bolt, 6-inch japanned steel, with 3 staples.
- 1 foot bolt, 6-inch japanned steel.
- 1 thumb latch, japanned steel.
- 1 handle or pull, japanned steel.

3501 Garage Set, complete\$2.75



Colonial Design Garage Doors

These attractive doors are genuine Colonial in design. We carry two designs in stock: (1) No. 1808, shown above with wood panels, and (2) No. 1807, illustrated in the small picture, with 6 lights of glass replacing top row of wood panels.

Strongly built of heavy clear Edge Grain Douglas Fir with solid raised panels. 1-3/4 inches thick. Dowel pin construction prevents sagging or warping and means that your doors will always hang straight and true.

Sold in sets of three doors. Since these doors open in, they cannot be blocked by ice or snow. Shipped unpainted. Doors are not rabbetted. Can be hung with Folding Hardware shown below or with other types of Garage Door Hardware shown on page 52.



1808—All Wood Panels

Width Height				1808 Set 3 Doors
Ft. In.	Ft. In.			
8 0	7 0			\$19.65
8 0	7 6			19.65

1807—Glazed Top Panels

Width Height				1807 Set 3 Doors
Ft. In.	Ft. In.			
8 0	7 0			\$20.95
8 0	7 6			20.95

These Fixtures Save Time and Work

Built-in Ironing Board



Our built-in ironing board saves valuable space in the kitchen and much time and work for the housewife. Can be built in the wall between studs in new or old homes. Easy to put up—you can do it yourself. When closed it folds up into wall with handsome panel door on outside. When ready for use is firm and rigid. Comes in the white—finish it to match your woodwork.

Size

Opening required 14 $\frac{3}{8}$ inches wide, 81 $\frac{1}{2}$ inches high and 3 $\frac{3}{4}$ inches deep. Ironing board 11 $\frac{1}{2}$ inches wide, 52 inches long, 32 inches from floor. Sleeve board 5 inches wide, 29 inches long.

Complete in carton, including moulded edge casing and nickel-plated hardware.

7117.....\$7.45

COMBINATION IRONING BOARD AND TABLE



As a Table—

Table formed by lowering board with two drop leaves, making table 22 $\frac{1}{2}$ x 40 inches. Flush hinges give table a smooth top. Ironing board folds out of the way into cabinet. Top panel can be closed.

As an Ironing Board—

Ironing Board drops down onto folded table top and is of standard size. Note top shelf.

Frame of Ponderosa Pine; door panel and case back 3-ply Fir. Ironing board and table of Spruce. Rough opening; width 14 inches; height 82 inches; depth 4 inches. Board extends 51 inches. Hardware included.

Built into wall: Casing furnished for top and sides.

Applied to wall: Backband trim for top and sides.

7131—Built into wall.....\$10.75

7133—Applied to wall.....11.15

STEEL MEDICINE CABINETS

Cabinet-7409. Our finest medicine cabinet with plate mirror. Mirror has copper back and is guaranteed 5 years against silver spoilage.

Made of steel; snow white enamel finish permanently baked on. Size of mirror 16 x 24 inches, bevel edged. Cabinet is 4 $\frac{1}{4}$ inches deep with three glass shelves, razor blade drop and tooth brush holder. Outside size 13 $\frac{3}{4}$ x 19 $\frac{1}{4}$ inches. Wall opening 13 $\frac{3}{4}$ x 19 $\frac{3}{4}$ inches. Can be used in new or old bathrooms. Hardware included.

7409. Each.....\$10.75

Cabinet-7464. Has crystal plate copper backed mirror guaranteed for 5 years against silver spoilage. Mirror size 15 $\frac{1}{2}$ x 22 inches. Two glass shelves, two tooth brush racks and razor blade slot included. Steel body with baked white enamel finish. Requires wall opening 13 $\frac{3}{4}$ x 18 $\frac{1}{4}$ inches. Hinges are nickel-plated.

7464. Each.....\$6.95

Cabinet-7463. A fine cabinet for bathrooms where price is to be considered. Square plain plate mirror, size 12 x 16 inches. 3 glass shelves, tooth brush rack and razor blade drop. Wall opening required 13 $\frac{1}{2}$ x 17 $\frac{1}{2}$ inches. Baked white enamel finish on steel. With hardware.

7463. Each.....\$6.45

Cabinet-7407. Square type cabinet with engraved mirror. This cabinet hangs on wall. Rounded back corners make it easy to clean. Size 14 inches wide, 18 inches high, 4 inches deep. With two shelves and hardware. White enamel finish.

7407. Each.....\$3.25

Cabinet-7408. The only cabinet at its price with a full sized curved Venetian mirror door and rounded back corners. Hangs on wall. Mirror 11 x 17 $\frac{1}{2}$ inches. Cabinet 11 x 16 inches and 4 inches deep. Baked green enamel finish. Complete with two shelves and hardware.

7408. Each.....\$1.55

Wood Medicine Cabinet

Door is 18 inches wide by 24 inches high, fitted with mirror 14 x 20 inches. Ponderosa Pine. Complete with casing. Rough opening required 20 inches wide by 26 inches high. Inside size 22 $\frac{1}{2}$ x 17 $\frac{1}{2}$ x 3 $\frac{3}{4}$ inches deep, with three adjustable shelves. Shipped set up. Nickel hardware furnished.

7411. Each.....\$6.95

TELEPHONE CABINETS

Cabinet-7143. Can be installed in an old or new home. Directory can be placed in the recess. Telephone box hidden in lower recess behind removable front. Rough opening required 1 foot 1 inch wide by 2 feet 7 $\frac{1}{4}$ inches high and 4 inches deep. Backband trim furnished. Exposed front of cabinet 17 inches wide; 34 $\frac{1}{2}$ inches long; extends 3 $\frac{1}{2}$ inches from plastered wall. Made of Ponderosa Pine with Fir panel back, or Gum or Plain Red Oak.

7143

Pine, each.....\$3.95
Gum, each.....5.25
Red Oak, each.....6.75

7145-Cabinet. Sets in plaster recess, as shown. 11 inches wide. Height from telephone ledge to bottom 13 inches. Note shelf for telephone directory. Telephone box concealed behind removable front. For new homes only.

7145—Each

Pine...\$2.75 Gum...\$3.15 Oak...\$4.25



Cabinet-7409



Cabinet
—7464



Cabinet—7463



Cabinet
—7407



Cabinet
—7408



Cabinet-7411



Telephone
Cabinet
—7143



Telephone
Cabinet
—7145



I WANT
A
MODERN
WORK-SAVING
KITCHEN

THEN BE
SURE TO USE
G-V-T
KITCHEN
UNITS


MODERN-NEW

Save Time and Steps
Units Easily Assembled into

Features of G-V-T Kitchen Units

Our Kitchen Case Units, shown on the opposite page, give you a beautiful, modern cabinet at a moderate price. These units can be assembled to fit any space in your kitchen. All units match each other so that you combine any number of them to fit the space you have. Made of Clear Ponderosa Pine with Fir door panels and lipped doors and drawers. No backs furnished as plastered wall forms back.

Modern features of these units are shown below. Study them carefully. A feature not shown below is the recess at the floor for toe space. This is shown in the pictures of the lower case units on next page.




Bread Drawer . . .

The large drawer in Lower Case E (shown on opposite page) is fitted with a metal bread box. This box has perforated sliding top to ventilate interior. Keeps bread, cake, etc., longer. Does away with all waste and is proof against mice.

All drawers have refrigerator lip-type fronts.


. . . Divided Drawer

The top drawer in Lower Case E (shown on opposite page) is partitioned as illustrated at the right. Every housewife will appreciate this convenience. Provides handy place for cutlery and other kitchen tools—keeps them in order—easy to find. This drawer placed at top of the unit for greatest convenience.



Slab or Panel Drawers

Units are priced two ways—(1), with slab type doors; (2), with panel doors. The slab type door—or refrigerator lipped type—costs a trifle more but is more modern and more attractive. It is illustrated at the left and the units on the next page are shown with slab doors. The panel door (see right) is lowest in cost and is a good serviceable door.




Chromium Plated Hardware



When Kitchen Units are purchased with slab type doors, we supply the beautiful Chromium plated hardware shown above. Door opened by a light pull on the 3-inch handle. Hinges semi-concealed type. Pull 2 1/2 inches wide. If panel doors are ordered we furnish Chromium plated door knobs and hinges as shown on panel door above. Drawer pulls same as shown above.

Linoleum Top Option



If desired, we can supply Linoleum Tops instead of hardwood tops on Lower Case Units. Linoleum Tops add to the beauty of the cabinets and can be had in colors to match almost any kitchen color scheme.

Linoleum Tops are durable, waterproof and easy to keep clean. Trimmed with Chrome strips. Can be had in Red, Blue, Black, Green, or Brown.

Add for substitution of linoleum top for regular hardwood top—

One unit wide...\$3.50 Two units wide...\$6.00 Three units wide...\$8.50

Kitchen Cabinets



7110

The very latest in economical cabinet designing. This modern and good looking cabinet offers fine storage space for dishes and kitchen utensils. The bottom section is 34 3/8 inches high and 18 inches deep. It has two roomy drawers and a double door cupboard. Built of Ponderosa Pine.

The top section is 47 1/2 inches high and 12 3/4 inches deep with three roomy shelves.

Size of complete cabinet 2 feet 10 inches wide by 8 feet high.

Cabinet has no back as plaster wall forms back.

Shipped taken apart—very easy to put together. Complete with hardware.


7110—Complete \$12.95

Kitchen Cabinet

The best kitchen dresser made for the money. Built of Ponderosa Pine. Top doors glazed clear glass. Top section 5 feet high and 11 inches deep with three shelves. Bottom section 36 inches high and 17 inches deep. Work table top 19 x 50 inches. Bottom section has 2 drawers and double door cupboard with one shelf. Size of complete cabinet is 4 feet wide and 8 feet high (can be cut down if desired).

Has no back as wall forms back. Complete with hardware; doors and front put together; balance shipped knocked down, ready to put together.

7109—Complete \$16.95



7109

Kitchen Units

for the Housewife

Complete Kitchen Cabinets

These modern Kitchen Units are made in our own factory by skilled cabinet makers. Prices include all material necessary to install the units.

The picture at the right shows how easily and perfectly G-V-T Units can be assembled to make up a complete case. This combination consists of Upper Units 2H at each side of the window connected with Unit 3J. Broom Case Unit L is at the extreme right. Lower Unit 2F is at left of sink with Lower Units E and F at the right. It's easy to select units to fit any space.



This attractive and efficient case is made up of 6 G-V-T Kitchen Units.

These Modern Units Easily Arranged to Fit Any Space


UPPER CASE UNITS

For Ceilings 8 Feet 3 Inches High

Case	Catalog Number	Width Inches	Depth Inches	Height Inches	Number of Doors	Number of Shelves	Price with Panel Doors	Price with Slab Doors
H	7041	17	14	49 1/4	2	4	\$ 6.95	\$ 8.10
2H	7042	34	14	49 1/4	4	4	12.25	14.70
3H	7043	51	14	49 1/4	6	4	17.65	21.65
2J	7044	34	14	14 3/4	2	6.85	7.20
3J	7045	51	14	14 3/4	3	9.25	9.85
K	7046	34	14	30 1/4	4	2	8.90	9.50
L	7047	17	20	99	2	2	13.55	16.55
HC	6953	17	22 1/2	49 1/4	2	4	9.20	10.45



H
Upper Unit




2H
Upper Unit



3H
Upper Unit

For Ceilings 8 Feet 6 Inches to 9 Feet 3 Inches High


Case	Catalog Number	Width Inches	Depth Inches	Height Inches	Number of Doors	Number of Drawers	Price with Panel Doors	Price with Slab Doors
H	7005	17	14	53 1/4	2	4	\$ 7.05	\$ 8.20
2H	7006	34	14	53 1/4	4	4	12.30	14.90
3H	7007	51	14	53 1/4	6	4	17.80	22.00
2J	7008	34	14	18 3/4	2	6.95	7.30
3J	7009	51	14	18 3/4	3	9.35	10.05
K	7011	34	14	34 1/4	4	2	8.95	9.65
L	7012	17	20	102	2	2	13.65	16.65
HC	6952	17	22 1/2	53 1/4	2	2	9.30	10.55



2J
Upper Unit



3J
Upper Unit



2F
Lower Unit



K
Upper Unit



L
Broom Case Unit

LOWER CASE UNITS

For Any Ceiling Height

Case	Catalog Number	Width Inches	Depth Inches	Height Inches	Number of Doors	Number of Drawers	Price with Panel Doors	Price with Slab Doors
F	7002	17	20	34 3/8	1	1	\$ 7.40	\$ 8.05
2F	7003	34	20	34 3/8	2	2	13.50	14.75
E	7001	17	20	34 3/8	4	12.95	13.15
G	7004	18	20	34 3/8	2.50	2.50
FC	6951	14 1/2	29 1/2	34 3/8	1	14.25	15.65



E
Lower Unit



F
Lower Unit



G
Extension Unit

These prices include hardware as described on opposite page.

NOTE: Units 2J and 3J have 8-inch fillets at each end for adjustment to width. Unit K is made to go over an ice box. Lower Units F and 2F have 2 shelves. Unit E has sliding cutting board and metal bread box. All Lower Units have hard-wood worktable tops.

Free Planning Service

Send us a rough floor plan sketch of your kitchen. We will go over your sketch and tell which units will work out best; also will send you a delivered price on these units. No obligation. If you have already decided upon the units you wish to use, send us floor sketch showing how you plan on grouping units, so we can ship proper size tops. Also give exact ceiling height and the location, widths and heights of doors and windows.

The more exact and detailed information you furnish, the better we can assist you in planning your kitchen, for your best convenience.

Corner Units

HC—Upper Corner Unit has 2 doors and 4 shelves.
FC—Lower Corner Unit has 1 door and 2 shelves.

Kitchen Units Easy to Erect


G-V-T Kitchen Units are shipped taken apart with fronts glued up; doors fitted; drawers cut, fitted, rabbeted and ready to assemble. Directions for setting Units up are supplied with each order. These easy-to-follow instructions make it easy to set up the units.

Units are shipped carefully packed, ready to be finished to match your woodwork. Safe Delivery Guaranteed.



MODERN FIXTURES

That Add Beauty and Convenience To Your Home



Genuine Colonial Cupboard

The illustration at the right clearly shows the beauty of this Corner Cupboard. It is of genuine Colonial design and can be built into new or old homes. It offers a charm and distinction which no other piece of furniture can approach. Can be used in any corner of an old house.

As shown by the picture at the left, a partition divides the top and bottom sections. The upper section has three shelves and a glazed door. The dividing bars in this door are wood and can be finished to match the rest of the case. The lower section has two doors and one shelf.

Specifications

This Corner Cupboard requires an opening 2 feet 10 inches wide by 6 feet 11 inches high by 1 foot 3 3/4 inches deep. No back is furnished as the wall will form the back. Shipped knocked down, ready to put together. Comes in the white, ready for finishing.

We can furnish this attractive Corner Cupboard in Ponderosa Pine, Gum or Plain Red Oak.

7242—Ponderosa Pine

\$27.55

7242—Gum

\$31.95

7242—Red Oak

\$39.25

If back is wanted

Add \$1.95



This graceful Mantel is of true Colonial design. Its beauty is well shown by the illustration above. Built of specially selected woods.

Specifications

Mantel is 5 feet 9 inches wide and 4 feet 6 inches high over-all. Shelf extends 9 inches from the wall and is 2 1/2 inches thick. Sufficient moulding is furnished to trim Mantel around both sides of plaster wall, making a very neat finish.

Mantel is always built flush with chimney breast, whether fireplace is built on an outside or an inside wall. Extension of Mantel Face from wall is just enough to accommodate the thickness of the face brick. The brick opening size is 3 feet wide by 2 feet 8 inches high. Shipped completely set up.

7304

Yellow Pine.....\$16.95

Gum.....18.95

Oak.....21.55



Metal Clothes Chute

All metal. Pressed steel door with baked white enamel finish, glass knob and chromium fittings. Galvanized chute. Made in two depths to fit 2x4 and 2x6 stud walls. Chutes for 2-story homes are 5 1/4 inches deep and are priced with opening on second floor only; also with opening on both floors.

For 1-Story Homes

7451—3 3/8 inches Deep.....\$8.95

7453—5 1/4 inches Deep.....8.95

For 2-Story Home

7455—Opg. on 2nd floor.....\$17.95

7457—Opg. on both floors.....21.25

Built-In Mail Box

New all-metal built-in mail box. A great convenience. Delivers mail directly to you—inside your home—without the trouble of going outside. Note cross-section illustration at bottom left.

This mail box has a solid bronze letter slot. The chute is made of galvanized iron, while the interior door is of neat steel. Adjustable to any wall thickness. Shipped complete for frame building.

7459—For frame building..\$4.75



BREAKFAST NOOK or RESTAURANT BOOTH

An attractive and very popular restaurant booth or breakfast set. Has large table and comfortable seats; each amply large enough for two persons. Fine workmanship. Comes all ready to put together. All parts sanded ready for painting to match your woodwork.

Specifications

Floor space required: 5 feet 6 inches wide by 3 feet 8 inches long. Table 2 feet 2 inches wide by 3 feet 8 inches long and 2 feet 6 inches high. Seats, size 1 foot 6 inches by 3 feet 8 inches. Height from floor 18 inches. Seat backs are 40 inches high from floor.

Made of Clear Ponderosa Pine. Comes "in the white" unvarnished so that it may be finished to match your woodwork. Shipped knocked down in sections which can easily be put together by any amateur.

7112

Ponderosa Pine.....\$15.75



Higher Panel Back

When these sets are used as restaurant booths, higher dividing panels are usually wanted to give more privacy. We can furnish dividing panels, as illustrated, size 3 feet 3 inches high which gives extra height above seat backs of 14 1/2 inches. Price.....\$2.75




WANT TO MAKE YOUR OWN CABINETS?

Here's All the Material You'll Need!

It's not a hard job for a man handy with tools to build his own cabinets or cupboards. We furnish items like drawers and doors all ready to use and in a variety of sizes to fit practically any space. Everything else needed—finish lumber, shelving, plywood, hardware, etc.—will be found on this page at prices that will save you money.

If you want your carpenter to build your kitchen cupboards, you will find all the materials shown below. Everything is in stock, ready for prompt shipment and every item is Guaranteed to be Satisfactory. If you would like us to figure out the material you need, just send a rough pencil sketch of the space where the cupboard will go, together with measurements. This service is Free.



Fir Plywood

Just the material for cupboard backs, partitions, drawer bottoms, shelving, etc. Gives you crackproof strength and the beauty of a smoothly sanded natural-wood surface that takes any finish—natural grain or paint.

The labor-saving size sheets make Fir Plywood very low in cost.

3-ply—each ply laid cross-grained, and glued together flat with water-resistant glue under hydraulic pressure. Stronger per pound than steel. Face side clear and sound.

Light in weight—easy to handle and work—almost impossible to split. Once in place, it is warp-proof. 1/4-inch thick.

SIZE		9053 Price per sheet
Width	Length	
48 Inches	72 Inches	\$1.20
48 Inches	84 Inches	1.40
48 Inches	96 Inches	1.60

Finish Lumber

Use for cabinet sides, fronts, tops, cleats, partitions and shelves. Ponderosa Pine Clear Grade is absolutely clear and free of defects; No. 1 Grade has some small defects. Lumber kiln-dried and surfaced two sides. Prices are for random lengths; add 10% for specified lengths. Price per 100 lineal feet.

Size Inches		Clear Grade	No. 1 Grade
Thick	Width		
1	x 2	\$1.92	\$1.20
1	x 4	3.83	2.39
1	x 6	5.75	3.58
1	x 8	7.66	4.78
1	x 10	10.42	6.15
1	x 12	14.50	7.60

Shelving

6601: Strong glued-up Ponderosa Pine shelving. Square edges. This shelving is 3/4-inch thick by 12-3/4 inches wide and comes in a good assortment of lengths that will fit practically any cabinet or closet.

Length Inches	Price Per Piece	Length Inches	Price Per Piece
16	\$0.16	54	\$0.57
33	.32	60	.63
36	.37	67	.72
48	.50	72	.78
50	.52	84	.95

Cupboard Doors

1862: Strong cupboard doors built with Ponderosa Pine stiles and rails and beautiful 3-ply Fir panels. Two thicknesses—3/4-inch and 1-1/8 inches.

Width		Height		1868 3/4 In. Thick	1862 1 1/8 In. Thick	Width		Height		1868 3/4 In. Thick	1862 1 1/8 In. Thick
Ft.	In.	Ft.	In.			Ft.	In.	Ft.	In.		
1	0	1	2	\$0.69	\$0.75	1	6	2	6	\$1.05	\$1.18
1	0	1	6	.69	.75	1	6	3	0	1.18	1.29
1	0	2	0	.75	.85	1	6	3	6	1.36	1.49
1	2	2	0	.78	.88	1	6	4	0	1.50	1.69
1	2	2	6	.96	1.09	1	8	2	0	.88	.99
1	2	3	0	1.05	1.18	1	8	2	6	1.15	1.26
1	2	3	6	1.23	1.36	1	8	3	0	1.26	1.47
1	2	4	0	1.36	1.53	1	8	3	6	1.47	1.64
1	4	2	0	.85	.91	1	8	4	0	1.63	1.84
1	4	2	4	1.02	1.12	2	0	2	6	1.26	1.37
1	4	2	6	1.02	1.12	2	0	3	0	1.42	1.57
1	4	3	0	1.12	1.23	2	0	3	6	1.63	1.84
1	6	2	0	.88	.96						

Any of above doors can be furnished made to order with glass panel at double above prices.

1851: Cupboard door glazed clear glass. 1-1/8-inch thick. Size, 1-ft. 6 in. by 4 ft. high.

Yellow Pine.....\$2.28
Red Oak.....2.75

Cupboard Drawers

Carried in the most popular sizes. Have lip fronts 13/16-inch thick, sides 5/8-inch, and backs and bottoms 5/16-inch thick. Shipped knocked down, ready to put together.

No.	Width	Depth	Height	Price
7400	1 ft. 5 1/2 in.	18 in.	2-3/4 in.	\$0.89
7401	1 ft. 5 1/2 in.	18 in.	4-3/4 in.	1.00
7402	3 ft.	18 in.	6-3/4 in.	1.85

Cutting Board

Made of durable Maple. Size: 18 inches square; 3/4-inch thick.

7423 Each.....\$0.95

Hardware


All the hardware you will need for your cupboards. Screws included.

- A **Cupboard Catch:** Dull Brass finish. Base plate 1-1/2 inches diameter. Bronze knob.
4125 Each.....\$0.30
- B **Hinges:** Ornamental design. Size 1-3/4 x 3 inches. Dull Brass finish.
4045 Per pair.....\$0.11
- C **Glass Knobs:** Easily kept clean. Diameter of knob 1-1/4 inches. Dull Brass mounting.
4161 Each.....\$0.24
- D **Friction Catch:** Best spring steel. Cadmium finish. Holds door securely. Size 1-1/4 x 1-1/2 inches.
4135 Each.....\$0.05
- E **Shelf Support:** Cast-iron, coppered.
4153 Per Dozen.....\$0.10




Door 1862

Door 1851





Drawers



Cutting Board

HARDWARE





STAIRWAY MATERIALS

The illustration at the left points out the various items of stairwork for you. A Colonial Stairway is shown, using Newel 5004, Balusters 5113, and Rail 5206, with necessary easements, etc.

All Gordon-Van Tine Stairwork is made in our own factories by expert workmen, and is guaranteed to equal the finest stairwork made. However, because we manufacture stair material in large quantities, it costs you about half usual prices.

Note: Certain items of Colonial stair material—Easements, Goose-necks and Quarter Level Turns—are not shown in this catalog. However, we can make up these items to fit any rail. Send us a sketch of your stair for Free Estimate.

Starting Step and Risers

5317—Half Circle End

Matches out stock steps and risers and is made both right-and left-hand ends. Picture shows left-hand end. Be sure to state whether the circle end is at right-hand or left-hand side going up the stairs. For stair 3 feet 4 inches wide. 8 1/2 inches high. Tread 11 3/8 inches wide.

Yellow Pine. Each..... \$ 8.50
Plain Red Oak. Each..... 10.50

5319—Quarter Circle End

Complete built-up starting step and riser with quarter turn at end, for stairway 3 feet 4 inches wide. Right-hand means that quarter turn is at the right as you ascend the stair.

5319G—Right-Hand 5319H—Left-Hand
Yellow Pine. Each..... \$6.35
Plain Red Oak. Each..... 7.65

5301—Face Stringers

Size 3/4 x 11 1/4 inches, surfaced 2 sides. Square edges, as shown. Machine Sanded one side. Priced per lineal or running foot in random lengths.

Yellow Pine..... \$0.16
Gum..... .18
Plain Red Oak..... .32

5304—Wall Stringers

Size 3/4 x 11 1/4 inches, surfaced 2 sides. Rounded edge, as shown. Priced per lineal or running foot.

Yellow Pine..... \$0.16
Gum..... .18
Plain Red Oak..... .32

5311—Stair Treads

Steps or Treads are 1-1/16 x 11 1/4 inches, 3 feet 5 inches long. Have one edge one-half round, are dressed two sides, and machine smoothed one side.

5311—Price per Tread
Yellow Pine..... \$1.15
Red Oak..... 1.55

5315—Stair Risers

Stair Risers are 3/4 x 7 1/2 inches wide, 3 ft. 5 in. long. Surfaced two sides and smoothed one side. Use Oak treads with Gum risers.

5315—Price per Riser
Yellow Pine..... \$0.49
Gum..... .59
Red Oak..... .68

5313—Landing Tread

Landing treads used on platforms and second floor levels. 1-1/16 x 3 1/4 inches wide, 3 feet 5 inches long. Rabbed on the inner edge to 7/8-in. thick, to finish level with flooring on platforms and second floor halls.

5313—Price per Tread
Yellow Pine..... \$0.40
Red Oak..... .55

Stair Newels

5004—Colonial Starting Newel

Genuine Colonial design. Shown in complete stairway illustrated at left. Height 4 feet, 2 inches, with 3 1/4 x 3 1/4-inch base. Made from thoroughly kiln-dried lumber with strongest glued lock joint. Hand smoothed. All newels carefully packed for shipment.

5004—Price Each

Yellow Pine..... \$3.95
Gum..... 4.15
Red Oak..... 4.45

5054—Colonial Angle Newel

5 feet 5 inches high with 3 1/4 x 3 1/4-inch base. We furnish rounded piece to close newel bottom.

5054—Price Each

Yellow Pine..... \$4.15
Gum..... 4.35
Red Oak..... 4.85

5005—Cape Cod Starting Newel

A modern new newel design for Cape Cod or Colonial homes. Built from kiln-dried stock with strongest glued lock joints. 5 feet high over-all with shaft 4 inches square. Only finest woods used—selected for richest graining. Use 5206 Colonial stair rail with this newel.

5005—Price Each

Yellow Pine..... \$4.95
Gum..... 5.65
Red Oak..... 6.35

5055—Cape Cod Angle Newel

To match 5005 Starting Newel. 6 feet high over-all with shaft 4 inches square. We supply moulded bottom piece to close bottom of newel.

5055—Price Each

Yellow Pine..... \$5.75
Gum..... 6.55
Red Oak..... 7.25

5001—Craftsman Starting Newel

Very popular design. 4 feet 5 1/4 inches high with 8 x 8-inch base and 6 x 6 inch shaft. Base is 20 inches high, allowing one or two risers. Built of selected, finely grained woods. All newels on this page are hand smoothed and made from thoroughly kiln-dried stock.

5001—Price Each


Yellow Pine..... \$4.95
Gum..... 4.95
Red Oak..... 6.50

5051—Craftsman Angle Newel

To match 5001 Starting Newel. Can be used as a Starting Newel by sawing off 1 foot 6 inches. 5 feet 6 inches high with 5-inch shaft. All newels on this page carefully packed for shipment. Fully Guaranteed.

5051—Price Each

Yellow Pine..... \$3.45
Gum..... 3.75
Red Oak..... 5.25



**Low WHOLESALE
PRICES THAT
SAVE YOU MONEY**

Gordon-Van Tine Stairwork is made only from the choicest selected kiln-dried woods. Made in our own factories by expert stair builders and is most carefully manufactured. We guarantee all stair material to be the equal of the finest stairwork made, regardless of price. Our prices will save you a tidy sum of money.

DISAPPEARING STAIRWAY



Stairs closed showing neat, attractive panel in position.



Lowering stairway. No effort, comes down easily and slowly.



Shows how panel drops when stairway is down. See large picture.



This stair is so perfectly balanced that it operates without effort. A gentle pull on chain lowers stairway; comes down easily and without a rush. To close stairway simply raise it and give a slight push. When closed, stair lays flat along attic floor, out of the way. Can be opened from above or below. Neat and strong. Perfectly safe. Will carry many times any weight you can put on it. Opening is large enough to admit trunks, furniture, etc.

STAIR SPECIFICATIONS

Furnished complete, including stairs with $\frac{3}{4}$ x 4 treads and $\frac{3}{4}$ x 5 stringers housed, hand rail with supports, 1 $\frac{1}{2}$ -inch ceiling panel door and all hardware, including brackets, coil springs, etc., black japanned. No jambs or trim furnished for ceiling opening. Can be used for 7 feet 6 inch to 9 feet ceiling heights. Easily reduced to shorter heights by cutting off bottom. Requires opening 2 feet 4 inches by 4 feet 6 inches between jambs.

PRICE: Covers stairway fully crated for shipment, ready to install, and includes one ceiling panel door with Ponderosa Pine stiles and rails and Yellow Pine or Birch Panels; one flight of sliding stairs and all necessary hardware. Ceiling door is furnished in the white, ready to paint. The stairs are stained a dark brown. Complete instructions furnished. **\$30.50**

Projects into attic when closed, and into room when open, approximately two-thirds of ceiling height.

5205—Craftsman Stair Rail

This design of Stair Rail is very popular. Ploughed out for 1 $\frac{1}{4}$ -inch balusters. If you want to use 1 $\frac{1}{4}$ -inch balusters, order fillets 5215 and 5217, shown below. Size 2 $\frac{1}{2}$ x 3 $\frac{1}{2}$ inch.

5205—Per Lineal Foot

Yellow Pine.....	\$0.25
Birch.....	.38
Red Oak.....	.38

5206—Colonial Stair Rail

Genuine Colonial design Stair Rail to be used with Colonial and Cape Cod newels shown on page 36. Size 2 $\frac{1}{4}$ inches wide and 2-1/16 inches high.

5206—Per Lineal Foot

Yellow Pine.....	\$0.28
Birch.....	.38
Red Oak.....	.38

5209—Wall Stair Rail

Use on stairways going between plastered partitions, such as basement or attic stairs. Use rail brackets below. Size 2 x 1 $\frac{1}{4}$ inches.

5209—Per Lineal Foot

Yellow Pine.....	\$0.15
Red Oak.....	.24

5215—Sub-Fillet. 5217—Fillet

Use for 1 $\frac{1}{4}$ -inch balusters with 5205 rail. Sub-Fillet 1-11/16 x $\frac{3}{4}$ -inch, ploughed 1 $\frac{1}{4}$ x $\frac{1}{2}$ -inch. Fillet 1-1/16 x $\frac{1}{4}$ inch.

Per Lineal Foot	5215	5217
Yellow Pine.....	\$0.01	\$0.01
Gum.....	.01 $\frac{1}{2}$.01 $\frac{1}{2}$
Red Oak.....	.02	.02

5201—Return Nosing

Open string stairways require return nosings on side of each step. Size 1-1/16 x 1 $\frac{1}{4}$ inches. Price per Lineal Foot

Yellow Pine.....	\$0.02 $\frac{1}{2}$
Red Oak.....	.05

8060—Cove Moulding

Use under each step. Size 3/4 x 7/8-inch. Price per Lineal Foot.

Yellow Pine.....	\$0.01
Gum.....	.01 $\frac{1}{2}$
Red Oak.....	.02

5211—Acorn Tips

To finish end of 5209 Wall Stair Rail. 1 $\frac{1}{4}$ -inch diameter.

Yellow Pine.....	\$0.30 ea.
Red Oak.....	.35 ea.

5207—Wall Rosette

Use on second floor landing for rail to strike against. Also used with Rail Brackets below.

Yellow Pine.....	\$0.25 ea.
Red Oak.....	.35 ea.

7607—Stair Rail Bolts

Nut on each end. Use to join two pieces of rail. 5/16 x 4 $\frac{1}{4}$ inches.

Each.....	\$0.08	Dozen.....	\$0.85
-----------	--------	------------	--------

7605—Stair Rail Bolts

Nut on one end and wood screw on other. Use to bolt rail to Newel Post. 5/16 x 4 $\frac{1}{4}$ inches.

Each.....	\$0.07	Dozen.....	\$0.75
-----------	--------	------------	--------

7604—Hand Rail Bracket

Used to support 5209 Wall Stair Rail. 3 $\frac{1}{4}$ -inch projection. Back plate 3 inches. Screws included.

Each.....	\$0.20
-----------	--------


7601—Hand Rail Bracket

Same use as 7604 above. Bronze finish. 2 $\frac{1}{4}$ -inch projection. With screws.

Each.....	\$0.15	Dozen.....	\$1.60
-----------	--------	------------	--------




5205-Rail




5206-Rail



Fillet, Sub-Fillet



5209-Rail



Return Nosing



Cove



Acorn



7607-Bolt



Rosette



7605-Bolt



7604-Bracket



7601-Bracket



5111 Baluster



5101 Baluster



5113 Baluster

Stair Balusters

5113—Colonial

Use with Colonial rail 5206 shown above and Colonial newels shown on page 36. Size, 1 $\frac{1}{4}$ x 1 $\frac{1}{4}$ x 39 inches long.

5113	Yellow Pine	Red Oak	Gum
Each.....	\$0.40	\$ 0.45	\$ 0.42
Carton of 25.....	9.75	11.00	10.25

5101—Square Balusters

Use with 5205 rail, using Fillets shown at left. Size permits use of three or four balusters per step. Size, 1 $\frac{1}{4}$ x 1 $\frac{1}{4}$ x 34 inches long.

5101	Yellow Pine	Birch	Oak
Each.....	\$0.10	\$0.20	\$0.16
Carton of 25.....	2.25	4.75	3.75

5111—Turned Balusters

Use with 5205 rail—no fillet necessary as these balusters are 1 $\frac{1}{4}$ x 1 $\frac{1}{4}$ x 28 and 32 inches long.

5111	Yellow Pine	Red Oak
Each.....	\$0.33	\$ 0.45
Carton of 25.....	7.95	10.75

Quality

PORCH materials



COLUMNS, NEWELS, RAIL, BALUSTERS


Factory-to-You Prices

All the porch work shown on this page is made from clear Douglas Fir in our own factory. Fir is a splendid weather resisting wood of unusual strength for soft wood; it takes paint readily and does not rot when exposed to the elements as many soft woods do. These qualities make it ideal for porch work. The columns, rail, newels and balusters shown here are of the best manufac-

ture; they are made from carefully selected material by expert workmen; all material is machined and smoothed and ready for painting. Columns and newels are well jointed and will not come apart when in use.

Prices shown are unusually low, due to large quantity manufacturing. When ordering rail be sure to specify length of span desired.

Craftsman Brackets



Built up of thoroughly seasoned 3/4-inch clear Fir. Shipped set up, ready to install. Size 2 feet high, 5-1/2 inches wide and two lengths—see below.

No.	Length	Price
7693	2 ft. 1 1/2 inches	\$3.35
7691	3 ft. 1 1/2 inches	4.50


Size 5-1/2 inches square. Two lengths—shown below. Clear Fir.



7697

No.	Length	Price
7697	2 ft. 3/4 inch	\$1.50
7695	3 ft. 3/4 inch	2.35

Colonial Bracket



7699—For Frame Homes

7700—For Brick Veneer Homes

This bracket should be used under rear and grade door hoods in Colonial, Cape Cod or English type homes. Clear Fir.


7699. For frame homes. Size 5 inches wide, 1 foot high, 2 feet long.

7700. For brick veneer homes. Same as 7699 except 2 feet 5 inches long.

7699—Price each.....\$2.25

7700—Price each.....2.75

Porch Rail



6211

6211—Top Rail


Size 1-3/4 x 3-1/2 inches. Fir. Random lengths—add 10% for specified lengths.

6211. Per foot..\$0.06

6212—Bottom Rail

Size 1-3/4 x 3-1/2 inches. Fir. Random lengths—add 10% for specified lengths.

6212. Per foot..\$0.06



6212



6001



6022



6026



6153

Porch Columns

These porch columns are of the latest design and add beauty to any home of which they become a part. Very strongly made and are built of Fir—a wood that is famous for its resistance to weather.

8-foot columns, 6001 (round) and 6022 (square) can be cut down in height for \$0.10 extra. For dividing or splitting columns, add \$0.25.

6001—Round Columns

Diameter of Shaft at Base	Height	Price
6 in.	8 Feet	\$3.65
8 in.	8 Feet	4.50
10 in.	8 Feet	5.95
10 in.	9 Feet	6.75
12 in.	10 Feet	9.65

6022—Square Columns

8 in.	8 Feet	\$4.15
10 in.	8 Feet	5.35
10 in.	10 Feet	6.20

6026—Square Columns

No.	Size	Price
6026	5 in. Sq., 8 Ft. High	\$2.90
6024	5 in. Sq., 8 Ft. High	2.15

6153—Square Newel

Size	Price
5 in. Sq., 4 Ft. High	\$1.75

Built-Up Newels



6122 Newel



7695 Newel

Square Newel

6122

Built-up Fir Newel, 8-inch shaft. 3 feet high including cap and base.

Price each.....\$2.85

Square Newel

7695

Built-up of seasoned 3/4-inch Fir, shipped set up. 5-1/2 inches square x 3 feet 3/4 inches high.

Price each.....\$2.35

Balusters

6331. Square balusters, Clear Washington Fir, size 1-3/4 x 1-3/4 x 24 inches.


Prices

Price, each.....\$0.08
Price, per crate of 25.... 1.75
Price, per crate of 50.... 3.25
Price, per crate of 100... 6.00
Long lengths, 10 to 20 ft., per foot......04

6301. Turned Porch Balusters. Carried in two thicknesses, 1-3/4 and 2-1/4 inches. Made of Ponderosa Pine.

Prices

No.	Size	Each	Carton of 25
6301	1 3/4 x 20 in.	\$0.20	\$4.00
6302	1 3/4 x 24 in.	.20	4.00
6303	2 1/4 x 20 in.	.25	5.25
6304	2 1/4 x 24 in.	.25	5.25



window glass

AT LOW MONEY-SAVING PRICES



FANCY GLASS

We carry in stock ready for immediate shipment, a large stock of fancy glass. See below. Add 35c to your order to cover cost of special packing.

	Per Sq. Ft.
4499—Sheet Prism Glass.....	\$0.62
4500—Moss Glass.....	.45
4501—Chipped Glass, double strength.....	.45
4502—Ground Glass, double strength.....	.39
4503—Florentine Glass, 1/8-inch.....	.30
4504—Maze Glass, double strength.....	.33
4505—Ribbed Glass, 1/8-inch.....	.24
4507—Ribbed Wire Glass, 1/4-inch.....	.45
4508—Cathedral Glass, any color.....	.48
4509—Diffuse Glass, 1/8-inch.....	.30

Steel Wheel Glass Cutter



944. These wheels are for general household use and odd jobs. Exceptional value at price and cuts very easily. Green metal handle.

Price each.....	\$0.10
Price per dozen.....	1.10

A Good Putty Knife

1222. For household and general use. Size 1-1/8 x 7-1/2 inches. Flexible blade and red enamel handle.

Price each.....\$0.10




No. 1222

Glaziers' Points

945. Made in two sizes, 20 and 21. See picture at left. Sharp and perfectly made.

No. 20, per package, 1/8-pound.....\$0.05
No. 21, per package, 1/4-pound......10



Pure Linseed Oil Putty



A very high-grade linseed oil putty for glazing windows or filling nail holes. Dries hard and will not discolor white paints.

No. 850

1 Lb. \$0.10

5 Lbs. \$0.35

25 Lbs. \$1.65

Flower Boxes

Suitable for either window or porch. Made of Clear Cypress, which is the only wood that will stand up under the trying conditions imposed—exposure to weather and continual moisture.

Neat, standard design. Tight, ship-shape box which will stand up indefinitely.

Made of one-inch Clear Cypress. Shipped knocked down; very easily assembled. You can do it yourself in just a few minutes' time.




No.	Width	Length	No. Brackets	Price
7355	9 Inches	4 Ft. 6 In.	3	\$4.95
7355	9 Inches	6 Ft. 6 In.	4	6.95
7355	9 Inches	9 Feet	5	9.25
7355	9 Inches	9 Ft. 6 In.	5	9.75



Window Shutters

From these two handsome designs of blinds, you will be able to select one that will harmonize well with your home. They are adapted to all kinds of house architecture—English, Colonial, American—in fact most any type of modern home. They are all 1 1/8 inches thick—of finest material and perfect workmanship. Made of Ponderosa Pine.

Send us a list of your window sizes for Free Estimate. We can also furnish other blind designs to match any type home.



We are one of the largest users of window glass in the United States. The tremendous volume of glass we use in manufacturing windows and doors, enables us to buy at practically cost of production. The low, wholesale prices below will save you a tidy sum of money.

Every light of glass is made according to strict specifications, standard in every way, carefully inspected and securely packed in well-made boxes. Odd size lights take price of next largest size. We carry a great many sizes not listed. We pack every glass order carefully to insure safe delivery.

S.S. Means Single Strength Glass. 13 lights of S.S. glass to the inch. Not supplied in sizes over 30 x 30 inches.

D.S. Means heavier Double Strength Glass. 8 lights of D.S. Glass to the inch. Not priced in sizes under 30 x 30 inches. We can supply D.S. in small sizes at one and a half times price of single strength.

Size	4201 S.S. Lights	No. Lts. in Box	4201 S.S. Boxes	Size	4201 S.S. Lights	S. S. Boxes		4201 D.S. Boxes	4202 D.S. Boxes
						4202 D.S. Lights	No. Lts. in Box		
8x10	\$0.06	90	\$3.33	20x20	\$0.45	\$3.63	18	\$0.64	\$5.21
8x12	.08	75	3.33	20x22	.51	4.04	16	.72	5.97
8x14	.09	64	3.33	20x24	.53	4.04	15	.76	5.97
8x20	.13	45	3.51	20x26	.57	4.04	14	.82	5.97
8x24	.15	38	3.51	20x28	.62	4.04	13	.89	5.97
9x12	.08	67	3.33	20x30	.69	4.04	12	.96	5.97
9x14	.10	57	3.33	20x34	.74	4.10	11	1.08	6.08
10x12	.09	60	3.33	20x36	.74	4.10	11	1.08	6.08
10x14	.11	51	3.33	22x24	.58	4.04	14	.83	5.97
10x16	.13	45	3.51	22x26	.64	4.04	13	.90	5.97
10x18	.15	40	3.51	22x28	.67	4.04	12	.97	5.97
10x20	.16	36	3.51	22x32	.81	4.10	10	1.19	6.08
10x24	.20	30	3.51	22x38			9	1.32	6.14
10x28	.24	26	3.63	24x24	.66	4.04	12	.93	5.97
12x14	.14	43	3.51	24x26	.66	4.04	11	.96	5.97
12x16	.15	38	3.51	24x28	.75	4.10	11	1.08	6.08
12x18	.18	33	3.51	24x30	.80	4.10	10	1.19	6.08
12x20	.20	30	3.51	24x32	.94	4.21	9	1.32	6.14
12x24	.25	25	3.63	24x34	.94	4.21	8	1.32	6.14
12x26	.30	23	3.63	24x40			8	1.59	6.55
12x28	.34	21	3.63	26x26	.74	4.10	11	1.07	6.08
12x30	.39	20	4.04	26x28	.86	4.10	10	1.19	6.08
12x32	.42	19	4.04	26x30	.94	4.21	9	1.33	6.14
12x36	.46	17	4.04	26x32	.94	4.21	9	1.33	6.14
14x16	.18	32	3.51	26x34	1.25	4.21	8	1.59	6.14
14x18	.20	29	3.51	26x36	1.25	4.56	8	1.59	6.55
14x20	.23	26	3.51	26x38			7	1.97	6.55
14x24	.34	21	3.63	28x28	.94	4.21	9	1.32	6.14
14x26	.36	20	3.63	28x30	.94	4.21	9	1.32	6.14
14x28	.44	18	4.04	28x32	1.15	4.21	8	1.59	6.14
14x32	.49	16	4.04	28x38	1.35	4.56	7	1.82	6.55
14x40	.62	13	4.10	30x30	1.15	4.21	8	1.59	6.14
14x44	.70	12	4.21	30x32			8	1.59	6.55
16x20	.30	23	3.63	30x40			6	2.12	6.55
16x24	.36	19	3.63	32x34			7	1.82	6.55
16x28	.49	16	4.04	32x48			5	3.06	7.78
16x32	.56	14	4.04	40x40			5	3.06	7.78
16x40	.75	11	4.21	40x44			4	3.95	7.96
18x20	.35	20	3.63	42x48			4	4.55	9.27
18x24	.46	17	4.04	44x46			4	4.55	9.27
18x28	.57	14	4.04	46x48			3	6.15	9.40
18x32	.61	13	4.04	54x56			5	13.00	33.27
18x36	.74	11	4.10	54x66			4	16.25	33.27


VENETIAN BLINDS

Venetian Blinds are very popular because they add charm and beauty to any room. The great variety of colors in which they can be furnished, from the softest ivory or cream to brilliant red or orange, makes it easy to fit the window into a harmonious color scheme. Because the slats can be tilted to various angles, you have perfect control of light and ventilation. Simple and automatic lift-cord stop holds blinds at any height. Slats have smooth satin washable finish.

We can furnish Venetian Blinds in any colors and for windows of any size. Our low prices will please you. Just send us a list of your windows for which you want Venetian Blinds and we will send you an estimate. There is no obligation on your part.




FLOORING



Plain Red Oak Flooring



Quarter Sawn Oak Flooring



Maple Flooring

OAK Flooring adds more beauty and actual value to a home than almost anything else. And Oak Flooring actually costs you less in the end because it will last much longer than any other kind of flooring. Note the money-saving prices quoted below.

We Guarantee every piece of our Oak Flooring to be as good or better than the grade specified. Every piece is highly finished and dressed to a perfect surface. Tongued, grooved and end matched. Shipped carefully bundled.

The $\frac{3}{8}$ x $1\frac{1}{2}$ inch flooring can be laid right over your old floor—easily and quickly—at very low cost. Makes a beautiful, durable hardwood floor.

Maple Flooring

Has a dense straight grain and is light in color. Famous for its durability. Tongued grooved and end matched. First Grade is absolutely clear; Second Grade allows a few grain imperfections. Shipped in random lengths. First grade 2 feet and up, second grade $1\frac{1}{2}$ feet and up. Carefully bundled for shipment.

How to Measure for Hardwood Flooring

Multiply the width of your rooms by the length. To this total add one-third more flooring in case of $13/16$ x $2\frac{1}{4}$; one-half more in case of $13/16$ x $1\frac{1}{2}$; one-third more in case of $\frac{3}{8}$ x $1\frac{1}{2}$. This extra flooring must be added to take care of waste in cutting and to allow for the tongue and groove.

What Oak Flooring Grades Mean

Clear Grade flooring is the finest grade. It contains no knots or other imperfections. Furnished in random lengths of from 2 feet and up with only fifteen per cent of the shorter lengths under 4 feet.

Select Grade flooring contains some small knots and slight imperfections in machining, but will lay a serviceable and beautiful floor. The lengths in Select run from one foot and up with larger

proportion of short lengths than in the Clear grade.

No. 1 Common Grade is very popular because lots of folks like the difference in color that the defects give the flooring, after it is finished. Cheaper than softwood flooring and will last years longer. This grade will admit sound knots and minor defects which will not affect its wearing qualities. Lengths are one foot and up.

Red Oak Flooring—Prices per 1000 Board Measure Feet

Thickness-Width Inches	Clear Grade	Select Grade	No. 1 Common
$\frac{3}{8}$ x $1\frac{1}{2}$	Phone for Prices	Phone for Prices	Phone for Prices
$13/16$ x $1\frac{1}{2}$			
$13/16$ x $2\frac{1}{4}$			

Quartered Red Oak—Clear Grade Only


Thickness-Width Inches	Phone for Prices		
$\frac{3}{8}$ x $1\frac{1}{2}$			
$13/16$ x $2\frac{1}{4}$			

Maple Flooring

Thickness-Width Inches	First Grade Maple Flooring	Second Grade Maple Flooring
$\frac{3}{8}$ x $1\frac{1}{2}$	Phone for Prices	Phone for Prices
$25/32$ x $2\frac{1}{4}$		

FIR AND YELLOW PINE FLOORING

End Matched Yellow Pine Flooring



Side and end matched just like hardwood flooring. Perfect jointing saves you 50 per cent of the time formerly required to lay a floor. Throw away your square and pencil—just lay this end matched flooring end to end, as fast as you can nail it, without any waste of time or material in cutting and matching.

Comes in flat grain. Face side clear. Beautifully polished and furnished in random lengths so joints can be broken and a better floor laid. Shipped in lengths from 1 to 16 feet. Size $13/16$ x $2\frac{3}{8}$ inches. Comes in wired bundles, just like hardwood flooring.

When ordering add 30 per cent to the total number of square feet to be laid for loss in machining and allowance for tongue and groove.

Flat Grain. Per 1000 board measure feet **Phone for Prices**

Edge Grain Yellow Pine Flooring



We carry both Edge Grain and Flat Grain Yellow Pine flooring. Both are clear and free from defects. Edge Grain is quarter-sawn and will last longer than Flat Grain. Both are $13/16$ -inch thick by $2\frac{1}{4}$ inches wide and are supplied in random lengths of 6 to 16 feet. When ordering add $\frac{1}{4}$ more flooring to your total area for waste and allowance for tongue and groove.

Per 1000 Board Measure Feet
Flat Grain..... } Phone for Prices
Edge Grain..... }

Edge Grain Fir Flooring



Clear Edge Grain Fir flooring makes a beautiful and durable interior floor and is the best and most lasting flooring you can use for porch floors. Size $13/16$ -inch thick by $3\frac{1}{4}$ inches wide. Edge Grain Fir Flooring comes in random lengths of 6 to 16 feet. When ordering figure the number of square feet you need and add $\frac{1}{4}$ more to the total for waste, and allowance for tongue and groove.

Per 1000 Board Measure Feet
Edge Grain Fir
Phone for Prices

Linoleum Base Flooring




Where linoleum is to be used, it is not necessary or economical to go to the expense of putting down a high-priced wood flooring. Use this Linoleum Base Flooring. It is $\frac{3}{8}$ -inch thick by $3\frac{1}{4}$ inches wide. The $\frac{3}{8}$ -inch thickness means that your linoleum will be level with the flooring in adjoining room. Flat Grain Yellow Pine. Shipped in random lengths of 6 to 16-foot lengths.

Per 1000 Board Measure Feet
Linoleum Flooring
Phone for Prices

Prices on Softwood Floorings are Subject to Market Change.

INSULATION BOARD

- High Insulating Rating.
- Light in Weight—Easy to Work.
- 1/2 Inch Thick.
- Great Strength. Low in Cost.



Van Tine Insulation Board is manufactured from long, tough fibres which are water-proofed and woven together in a manner which builds into each panel countless microscopic "dead-air" cells which check the passage of heat, cold and sound.

Van Tine Insulating Board is light in weight and combines great strength and high insulating efficiency. Van Tine Insulating Board has 2 1/2 times the insulating value of lath and plaster and 5 times the insulating value of gypsum board. The U. S. Bureau of Standards' tests show that Van Tine Insulating Board has one of the highest ratings of all rigid insulating boards. Its insulating qualities will cut your fuel costs considerably. It is 1/2 of an inch thick and may be sawed easily to any size or shape.

How It Can Be Used

OUTSIDE—

Use Van Tine Insulating Board for sheathing—under wood siding, shingles or brick. Its insulating value and structural strength are high. Your fuel saving will be considerable. And these fuel savings, and added comfort, go on year after year. Also use Van Tine Board for insulating garages and farm buildings of all types, especially poultry houses, where it means comfortable hens and high egg production.

INSIDE—

Van Tine Insulating Board has many interior uses. For inside walls, it may be painted or left in its natural color (warm tan). Panel strips cover joints. For attic insulation, for adding an extra attic room, for basement ceilings (to reduce floor drafts and dampness), Van Tine Insulating Board is ideal because it is so easy to apply and so low in cost. If painted, panels should be thoroughly sized with a quality glue or oil size.

Price per Sheet

Sheet Size Width—Length	Price per Sheet	Sheet Size Width—Length	Price per Sheet
4 Feet x 6 Feet	\$1.20	4 Feet x 9 Feet	\$1.80
4 Feet x 7 Feet	1.40	4 Feet x 10 Feet	2.00
4 Feet x 8 Feet	1.60	4 Feet x 12 Feet	2.40


Has Many Uses




For Interior Walls




For Attic Rooms




For Attic Insulation



For Basement Ceilings




For Poultry House Insulation



For Garage Insulation

VAN TINE INSULATING LATH




For a sound-deadening and heat-insulating plaster base, use Van Tine Insulating Lath. It will cut your annual fuel bill. Nail the 18x48-inch boards with the 48-inch dimension at right angles to studs or joists with rougher side exposed for plaster. Join the shiplap edges but do not force them into place. Plaster forms a strong bond with Van Tine Insulating Lath. Tests have shown that an average pull of 1200 pounds per square foot is necessary to separate plaster from its base of insulating lath.

Van Tine Insulating Lath (like Van Tine Insulating Board described above) has great strength and high insulating value. Retards progress of fire and is an excellent sound deadener.

Size of Sheets 18 x 48 Inches.

Price per 100 Square Feet \$5.00



Shiplap Joint



Panel Moulding


A neat and inexpensive panel effect can be secured by using this panel moulding to cover the cracks between the sheets of insulation board and wall board. No plaster or crack filler is required. Size 5/16 x 1 3/8 inches.

8581

Per 100 lineal feet \$0.95

Cool **COMFORT
in
SUMMER**

INSULATE



As shown above, the hot summer heat quickly penetrates the walls and roof of a house that is not insulated.



Insulated walls and ceilings keep out summer heat, as shown above. Result—real summer comfort day and night.

QUILT-TYPE FLEXIBLE INSULATION



No matter how fierce the blasts of winter are, no matter how far below zero the thermometer sinks, with Flexible Insulation you have a warm

blanket of insulation that keeps the heat in your house and the cold out. Without forcing your heating plant, you maintain a steady, even temperature through any blizzard. Flexible Insulation keeps the heat in the home in winter and earns its cost in a few years' time in the fuel it saves and the added summer and winter comfort it gives to your home.

Summer Comfort

And in summer your bedrooms are cool. Your home, closed during the fierce heat of midday, turns off the sun's rays and retains the cool comfort of early morning—for a blanket of heat and cold defying material wraps it around.

Ranks High in Government Test

The United States Bureau of Standards ranks Flexible Insulation 2.00 in heat and cold resistance. Stiff board insulator ranks 1.38. Plaster board 0.27.


Specifications

Flexible insulation is made of specially treated and woven cotton quilting stitched in 4-inch widths with heavy No. 16 thread. It is fire-resisting, chemically treated to make it vermin-proof and will not rot or decay. The cotton quilting is then woven between two sheets of heavy 70-lb. Kraft paper—a feature of Flexible Insulation because it means that nails cannot tear through the paper. This does away with the need for tin caps which are often used with other types of insulation to prevent nails from pulling through the paper. Thus, Flexible Insulation is easier and less expensive to install. An added feature is that the 70-lb. Kraft paper is *flame proofed*.


Easily Applied

Flexible Insulation is easily applied inside of the walls between the studs, between joists or between floors and partitions. Allow 10 per cent for waste in overlapping and cutting.

Comes in rolls and half rolls, each roll containing a continuous sheet 84 feet long and 3 feet, or 18 inches, wide. It is ½-inch thick.



Ceiling Insulated with Quilt



Wall Insulated with Quilt



Tucks In — Easily Installed



An Insulated home means restful sleep during hottest nights.



An Insulated home brings you cool comfort during the day.



Your Insulated home will make summer entertaining a pleasure.

Price 36-Inch Width

Each roll 84 feet long.

5051

Roll 250 Square Feet

\$7.50

Per 1000 Square Feet

\$30.00

Price 18-Inch Width

Each roll 84 feet long.

5052

Roll 125 Square Feet

\$3.75


Per 1000 Square Feet

\$30.00

for better Living

Warm **COMFORT**
in
WINTER

ROCK WOOL INSULATION



"BATT" TYPE

"Batt" Type Rock Wool Insulation is the easiest type to install. Size of batts, 15 inches wide by 23 inches high.



"LOOSE" TYPE

Picture above shows clearly how "Loose" Type Rock Wool Insulation "tucks in". Lowest in cost.



"GRANULATED" TYPE

Illustration above shows how easy it is to install "Granulated" Type.

Rock Wool is made from pure rock—melted under terrific heat—specially treated and blown into millions of long, tough fibres. This process produces a wool that consists mostly of dead air cells. And dead air is the best insulation known. Result—you save up to 40% in fuel every winter in your Rock Wool Insulated home and enjoy restful summer comfort. And this goes on year after year. Rock Wool is an investment that pays for itself.

Other features of Rock Wool are: 1. Is absolutely fire-proof. 2. Is water-proofed—will not rot. 3. Deadens sound. 4. Is clean and dustless. 5. Will not pack down—never needs to be replaced. 6. You can install Rock Wool yourself without any trouble.



Rock Wool Batts

Quickly placed between studding of new homes or between joists or rafters of old homes. Easily cut to fit any space. Each Batt is backed with black asphalt waterproof paper.

2-INCH BATTS: 2-inch thick, size 15x23 inches. Carton of 15 batts covers 36 square feet. Fit between 16 or 24-inch studs.

5140—Per carton \$1.98

4-INCH BATTS: 4-inch thick, size 15x23 inches. Give best insulation. Carton of 10 batts covers 24 square feet. Fit between 16 or 24-inch studs.

5140—Per carton \$1.98

Loose-Type Rock Wool

The lowest cost type but takes more time to install. Comes in loose type quantity that must be installed by hand and packed to desired thickness.

We recommend an insulation 3 inches thick, because this gives best results. A bag of loose Rock Wool will cover about 12 square feet, 3 inches thick, about 18 square feet 2 inches thick, depending on density of packing.

5142—Per bag, 30 lb. \$0.95

Granulated Rock Wool

Easy to install—just pour it between walls, ceilings and floors. Comes in bags for easy pouring. A bag of granulated Rock Wool will cover about 18 square feet 3 inches thick, about 27 square feet 2 inches thick and about 54 square feet 1-inch thick. Use 3-inch thickness for best results.

5144—Per bag, 30-lb. \$1.25



The home above is not insulated. Note the great amount of heat that leaks out the walls and ceiling. Coal wasted—house drafty.



As shown above, the Insulated home holds in the heat. Up to 40% fuel saved year after year—no drafts—real winter comfort.



Insulation pays for itself with fuel savings.



An Insulated home is a healthier home.

POROSIL HOME INSULATION



"Pour-Your-Own"

Better - Cheaper - Safer - Cleaner

You can install "Porosil" yourself—just pour it right from bag between joists. No cutting to fit, no tucking, no nailing, etc. "Porosil" is a mineral product, lighter than cork, is fire and water-proof—vermin and bug-proof—clean and dustless. "Porosil" will save heat loss through the ceiling in winter and keeps out summer heat in the summer. It will pay for itself in fuel savings alone.

A bag of "Porosil" will cover approximately 18 square feet poured 3 inches deep between your ceiling joists.

5150—Price per bag \$1.05



No unhealthy drafts in an Insulated home.


MODERN WALL MATERIALS



BLACKHAWK FIBRE WALLBOARD



Extra Room in Attic



For a Warm Garage

- An Improved, Stronger Board
- Pebbled Surface on One Side
- Easily and Quickly Applied

Our Blackhawk Wallboard is an improved fibre board, unusually strong and rugged. Will withstand hard treatment, is moisture, heat and cold resisting and deadens sound. 3/16-inch thick.

The big sheets, 48 inches wide, go up quickly over old cracked plaster or directly on studs and joists, making the work of improving old rooms or using waste space for new rooms, easy and very low in cost. Only a saw, hammer and nails needed.

Because Blackhawk Wallboard has a specially sized surface, you can use any number of finishes—enamel, paint, Kalsomine or plastic materials. Has one side with a beautiful pebbled surface and one side smooth for those who wish smooth finish.

Wallboard is widely used because of its economy—both in first cost and in application. It is ideal for remodeling purposes, such as making new rooms in the attic or cellar, walling off a fruit closet, lining garages, poultry houses, etc. It is also used to cover old plaster which has become cracked and broken. You get a quick, clean job.

5092—Price per Sheet

Width	Length	Sq. Ft.	Per Sheet
4 Ft.	6 Ft.	24	\$1.08
4 Ft.	7 Ft.	28	1.26
4 Ft.	8 Ft.	32	1.44
4 Ft.	9 Ft.	36	1.62
4 Ft.	10 Ft.	40	1.80
4 Ft.	12 Ft.	48	2.16

Wallboard Tape



To cover wallboard joints. Strong, cloth tape, heavily gummed on 1 side. 1 1/4 inches wide. 6692. Roll 100 lineal feet.....\$0.30

Panel Moulding

Best for joints. Makes neat paneled effect. Size 5/16x1 3/4 inches., Fir. 8581. 100 lineal feet.....\$0.95



FIR PLYWOOD WALLBOARD

- Stronger per Pound than Steel
- Split-proof. Easy to Work
- Richly Grained Fir

The latest and most beautiful material for interior walls, ceilings, recreation rooms, attics, bedrooms, shelves, panels, toys, etc.

Gives you crackproof strength and the beauty of a smoothly sanded natural-wood surface that takes any finish—natural grain, paint, plastics or paper. All this at about the same low price you would pay for wallboard. The labor-saving size sheets make Fir Plywood very inexpensive to apply.

3-ply—each ply laid cross-grained, and glued together flat with water-resistant glue under hydraulic pressure. Stronger per pound than steel. Face side clear and free from knots and defects.

Light in weight—easy to handle and work—almost impossible to split. Nails or screws can be placed right up to edges. Once in place, it is warp-proof. 1/4-inch thick.

9053—SIZES AND PRICES

Size, Inches Width Length	Square Feet	Price per Sheet
48 x 72	24	\$1.44
48 x 84	28	1.68
48 x 96	32	1.92

G. V. T. HARDBOARD



- For Cabinet Tops, Table Tops, Etc.
- Unusually Strong and Durable
- 1/8-inch Thick. Easy to Work

G.V.T. Hardboard is a dense, unusually tough and durable material made from wood fibres which have been pressed into board form in hydraulic presses. 1/8-inch thick. Will not split or crack and is practically moisture proof. Has no knots or grain.

Many Uses

Very widely used for kitchen cupboard tops, table tops, desk tops, drawer bottoms, cabinets, partitions, etc. (See pictures above.) Has an attractive smooth finish which can be painted, if desired.

Easy to Work


G.V.T. Hardboard is easy to work with. Use any hand or mechanical tools. Comes in convenient sized sheets, 48 inches wide and in a good assortment of lengths.

Size of Sheet Width Length	Square Feet	1/8-Inch Thick Price per Sheet
4 Feet x 6 Feet	24	\$1.68
4 Feet x 8 Feet	32	2.24
4 Feet x 9 Feet	36	2.52
4 Feet x 10 Feet	40	2.80
4 Feet x 12 Feet	48	3.36

Chrome Trim Strips



Use these Chrome Strips with G.V.T. Hardboard to trim edges and joints where board meets wall. Makes a beautiful job. Easily applied.



7083. Quarter Round Chrome covered wood strip. Size 3/4-inch. Price per lineal foot, complete with Chromium Plated Screws.....\$0.25

7084. Flat Chrome Strip with rounded edge. Use as finish piece on edges. Size 1-1/4 inches. Per lineal foot, complete with Chromium Plated Screws.....\$0.35

FOR *Every* PURPOSE

ART-PLY

THE INLAID PLYWOOD

- Last Word in Wall Beauty
- Patented Invisible Joints
- Sheets 1/4-inch Thick. Strong 3-ply

ART-PLY is an all-wood, durable, wall-board . . . an inlaid plywood with patented invisible joints. With ART-PLY you get beauty with durability and at low cost.


ART-PLY is manufactured from durable Douglas Fir in standard 4 ft. by 8 ft. panels, 1/4-inch thick. The attractive mouldings are inlaid, flush with the surface, and "welded" in with water-resisting glue. Two patterns are available, affording a variation of designs. The beautiful effects possible with this modern wallboard are almost unlimited.

For remodeling, ART-PLY has no rival. It can be used to cover old plaster—is quickly put up, and requires no expert to install or finish. Extra moulding for the joints comes in each package of panels. Since ART-PLY has a wood surface with attractive grain, the painter can work out any desired finish. In kitchens or bathrooms, ART-PLY can be covered with enamel for waterproof finish.

ART-PLY panels cost very little more than plain plywood (which requires battens), and afford a richness in design which plain plywood panels cannot offer.

ART-PLY requires no construction delays, no special tools, no high surfacing cost, and is repair-free. It cannot bulge, sag, or crumple; and will not discolor from leaking roofs under ordinary circumstances. It is strong, crack-proof and doesn't mar easily. Thirty-two square feet of material are applied with each panel, thus cutting down labor cost.

PATENTED JOINT




This cross-section shows invisible joint covered with "self pattern" inlaid moulding.

Prices per Sheet

Size of Sheet Width Length	No. 9055 Square Tile Design	No. 9056 Random Plank Design
4 Ft. x 8 Ft.	\$2.40	\$2.25

9055 — ART-PLY Square Tile Design. Rabbetted all around. 16x16 inches squares.



9056 — ART-PLY Random Plank Design. Rabbetted at sides only.



An outdoor sleeping room with ART-PLY walls and ceiling.



Note the beauty of this living room with ART-PLY walls and ceiling.

For remodeling old homes, individual rooms or building extra rooms, ART-PLY cannot be equalled. Old walls and ceilings can be covered at small expense and finished with paint, varnish, enamel, etc.

KNOTTY PINE PANELING



Walls finished with Knotty Pine never go out of fashion or become tiresome. Knotty Pine has a beauty all its own. Can be used in practically any room in new homes or when remodeling an old one. Not expensive to install. Once up it is easy to keep clean and you have no redecorating costs. Note the charm of the Knotty Pine walls in the


Breakfast Room illustrated at the left.

Finest quality selected Knotty Pine paneling made of No. 2 Idaho Pine 25/32-inch thick. Random lengths. Add 10% for specified lengths.

Price per 100 Lineal Feet

Width, Inches	Price 100 Lineal Feet
6	\$4.60
8	6.13
10	7.67

TYLAC SHEET TILE



Steam Proof



Won't Chip

Haven't you often wished for the luxury and beauty of tile walls in your bathroom or kitchen, only to give it up because of the cost? TYLAC will give you this beauty and permanence at about half the cost. Note the pictures at the right.

TYLAC is made of a tough, durable, waterproofed wood fibre base with a smooth, lustrous surface formed of many coats of special enamel that is practically indestructible. Water, steam and dirt-proof—easily kept clean with a cloth and water. Put up quickly with ordinary tools, cement (see below) and brads. For best results, use joint strips shown lower right. We supply instructions for applying.

Colors: White, Blue, Orchid, Nile Green, Shell Pink, Black, Cream.



Above—Tylac Bathroom



Below—Tylac Kitchen

Size of Sheet Width Length	Price per Sheet
4 Feet x 8 Feet	\$9.60




Cap and Base Moulds

5155. Cap Mould. All colors. 2 in. wide. Tile scored. Per 6-ft. length. **\$.90**

5153. Base Mould. All colors. 4 or 6 in. high. 6-ft. lengths only
4 inches, per length. **\$1.80**
6 inches, per length. **2.25**

5161. Super-Cement. Gallon will apply 60-70 sq. ft. Per Gallon. **\$1.50**


5157. Inside Corner Strip. Chromium Plated. Per 8-foot length. **\$0.95**



5159. Outside Corner Strip. Chromium Plated. Per 8-foot length. **\$1.20**



5167. 2-inch Chrome Cap Mould. Use this or No. 5155 Tylac Cap Mould (see left). Per 8-foot length. **\$1.45**



ECONOMY DESIGN

A handsome, modern design. Strongly built. 2-inch knobs. All locks supplied complete with screws.

Interior Design



Inside Lock Set 1521. Thus, all interior locks will be in harmony.

Economy Design Outside Door Locks 1525 and 1527 are shown above. The picture at left shows the interior side of these locks. (1527 lock has turn piece as shown at right). Same design as



1525

1527

1521 — 1523

1529 — 1531

1533 — 1535

1525. Sectional Front Door Bit-Key Set: All Brass Trim. Operates outside by thumb piece and key; knob and key inside. Has polished brass 13-inch handle outside; black brass 6-inch plate and polished brass knob inside. 3 keys.
1525—Each.....\$5.45

1527. Cylinder Front Door Lock Set: All Brass Trim. Operates outside by knob and key; knob and turn piece inside. 8 3/4-inch outside plate; 6-inch inside plate. Plates finished black with polished brass knobs. 3 keys.
1527—Each.....\$8.65

1521. Inside Set: Steel. Escutcheons 6 inches high, 1 3/4 inches wide. Finished black with polished brass plated knobs. One key.
1521—Each.....\$0.90

1523. Inside Set: Same as 1521 except solid brass trim.
1523—Each.....\$1.95

1529. Bathroom Set: Steel. Escutcheons 6 x 1 3/4 inches, finished black with brass plated knobs. Turn knob on bathroom side.
1529—Each.....\$1.35

1531. Bathroom Set: Same as 1529 except solid brass trim.
1531—Each.....\$2.15

1533. French Door Set: Steel black escutcheons with polished brass plated 2-inch knob on one side and brass plated lever on the other. Escutcheons size 6 inches high and 1 3/4 inches wide. Lever 2 3/8 inches long. One key.
1533—Each.....\$1.35

1535. French Door Set: Same specifications as 1533 set above except all brass trim.
1535—Each.....\$2.15

BEVERLY DESIGN

Our finest set. The beauty of the Beverly Design is shown by the illustrations of the locks at the right. Knobs 2 inches in diameter. All locks complete with screws. See Cavalier-Beverly Set and Monarch-Beverly Set at bottom of page.

Interior Design

See lock 1601 at the right for interior design of Beverly outside locks. All Beverly Design Locks can be furnished with inside knobs in glass or metal as shown below and priced at right.

Beverly—Glass Knobs



Glass knobs are 2 inches in diameter. Fluted glass design as shown by picture. Very easily kept clean.

Beverly—Metal Knobs



Dull Brass finish. 2 inches in diameter. Handsome design, as shown.

Beverly locks with metal knobs priced at right.



1611

1613

1603

1601

1605

1619

1611. Cylinder Front Door Lock Set: Operates outside by knob and key; inside by knob and turn piece. Escutcheons are 2 inches wide, 8 inches high. Genuine bronze, dull brass finish. Outside knobs bronze, dull brass finish; glass inside knob. 3 keys.
1611—Each.....\$8.95

1613. Bit-Key Outside Lock: Operates both outside and inside with key and knob. Outside escutcheon 2 inches wide, 8 inches high. Inside escutcheon 1 1/2 x 5 1/2 inches. Escutcheons and outside knob genuine bronze, dull brass finish. Glass inside knob. 2 keys.
1613—Each.....\$4.95

1612. Cylinder Front Door Lock Set: Same as 1611 above except inside knob which is genuine bronze, polished brass finish.
1612—Each.....\$9.25

1614. Bit-Key Front Door Lock Set: Same as 1613 above except inside knob which is genuine bronze, polished brass finish.
1614—Each.....\$5.15

INSIDE LOCK SETS

Inside sets in this design can be had in 3 different combinations. All these lock sets operate with key and knob on both sides. All trim is genuine bronze. Size escutcheons inside 1 1/2 x 5 1/2 inches, outside 2 x 8 inches. 2 keys.

1603. Genuine bronze 2-inch knob on one side, and fluted design glass knob on other side.
1603—Each.....\$1.55

1601. 2-inch fluted design glass knobs, dull brass finish both sides.
1601—Each.....\$1.45

1602. Inside Lock Set: Same lock as 1603 and 1601 above with the exception both sides have 2-inch bronze knobs. Dull Brass finish.
1602—Each.....\$1.75

All locks have easy action and are smooth working.

1605. Bathroom Lock Set: Operates on one side with key and knob; on bathroom side with turn piece and knob. Escutcheons 1 1/2 inches wide by 5 1/2 inches high. Genuine bronze. Dull brass finish. Two 2-inch glass knobs. One key.
1605—Each.....\$1.95

1606. Same as 1605 except nickel plated finish one side.
1606—Each.....\$1.95

1619. French Door Lock Set: Operates on one side with key and knob; on other side with lever and key. Escutcheons 1 1/2 inches wide by 5 1/2 inches high. Escutcheons and lever genuine bronze. Dull brass finish, glass knob. One key.
1619—Each.....\$2.15

1607. Bathroom Lock Set. Same as 1605 above except 2-inch Bronze knobs which are Polished Brass finish.
1607—Each.....\$2.15

1621. French Door Lock Set: Same as 1619 above except 2-inch Bronze knob which is Polished Brass finish.
1621—Each.....\$2.15

Beverly Design—Metal Inside Knobs

REGAL DESIGN

Cavalier-Beverly



1609. Sectional Handle Front Door Set: Beautiful cylinder lock set. Operates with thumb piece and key from outside; turn piece and knob inside. Handle 16 inches high of heavy polished cast brass. Inside escutcheon 1 1/2 x 5 1/2 inches, Dull Brass finish on Bronze and matches Beverly Lock No. 1601 and No. 1602 shown above. 3 keys.

1609—With Glass Knob on Inside.....\$8.95

1610—With Brass Knob on Inside.....\$9.25

Hinges

See page 48 for full line of Door Hinges; also other miscellaneous door hardware.



1109

1101 — 1103

1113 — 1115

1335

1109. Cylinder Front Door Lock Set: Operates with knob and key outside; knob and turn piece inside. Outside escutcheon 2 3/4 x 10 inches; inside 2 1/4 x 7 inches. Genuine Bronze, Dull Brass finish. 2 keys.
1109—Each.....\$6.95

1101. Bit-Key Front Door Lock Set: Operates with knob and key from both sides. Outside escutcheon 2 3/4 x 10 inches; inside 2 1/4 x 7 inches. Dull Brass finish on steel. 2 keys.
1101—Each.....\$2.15

1103. Bit-Key Lock: Same as 1101 except Dull Brass finish on Bronze.
1103—Each.....\$3.95

1113. Inside Lock Set: Operates with knob and key from both sides. Dull Brass finish. Escutcheons 2 1/4 x 7 inches. Complete with one key and screws.
1113—Dull Brass on Steel.....\$0.59
1115—Dull Brass on Bronze.....\$1.50

1335. Bathroom Lock Set: Opposite side matches Lock No. 1113, Dull Brass finish on solid bronze. Side shown above is heavily nicked on solid bronze. Operates with knob and key from one side; knob and turn piece from bathroom side. With screws and key.
1335—Each.....\$1.95

Monarch-Beverly




1615. Sectional Handle Front Door Set: Massive Forged Iron cylinder lock set. Operates with thumb piece and key from outside; turn piece and knob from inside. Handle 11 1/2 inches high of heavy forged iron, black finish. Inside escutcheon 1 1/2 x 5 1/2 inches, Dull Brass finish on Bronze and matches Beverly Lock No. 1603 shown above. 3 keys.

1615—With Glass Knob on Inside.....\$9.75

1616—With Brass Knob on Inside.....\$9.95

Hinges

Forged iron hinge straps to match Monarch Lock are shown and priced on page 47.



1157

1151

9093

1139

1297

1161

1162

Inside — 1623 — Outside

1157—Store Door Lock

This strong lock operates from the outside with thumb latch and key; from the inside with thumb latch and key. Handles are 5 inches high. Escutcheons 13 1/4 inches high by 2 3/4 inches wide. Dull Brass finish on steel. Complete with screws and 2 flat keys.

1157—Each.....\$4.25

1151—Sectional Lock Set

For homes or stores. Strong cylinder lock. Operates from the outside with thumb latch and key; from the inside with knob and turn piece. Handle is 8 1/4 inches high. Outside escutcheon 2 3/4 inches wide by 7 1/4 inches high. Dull Brass finish on Genuine Bronze. Inside side matches Regal Design shown on page 46. Complete with 3 keys and screws.

1151—Each.....\$7.95

See page 48 for Hinges.

9093—French Door Lock

For single or double French Doors with astragal. Operates with knob and key on one side and lever and key on the other. Escutcheon plates 1 1/2 x 4 1/4 inches. Genuine Bronze, Dull Brass finish. Complete with keys and screws.

9093—Each.....\$2.15

1139—Push Plate

Size 2 3/4 x 10 inches. Dull Brass finish. Complete with screws.

1139—Dull Brass on Steel, Each.....\$0.15

1143—Dull Brass on Bronze, Each......35

1297—Push Plate

Bevel plate glass, size 3 x 12 inches. 1/2-inch bevel. Easy to keep clean. Complete with nickel plated screws and rubber washers.

1297—Each.....\$0.25

1161—Door Knocker

A neat, attractive design. Solid Bronze with Bright Brass finish. Size 2 1/4 inches wide by 8 inches high. Complete with screws.

1161—Each.....\$2.25

1162—Door Knocker

Modern Forged Iron Door Knocker. Black. Size 3 1/4 x 7 1/4 inches. With screws.

1162—Each.....\$3.95

1623—Rear or Grade Door Set


Gives you the protection of a costly cylinder front door lock at low cost. Consists of Beverly Design Latch Set (without dead bolt) and mortise type night latch. Operates with key and knob outside; knob and turn piece inside. All Bronze trim, Dull Brass finish. 3 keys.

1623—Each.....\$4.25

MISCELLANEOUS DOOR HARDWARE



1241



1239




1215



1227



1233



1283

1241—Rim Night Latch

A low priced night latch of good quality, cast-iron case 3 1/4 inches by 2 inches. Strike and cast-iron brass plated bolt. For doors up to 1 1/4 inches thick.

Two steel keys. Operated from inside by knob, from outside by key. Bolt may be held back by half turn of knob to the left. Complete with screws. Brass plated finish on Japanned case.

1241—Each.....\$0.90

1239—Rim Night Latch

A high grade, perfectly manufactured night latch. Cast-iron case 3 1/4 inches by 2 1/4 inches and cast-iron strike (also has flat strike). Bolt of polished brass. 4 Pin Tumbler mechanism. 3 Cylinder Keys. For doors 7/8 inches to 2 1/4 inches thick. Operated from outside by key, from inside by knob. Deadlock will stop bolt against key. Complete with screws. Brass plated on Japanned case.

1239—Each.....\$1.15

1215—Mortise Lock Set

Neat Japanned steel case. Lacquered front and strike. Two black Japanned knobs. One key. Complete with screws.

1215—Each.....\$0.60

1227—Mortise Latch

Wrought steel escutcheon, size 3 1/4 x 2 inches. Metal knob, 2 1/4 inches. Finished in Dull Brass. With screws.

1227—Each.....\$0.65

1233—Rim Knob Set

This is one of our most popular lock sets and is very carefully and strongly made. Has stop, iron bolts, tinned keys, one Japanned keyhole escutcheon and black Japanned knobs. With screws.

1233—Each.....\$0.49

1283—Floor Hinge

Big, strong, well oiled spring, which will wear as long as the door. Hinge plate screws into the floor, no mortising, easy to put on and adjust. Best quality steel, with handsome brass finish. Medium weight, for 1 1/4 to 1 3/4-inch doors. Size, 9 1/2 x 2 1/2 inches. Dull Brass finish.

1283—Each.....\$0.85

1359—Door Fastener

Every outside door should be equipped with a Door Fastener. Door can be opened a few inches but no further. Catch cannot work loose. Size of slide plate 4 inches. Anchor plate 1 1/4 inches. Dull Brass finish. With screws.

1359—Each.....\$0.20

1351—Base Knob

Very latest design, strong and neat. Heavy rubber tip, prevents noise and jar. 1-inch diameter at base with 2 1/4-inch projection. Cast-iron.

1351—Dull Brass, each.....\$0.05

1355—Nickel Plated, each......06

1331—Base Knob

Clear selected birch. Heavy rubber tips. 2 3/4 inches long.

1331—Each.....\$0.04

1331—Dozen......45

1313—Door Bumper

For use where wall bumper cannot be used to advantage. Wrought steel, with large rubber tip. Fastens to floor. Complete with screws. Size 1 3/4 x 1 1/4 inches. Dull Brass finish.

1313—Each.....\$0.09

1303—Door Holders

Stout steel compression spring, automatic, non-slip catch, easily worked. Size 7 1/4 x 1 3/4 inches. Wrought steel. Hard rubber heel. Dull Brass finish.

1303—Each.....\$0.65

1257—Barrel Bolt

Wrought steel. With screws. Japanned.

	Length of Bolt
2-Inch	\$0.07
4-Inch	\$0.09
6-Inch	\$0.13

1259—Door Bolt

Mortise Door Bolt with plain bronze metal knob and escutcheon; length 2 1/2 inches, diameter 9/16 inches. Is furnished in Dull Brass finish or Nickel Plated. Complete with screws.

1259—Dull Brass, each.....\$0.25

1267—Nickel Plated, each......28

3990—Hinge Strap

Curved Forged Iron Hinge Strap to match Monarch-Beverly Lock Set shown on page 46. Size 30 1/4 inches long, 1 1/4 inches wide. Black. With screws.

3990—Each.....\$8.75

3989—Hinge Strap

Straight design. Forged Iron. Black. 23 inches long, 1 1/4 inches wide. With screws.

3989—Each.....\$2.95



1359



1351




1331




1313




1303



1257




1259



3990

3989



4003—Loose Pin Hinge

Strong, ball tip, loose pin hinge. Complete with screws. Give size. Prices per pair.

Size, Inches	4003 Dull Brass	4006 Nickel Plate
2 x 2	\$0.22	
2½ x 2½	.22	
3 x 3	.23	\$0.35
3½ x 3½	.23	.35
4 x 4	.33	.45

4035—Wrought Steel Hinge

Loose pin. With screws. Price per pair. State size wanted.

Size, In.	2 x 2	2½ x 2½	3 x 3	3½ x 3½	4 x 4
Per Pair..	\$0.13	\$0.14	\$0.14	\$0.15	\$0.21

4013—Surface Hinge

Loose pin. Beveled edge. Ball tip with screws. Wrought Steel.

Size, In.	2 x 2	2½ x 2½	3 x 3	3½ x 3½	4 x 4
Per Pair..	\$0.23	\$0.31	\$0.33	\$0.35	\$0.50

4041—Surface Hinge

Ornamental design. Loose pin, with screws.

Size, In.	2 x 2	2½ x 2½	3 x 3	3½ x 3½	4 x 4
Per Pair..	\$0.23	\$0.31	\$0.33	\$0.35	\$0.50

4019—Light Hinge

Round head, loose pin, with screws.

Size, In.	2 x 2	2½ x 2	2½ x 2½
4019—Dull Brass...	\$0.14	\$0.15	\$0.16
4021—Nickel.....	.21	.23	.25

3995—Narrow Hinge

Loose pin, cupboard hinge. With screws.

Size, In.	Per Pair	2 x 1½	2½ x 1½
3995—Dull Brass.....	\$0.12		\$0.13
3997—Nickel Plate.....	.19		.20

4031—Transom Hinge

Dull Brass. 3 x 3 inches. Per pair.....\$0.25

4023—Narrow Hinge

Cupboard hinge. Wrought Steel, with screws.


Size, Inches	1½ x 1½	2 x 1½	2½ x 1½
Per Pair.....	\$0.06	\$0.07	\$0.09

4045—Ornamental Hinge

Size 1½ x 3 inches. Wrought Steel, with screws.
4045—Dull Brass, per pair.....\$0.11
4047—Nickel Plated, per pair......12

CUPBOARD and CABINET HARDWARE

Imperial Design



4246—Cabinet Catch

Beautifully finished in Chromium Plate. Quiet, positive action. Catch is released and door opened by pull on the handle. Handle solid brass, Chrome Plated. For use on right- or left-hand doors. 1½ inch thick. Handle 3 inches long. With Chrome screws.

4246—Each.....\$0.48

4245—Cabinet Hinge

Semi-concealed type hinge. For overlapping doors. 2½ inches high. Chromium Plated finish with Chrome screws.
4245—Per Pair.....\$0.30

4247—Cabinet Pull

Modern pull in Chromium Plated finish. 2½ inches between centers. With screws.
4247—Each.....\$0.16

4091—Cupboard Turn

Size 2½ x 2¼ inches. With Screws.

4091—Dull Brass on Steel.....	\$0.10
4098—Nickel Plated on Steel.....	.11
4092—Dull Brass on Bronze.....	.25
4100—Nickel Plated on Bronze.....	.27
Smaller Catch, 1¾ x 1¼ inches.	
4095—Dull Brass on Steel.....	.09
4097—Nickel Plated on Steel.....	.10

4248—Door Pull

Red or Black Catalin knob, brass trim. 2½ inches overall. With screws and washers.
4248—Red. 4249—Black. Each.....\$0.25

4125—Cupboard Catch

Bronze knob. Base plate 1½-inch diameter. With screws. Steel plate latch.

4125—Dull Brass.....	\$0.30
4127—Nickel Plate.....	.30

4129—Friction Catch

Automatic. Strong spring holds door closed. Brass. ½-inch diameter.

4129—Each.....\$0.02

4133—Elbow Catch

Use with pair of doors to lock one door. Length 1¾ inches. Width ¾ inch.

4133—Brass.....\$0.05

4135—Friction Catch

Best spring steel. Size 1¼ x 1½ inches. With screws. Holds door securely.

4135—Each.....\$0.05

4177—Drawer Lock

Solid brass. Size 1½ x 1½ inches. 2 keys. For 13/16-inch drawers.

4177—Each.....\$0.55

4185—Drawer Pull

Neat design. Size 4-inch. Steel.
Each, \$0.10. Dull Brass finish. Doz....\$1.15

4250—Drawer Pull

Red or black Bakelite. Size 4 inches. With screws.
4250—Red. 4251—Black. Each.....\$0.10

4193—Drawer Pull

Size 3½ inches long with screws.

4193—Dull Brass, each.....	\$0.04
4194—Nickel Plated, each.....	.05

4161—Glass Drawer Knob

Easily cleaned. Dull Brass base.

Diam. of Knob	1 In.	1¼ In.	1½ In.
Each.....	\$0.22	\$0.24	\$0.30

4167—Drawer Knob

Diameter 1 inch. Wrought brass.

4167—Dull Brass, each.....	\$0.10
4171—Nickel Plated, each.....	.12

4163—Hexagon Drawer Knob

Cast Brass. 1-1/16-inch top.

4163—Dull Brass, each.....\$0.30

4153—Shelf Supports

Cast-iron, nickeled. 1½ inches long.

Doz.....\$0.10 Gross.....\$1.15

4155—Shelf Supports

Pressed steel, nickeled. 1 inch long.

Doz.....\$0.04

4159—Sliding Door Sheave


For cupboards, show cases, etc. Ball bearing. Diameter 1 inch.

4159—Each.....\$0.06

1295—Sheave Rail

Copper plated steel. 1/4-inch wide. 5-6-8- and 10-foot lengths. State length wanted.

1295—Per foot.....\$0.08



Window - Sash and Casement Hardware



8030



8013



8035



8069




8065



8071



8073




8063



8057



8091



8052

Sash Fastener

Size 2½ x 1½ inches. With screws.

8027. Dull Brass on cast-iron. Each.....\$0.08

8030. Nickel Plated on cast-iron. Each.....\$0.09

8031. Dull Brass on bronze. Each.....\$0.25

8026. Nickel Plated on Bronze. Each.....\$0.30

Bar Sash Lift

Size 4x1¼ inches. With screws.

8013. Dull brass on cast-iron. Each.....\$0.05

8019. Nickel Plated on cast-iron. Each.....\$0.05

8014. Dull Brass on bronze. Each.....\$0.25

8020. Nickel Plated on bronze. Each.....\$0.30

Hook Sash Lift

Size 1½ x 1½ inches. Steel.

8035. Dull Brass.....\$0.03

Sash Cord

Tough, long-wearing. Size 8. ¼-inch diameter. 100-foot bundle.

8069. Per bundle.....\$0.95

Sash Weights

All weights from 3 to 16 lbs. Cast-iron.

8065. Per 100 pounds..\$2.65

Sash Cord Fastener

Anchors cord in sash. No sash cord knot necessary. Wrought Steel.

8071. Per dozen.....\$0.20

Sash Weight Fastener

Fastens weight to cord. Wrought Steel.

8073. Per dozen.....\$0.08

Window Spring Bolt

Strong spring, ¾-inch long.

8063. Each.....\$0.04
Dozen......35

Stop, Screw and Washer

Round head. 1¼ inches long. Wrought Steel.

8057. Dull Brass, Doz. \$0.05

8059. Nickel Plated, Doz......06

Stop Adjuster

Adjusts window and door stops. With screws. Steel.



8091. Dull Brass, Doz. \$0.15

Jam-Proof Pulley

Cord cannot jamb or jump off. Easy to cord. Unbreakable. Rustless. Cadmium finish. Size 1½ inches wide by 4½ inches long. 2-inch Wrought Steel wheel.

8052

Each..\$0.07 Dozen..\$0.75



Win-Dor Casement Adjuster

Can be used on casements 15 inches wide or wider. Works through the screen. Installed on surface of window sill as shown above. Operates only on casement windows swinging out. Handle swings sash out to any desired position and locks it in place. All parts Cadmium Plated—to resist rust. Strongest gear action. With screws.

9098. Each.....\$2.00
9099. Handle only......30

Automatic Top Closer

Fits in top corner of frame (see picture above) and pulls in top of sash. Strong spring holds sash tightly closed. Automatic action. Reversible. Cadmium plated. With screws.

9100. Each.....\$0.70



9081



9084

Casement Window Adjusters

Telescoping friction adjuster for inswinging or outswinging sash. Holds casement sash firm at any angle desired. Attached to head jamb of frame and top rail of sash. Permits window to open full width. Wrought brass. Complete with screws.


9081. Dull brass finish. Each.....\$1.25

Cast plate with thumb turn; holds window rigidly in place at any desired angle. Window can be thrown clear back of opening if desired. 1½ inches by 8¾ inches, rod 8 inches long. With screws.


9084. Dull brass finish. Cast-iron. Each.....\$0.55
9087. Dull brass finish. Cast brass. Each.....1.15



9029



9021



9017



9059

9029—Casement Fastener

Holds sash tightly. Shown above with rim strike. Complete with screws.

9029. Dull brass on iron.....\$0.20
9024. Dull brass on bronze......50

With Mortise Strike

9032. Dull brass on iron.....\$0.20

9038. Dull brass on bronze......50

9021—Casement Window Hinge

Use where sash open in. Size 3½ inches. Wrought steel. With screws.

9021. Dull brass. Pair.....\$0.45

9017. Use this hinge where sash open out. Galvanized. With screws.

9017. 3 x 3 inches. Pair.....\$0.40

9017. 3½ x 3½ inches. Pair......50

9059—Casement Sash Bolt

9059 Dull brass on steel. 3 in. long. Each.....\$0.20
6 in. long. Each......33

9063 Dull brass on brass. 4 in. long. Each.....\$0.50
6 in. long. Each......60

"Pullman" Sash Balances



Automatic spring action. Strong spring and tape takes place of weights and cords. Steel, rust proof lacquered brass tape 46 inches long. Face of each balance measures 1 x 6 inches. Use 4 balances per window.

No.	Weight Each Sash	Set of 4	No.	Weight Each Sash	Set of 4
8074	7-9 lbs.	\$2.50	8081	16-17 lbs.	\$3.05
8075	10-11 lbs.	2.90	8083	18-19 lbs.	3.05
8077	12-13 lbs.	2.90	8085	20-21 lbs.	3.05
8079	14-15 lbs.	2.90	8087	22-23 lbs.	3.25

Cellar Sash Set

8115. Includes one pair 2x2-inch butts, one 2½-inch hook and eye, one stout steel lock, all of best quality steel. Complete with screws.

Per set.....\$0.13

8117. Same as above except packed with loose pin butts.

Per set.....\$0.15



8115



4130

French Door Catch

4130. For inside French Doors. Not suitable for outside doors. Heavy spring holds door closed. Dull brass finish on brass; length 1½ inches.

4130. Each.....\$0.10

9053—Flush Bolt

Flush lever, handle, 6½ x 1¼ inches square. With screws. Rod 9 or 18 inches long. State length desired.

9053. Dull brass on cast-iron. Each.....\$1.25



9053



9067

9067—Foot Bolt

1¼ inches wide, 3 inches long, with screws. Cast-iron.

9067. Dull brass finish. Each.....\$0.45




8109

8109—Transom Catch

Wrought steel. Size 2¼ x 1½ inches. With strike and screws.

8109. Dull brass finish. Each.....\$0.16



8113

Transom Catch

Extra heavy cast-iron. Size 3 x 2¼ inches. Amber bronze with box strike.

8113. With screws...\$0.25

9071—Half-Round Surface Bolt


For French windows and doors. Steel or bronze, strong and durable. Size of bolt ¾- or ½-inch throw. Complete with universal and angle strikes and screws.

Price each.

Size Inches	9071 Dull Brass on Steel	9075 Dull Brass on Bronze
4	\$0.20	\$0.45
6	.21	.60
9	.25	.70



9071



8095

8095—Transom Lift

Can be hinged at top or bottom, pivoted in middle, raises or lowers transom and holds it in any position. Steel.

8095. Length 3 ft. 4 ft. Unpolished Brass \$0.50 \$0.65

8099. Dull Brass .75 .85

8101

8101—Transom Chain

Steel plate. 1 x 1¼ inches. 12-inch chain. With screws.

8101. Dull brass. Each \$0.16

8101

HARDWARE FOR SCREENS SCREEN DOORS STORM SASH STORM DOORS



2069—Screen and Storm Sash Hangers

Use these hangers the year around. Hang your screens in summer; storm sash in winter. It takes only a minute. Guaranteed to hold screens and storm sash firmly in place. No rattle or danger of being blown off.

To avoid changing the hangers from screens to storm sash, order an extra pair of half hangers. The same hook will, of course, do for both screens and storm sash. Wrought steel, Black Japanned. Screws included.

2069 Per pair.....\$0.07
2070 Pair lower half hangers.... .04



2091

2091—Storm Sash Fasteners

The picture above shows Storm Sash Fasteners holding storm sash open to permit ventilation. When sash is open, the fasteners—one on each side—support it firmly. When storm sash is closed, fastener locks it tightly in place. 10 inches long, wrought steel, Black Japanned. Screws included.

2091 Price per pair.....\$0.18


2085—Screen Window Lift

Big, well shaped grip. Strong wrought steel. Black Japanned finish. Length 3 1/4 inches. Screws included.

2085 Price each.....\$0.02



2083



2081

2083—Door Buttons

Use to hold screens or storm sash. Cast-iron, cadmium plated. 1 1/4 inches long.
Each.....\$0.01
Per dozen......10

2081—Porch Screen Couplings


For use where two screen frames are to be fastened together, like sectional porch screens, etc. Steel, Japan finish.

2081—Flat Coupling


Use for sides. Size 2 1/4 x 1 1/4 inches.
Each.....\$0.03 Per dozen..\$0.33

2083—Corner Coupling


Use for corners. Size 1 1/4 x 1 1/4 inches.
Each.....\$0.04 Per dozen..\$0.40



2092




2073




2088




2095



2001



2015



2018

2092—Numeral Tacks

Non-rusting. Dia. 1/4-inch. Give set wanted.

Single Numbers Double Numbers
2092 1-25....\$0.15 **2092 1/2** 1-25....\$0.30
2093 25-50.... .15 **2093 1/2** 25-50.... .30

2073—Screen Window Fastener

Handy screen window lock. Steel, Japan finish. Size 1 1/4 x 2 1/4 in., with screws. Each.....\$0.05

2088—Screen Door Grille

Protects door screen. Attach in less than 5 minutes—only a screw driver needed. Size 26 1/2 in. wide—adjustable to 36 in. wide. Non-rusting copper finish. With screws.
2088 Price each.....\$2.25

2095—Hooks and Eyes

Cadmium plated or Brass. Give size. Price per Dozen

Size, Inches	1 1/2	2	2 1/2	3
2095 Cadmium	\$0.15	\$0.17	\$0.22	\$0.25
2096 Brass	.40	.45	.55	.70

9811—Hardware Cloth

Many uses. Protects cellar sash, grain bins, trees, etc. 3 mesh to lineal inch. Price per Lineal Foot

Width, Inches	Square Feet per Roll	Price per Foot
24	200	\$0.14
30	250	.18
36	300	.21

2001—Screen Door Latch

High quality latch. Wrought bronze with Dull Brass finish. Inside locking knob. Reversible steel lock 2 x 1 1/4 inches; bevel escutcheon 4 x 1 1/4 inches; knob 1 1/4-inch diameter with 2-inch lever on inside. Complete with screws
2001 Each.....\$1.50

2007—Screen Door Latch

A strong screen door latch that is very easy to install. Has barrel type latch and inside locking knob. 1 1/4-inch knob. Escutcheon plates 4 1/4 x 1 1/4 inches. Complete with screws.

2007 Plated Steel.....\$0.65
2011 Solid Brass. Rust-proof..... .95

2015—Screen Door Rim Latch

For screen doors 7/8 to 1 1/4 inches thick, opening out. Wrought steel. Escutcheon 1 1/2 x 4 1/4 inches. Inside locking knob. Complete with screws, knobs and strike. Dull brass finish.
2015 Each.....\$0.49

2018—Screen Door Latch

A long lasting, durable latch. All exposed parts of solid Bakelite. 1 1/4-inch solid Bakelite knob and 3-inch solid Bakelite inside handle. Inside locking attachment. For 1 1/4 inch doors. Walnut finish. Screws included.
2018 Each.....\$0.95

4035—Steel Butts

Loose pin butts. Screws included.

Size, In.	2	2 1/2	3	3 1/2	4
Per Pair..	15c	17c	18c	19c	26c

2039—Spring Hinge

Strong spiral spring. Wrought Steel. Size 2 1/4 inches. Screws included. Price per pair.

2039 Black Japan.....\$0.15

2043 Dull Brass..... .25

4036 Door Butt

Wrought steel. Black Japan finish. Size 3 x 3 inches. Reversible. Screws included.

4036 Per pair.....\$0.15

2033—Spring Hinge

Strongest spring. Spring tightening adjustment. Size 3 x 3 inches. Screws included. Dull Brass finish.

2033 Per pair.....\$0.60

2023—Screen Door Catch

Holds door closed tight. Steel spring. Rubber roller—won't mar door. Screws included.

2023 Each.....\$0.20

2061—Screen Door Pull

Solid Bronze. Length 4 3/4 inches. Dull Brass finish.

2061 Each.....\$0.15

2067—Screen Door Pull

Length 4 in. Dull brass.

2067 Each.....\$0.05

2045—Door Brace Rod

Prevents door sagging. Adjustable. Length 40 inches. With screws.

2045 Each.....\$0.10

2049—Door Spring

Tempered spiral spring. 16 inches long with screw hooks.

2049 7/16-inch dia., each..\$0.06

2051 9/16-inch dia., each.. .08

2053—Screen Door Set

Includes 16-inch spring, two 3-inch hinges, door pull, hook and eye and all screws. Steel.

2053 Black Japan.....\$0.23

2055 Dull Brass..... .30

6750—Coil Door Spring

For screen and storm doors.

6750 9 in. long.....\$0.20


6751 10 in. long..... .25

6752 11 in. long..... .30

WEATHERSTRIPS




Window — 9816 — Door



Bottom Strip



9601



9812

9816—Bronze Weather Strip

Made of spring bronze; will not rust and retains tension—will last the life of the window or door.

Note illustration showing door; this shows each strip in proper place on door and door frame, making a metal cushion against which door rests. Illustration of window shows strips nailed to outside moulding, rails and sill. Note in particular where nailing edges are placed. Easily applied. Strips marked for tacks. Tacks included.

9816
3/4-inch Spring Bronze Strip, per foot.....\$0.03 1/2
1-inch Spring Bronze Strip, per foot..... .04
1-1/8-inch Spring Bronze Strip, per foot..... .04
1-1/4-inch Spring Bronze Strip, per foot..... .04 1/2

9817
Brass felt door bottoms. 1 1/4 inches high.
2 ft. 8 in. wide, each.....\$0.25
3 feet wide, each..... .30

9601—Wood and Felt Strip

For Doors and Windows. Keeps out the cold. Easily attached to bottom of door or sash, or nailed to frame, with felt strip against door or sash. Takes only a few minutes—only a hammer and tacks needed.

9603 Size 3/8 x 1-1/4 inches, 3 feet long. Price per piece.....\$0.12

9601 Size 3/8 x 3/4 inch, 7 feet long. Price per piece......16

9812—Flexible Strip

Made of a rubber-coated fabric which encloses and protects the insulating material. Applied in a few minutes. Tack it along bottom, sides and tops of windows or doors. Note picture above showing strip on bottom of door.


9812 Per foot.....\$0.03



9805



9806



9800

9805—Self-Seal Weather Strip

Easily and quickly applied. Just remove white cloth on one side, the adhesive is exposed and the strip is ready to apply. Simply press it on the surface and it will hold tightly for all time. Also has cloth insert which prevents stretching rubber out of shape when being applied.

Size 3/16-in., 10 ft. carton..\$0.25
Size 5/16-in., 10 ft. carton.. .30

9806—Felt Weather Strip

Made from heavy hair felt. Easily applied on doors and windows to keep out cold. 3/4-inch wide, 1/2-inch thick. Package contains 20 feet.

9806 Package.....\$0.15

See page 9 for Storm Sash and page 5 for Storm Doors.

9800—Draft Seal Door Bottom

Made of rubber and wood, finished imitation Walnut. Easily applied to door bottom on outside, rubber resting on sill. When door closes, the rubber is automatically forced down tight on the sill. Full instructions for applying are furnished with each package.
9800 32-inch piece.....\$0.55
9800 36-inch piece..... .60

Standard wire nails shown above. Nails priced per pound and per keg of 100 pounds.

SIZES	6029 Standard		6031 Wire Finish		6035 Wire Casing		6039 Blued Lath		6041. 3d Gal. Shingle	
	Per Lb.	Keg 100 Lbs.	Per Lb.	Keg 100 Lbs.	Per Lb.	Keg 100 Lbs.	Per Lb.	Keg 100 Lbs.	Per Lb.	Keg 100 Lbs.
3d 1 1/4	\$0.06	\$4.45	\$0.06	\$4.85			\$0.08	\$5.65	\$0.10	\$6.15
4d 1 1/2	.06	4.15	.06	4.70						
6d 2	.05	3.95	.06	4.15	.06	4.05				
8d 2 1/2	.05	3.85	.06	4.00	.06	3.95				
10d 3	.05	3.75	.06	3.90	.06	3.85				
16d 3 1/2	.05	3.65			.06	3.75				
20d 4	.05	3.60								
30d 4 1/2	.05	3.60								
40d 5	.05	3.60								
60d 6	.05	3.60								

No. 6047—Box Nails, 7d. Per Keg \$3.95
 6048—Galvanized Box Nails, 7d. 5.75
 6041—Galv. Shingle Nails, 3d. 5.95
 6028—Blued Plaster Board Nails, 1-1/8d. 5.40
 6057—Coated Box Nails, 4d. 5.10
 6057—Coated Box Nails, 6d. 4.55
 6057—Coated Box Nails, 8d. 4.30
 All above, per lb.08


NAILS SCREWS BATHROOM FITTINGS MISCELLANEOUS HARDWARE

MODERN CHROME BATHROOM FITTINGS

For beauty that lasts—that is permanent—use these Chromium Plated Bathroom Fixtures. Very easily kept clean, cannot rust or tarnish. Chromium Plated on Solid Brass. The design of our fittings is the latest and most modern available and will add a touch of beauty to your bathroom.

You can install any of these fixtures yourself in a few minutes. Only a screw driver needed. All screws furnished. No. 1085 Paper Holder has bar finished in ivory.

Cat. No.	ITEM	SIZE	Price
1081	Towel Bar.....	18 in. long	\$1.15
1082	Towel Bar.....	24 in. long	1.30
1084	Tooth Brush Holder.....		.83
1085	Paper Holder.....		1.10
1086	Wall Soap Dish.....	3 1/2 x 4 1/2 in.	.87
1087	Bathtub Soap Dish.....	4 x 6 in.	.85
1089	Lavatory Soap Dish.....	Rubber Base	.77
1090	Towel Rack.....	2 Arms	.93
1092	Tooth Brush and Glass Holder.....		1.15
1093	Tumbler Holder.....		.87
1094	Towel Rack.....	Single Arm	.83
1095	Bathroom Shelf.....	18 in. long—5 in. wide	1.50
1096	Bathroom Shelf.....	24 in. long—5 in. wide	1.69



BRIGHT STEEL WOOD SCREWS
Priced per dozen and per gross. Be sure to give sizes.

Length inches and Number	1/2-1	3/4-2	1-2	1 1/4-3	1 1/2-4	1 3/4-5	2-6	2 1/4-7	2 1/2-8	3-10
6980—Dozen.....	\$0.02 1/2	\$0.03	\$0.03	\$0.03	\$0.03	\$0.03	\$0.03	\$0.04	\$0.03	\$0.03
6980—Gross.....	.15	.16	.17	.18	.18	.19	.20	.22	.20	.20

Length inches and Number	3/4-5	1-6	1 1/4-7	1 1/2-8	1 3/4-9	2-10	2 1/4-11	2 1/2-12	3-14
6980—Dozen.....	.04	.04	.04	.05	.05	.05	.05	.05	.05
6980—Gross.....	.21	.23	.25	.27	.26	.28	.30	.32	.27

Length inches and Number	1-7	1-8	1-9	1-10	1-12	1 1/4-7	1 1/2-8	1 3/4-9	2-10	2 1/4-11	2 1/2-12
6980—Dozen.....	.05	.05	.06	.06	.07	.05	.06	.06	.06	.06	.06
6980—Gross.....	.29	.31	.33	.35	.40	.31	.33	.35	.38	.35	.38

Length inches and Number	1 1/2-8	1 3/4-9	2-10	2 1/4-11	2 1/2-12	3-14
6980—Dozen.....	.06	.07	.07	.09	.09	.13
6980—Gross.....	.38	.40	.43	.53	.48	.75



ROUND HEAD BLUED SCREWS
Wood screws. Give length and number.

Lgth., in., No.	1/4-4	1/2-5	3/4-6	1-8	1 1/4-10	1 1/2-12
6981—Dozen.....	\$0.03	\$0.03	\$0.04	\$0.05	\$0.05	\$0.05
6981—Dozen.....	\$0.06	\$0.06	\$0.07	\$0.09	\$0.09	\$0.09

FLAT HEAD SOLID BRASS SCREWS
Wood screws. Give length and number.

Lgth., in., No.	1/4-4	1/2-5	3/4-6	1-8	1 1/4-10	1 1/2-12
6982—Dozen.....	\$0.04	\$0.06	\$0.08	\$0.09	\$0.11	\$0.12
6982—Dozen.....	\$0.12	\$0.16	\$0.18	\$0.21	\$0.24	\$0.30

ROUND HEAD CHROMIUM SCREWS
Chromium-plated. Rust-proof.

Lgth., in., No.	1/4-4	1/2-5	3/4-6	1-8	1 1/4-10	1 1/2-12
6984—Dozen.....	\$0.09	\$0.10	\$0.11	\$0.13	\$0.14	\$0.15
6984—Dozen.....	\$0.13	\$0.14	\$0.15	\$0.17	\$0.19	\$0.21

ROUND HEAD BRASS SCREWS
Solid Brass wood screws. State size.

Lgth., in., No.	1/4-4	1/2-5	3/4-6	1-8	1 1/4-10	1 1/2-12
6983—Dozen.....	\$0.06	\$0.08	\$0.09	\$0.10	\$0.11	\$0.12
6983—Dozen.....	\$0.14	\$0.16	\$0.21	\$0.24	\$0.30	\$0.30

CARPET TACKS WIRE BRADS ROOFING NAILS

3313—Blued Steel. Sharp points. 1/8-lb. packages. Length, 3/8". \$0.05
Length, 7/16".05
Length, 1/2".05

Double Pointed Tacks
3315—Blued Steel. 1/8-lb. package. 1/2-in. and 5/8-in. Pkg. \$0.05

3311. Price per package. Sharp point. Give size.

Length Inches	Gauge	1/4 Lb.	1/2 Lb.
7/8	18	\$0.05	\$0.10
3/4	18	.06	.12
1	18	.07	.14
7/8	16	.05	.10

HOT DIPT ZINC ROOFING NAILS
—Large Head

6021—7/8", 5 lb. pkg. \$0.50
6024—1", 5 lb. pkg.50
6025—1-3/4", 5 lb. pkg.50

1163—Aluminum House Numbers
Made of Aluminum and will not rust or tarnish. Each letter 3 inches high. Can be read easily. Polished Nickel Plated pins are supplied with each number.
1163—Price per number..... \$0.02

1164—Chromium Plated Numbers
Our best quality house numbers. Solid Brass, Chromium Plated. Absolutely rust-proof. 2-3/4 inches high. Chrome pins furnished with each number.
1164—Price per number..... \$0.10

1193—Foot Scraper
Keeps dirt and mud out of the house. Smooth Japanned Steel. Size 6 inches wide, 3 inches high. Complete with screws.
1193—Each..... \$0.15

8276—Garment or Curtain Pole
A handy pole for the clothes closet or for curtains or drapes. One socket is half-cupped so pole can be readily lifted out. Comes in 1-1/8-inch diameter. Yellow Pine, in 4, 5, 6 and 8 foot lengths, with pair of brass pole sockets and necessary screws.

Length	Price	Length	Price
4 ft.	\$0.20	6 ft.	\$0.28
5 ft.	.25	8 ft.	.32


9517—Coat Hook
Has one long and one short hook. Cast-iron. Long hook 3-1/2-inch projection.
9517—Dull Brass. \$0.05 Ea. Doz. \$0.55
9519—Nickel Plated .05 Ea. Doz.65

9501—Coat Hook
Has one long hook and two short hooks. Length of long hook 3-1/2 inches. Cast-Iron, Copper finish.
9501—Each..... \$0.05 Dozen..... \$0.55

9503—Wire Coat Hook
Heavy coppered steel wire. Length of long hook 3 inches.
9503—Each..... \$0.01 Dozen..... \$0.10 Gross..... \$1.15

9509—Wire Coat Hook
Heavy steel wire. Length 2-3/4 inches. Nickel plated finish.
9509—Each..... \$0.02 Dozen..... \$0.20 Gross..... \$2.30

6213—Expansion Bolts
Expansion bolts are used with coach or lag screws for fastening articles to brick, concrete, stone, etc. Malleable Iron, Galvanized.
1/4" Dia., \$0.07 Ea. 3/8" Dia., \$0.12 Ea.
5/16" Dia., .09 Ea. 1/2" Dia., .19 Ea.



All hardware is carried in stock, ready for prompt shipment. Guaranteed Satisfactory.

GARAGE DOOR HARDWARE

Miscellaneous HARDWARE

ALL hardware is carried in stock at our Davenport plant and can be shipped immediately. Our prices are the lowest that Guaranteed Hardware can possibly be sold for and will save you money.

Garage Doors are shown and priced on page 30. We also show other Garage Door Hardware on page 30.




Sliding Door Set

3497. In this Sliding Garage Door Set one door is hinged to the jamb and the other two doors are hinged together and slide on track around to side wall, out of the way as shown above. Convenient and easy working—ice and snow cannot block doors. Hardware is on the inside, out of the weather.

Set consists of 3 heavy, ball bearing swivel hangers; 18 feet of braced track; 3 pair 4x4-inch butts; 1 adjustable floor guide; 1 strong latch; 1 1/2 pair door pulls; 2 door bolts; 1 pair padlock eyes and all necessary bolts and screws. Japan finish.

3497—Per set.....\$5.95



Sliding Door Set

3497. This Garage Door Set operates easily because all three doors are hinged together, hung on hangers to the track and slide around the corner to the side wall where they are out of the way. Ice or snow will not interfere with their operation.

Set includes 3 heavy adjustable ball bearing swivel hangers; 18 feet braced track; 3 pair 4x4-inch butts; 1 adjustable floor guide; 1 latch; 2 door bolts; 2 door pulls; 1 pair padlock eyes and all necessary screws and bolts.

3497—Per set.....\$5.95

NOTE: Your garage should be at least 3 feet longer than your car when you use Folding Door Hardware



Folding Door Set

As shown above, this set provides for one door hinged to jamb and two doors hinged together, folding back against wall. Doors and hardware are out of weather, which means positive operation during winter. Your garage should be at least 3 feet longer than car for this set.

Set includes heavy swivel hanger; 6 feet of enclosed trolley type track; 3 pair heavy tee hinges; 1 1/2 pair 4x4-inch butts; 1 chain bolt; 1 foot bolt; 2 door pulls; door latch; 1 pair padlock eyes and all necessary screws and bolts.

3493—Per set.....\$7.45

NOTE: This set works like 3461 on page 30 but is a stronger, heavier set.



Foot Bolt

3509—Foot Bolt

Garage door foot bolt. Very heavy, 6-inch, wrought steel plate. Spring controlling bolt is sheared to prevent rusting. Japanned. With screws.

3509—Each.....\$0.35



Door Pull

3507—Door Pull

Garage door pull. Extra heavy, wrought steel, japanned. Rolled back grip, 6 inches long. Grip 1 1/4 inches wide. With screws.

3507—Each.....\$0.10



Chain Bolt

3503—Chain Bolt

Extra heavy 6-inch chain bolt for garage doors. Bolt reversible by removing set screw, permitting bolt to be used on inside or outside of door. One chain guide staple; one strap; one angle staple. With screws.

3503—Each.....\$0.35



Thumb Latch

3515—Door Holder

For Garage Doors. Consists of 32-inch long channel with trigger pivoted inside. Automatically locks door in place when opened. Immediately released by chain control. Folds back against door when door is closed. Can be used on right or left hand doors either single or double. Packed one pair complete with screws, guide staple for chain and directions for installation. Black Japan finish.

3515—Pair.....\$1.65



Door Holder



Weatherstrip

9818—Weatherstrip for Garage Doors

Attach to bottom of garage doors and have warmer garage in winter. Made of brass with felt bottom. 2 inches wide. 7/32-inch thick. Has slotted holes for easy application. With screws. 8-foot lengths.

9818—Per 8-foot length.....\$0.85

Garage Doors Shown on Page 30



6774

6774—Door Closer

Liquid Hydraulic Door Check. Closes doors quickly and noiselessly, and prevents slamming and damaging of doors. Easy to apply and can be used on either right or left-hand doors. Simple screw type. Adjustable to regulate the speed of closing door. All working parts enclosed in dirt-proof case. Non-freezing liquid. Dark Bronzed finish, cast-iron case. Screws and instructions furnished.

- 1—For Light Doors, 1 1/4 inches thick ..\$5.50**
- 2—For Interior Doors, 1 3/8 inches thick. 6.50**
- 3—For Doors 1 1/2 inches thick..... 7.50**
- 4—For Heavy Exterior doors 1 3/4 inches thick..... 9.25**



2026

2026—Door Closer

For heavy storm, screen and combination doors. Special tension spring gives even checking resistance. Adjustable closing speed. Dull brass finish. Real brass barrel 12 x 1-9/16 inches. Steel bracket. With screws.

2026—Each.....\$2.25


2025—Door Closer

Closes screen and storm doors easily and quietly. Dull brass finish. Reversible. Closing speed of door regulated by air screw. Brass barrel 10 x 1-1/4 inches. Steel brackets. With screws.

2025—Each.....\$1.25



2025



Sill Catch



Turnbuckle



Hinge

BLIND HARDWARE

With this hardware set, a special angle or offset is provided in the hinges which leaves the entire space outside of window clear. When blinds are used only for ornamental purposes, fasten them back and hang your screens or storm sash outside of window. No cutting of screens or storm sash necessary. It is not possible to do this with ordinary hardware—where screens or storm


sash have to be hung on inside. Blinds cannot rattle.

Set consists of 2 pair blind hinges 6 x 6 inches; 2 turnbuckles 5 1/2 inches; 2 sets of sill catches and all screws.

8121—For Sided or Shingled Homes. Set.....\$1.40

8122—For Stucco or Brick Homes. Set..... 1.50

Window Blinds on Page 39



Ash Pit Door

9547. For use in basement to take out chimney ashes. Heavy cast-iron. Hinged door with latch. Fits tightly. Complete with door and frame.

8 x 8 inches.....\$0.99
8 x 12 inches..... 1.25
12 x 12 inches..... 1.39

Ash Trap

Place in bed of fireplace for ashes to fall through into basement. Automatic action; when ashes get sufficiently heavy, it dumps, then falls back into place. Iron. Size 5 1/2 x 7 1/2 inches.


9544—Each.....\$0.52

Joist Hanger

Just set hangers in place and spike them fast. Makes far stronger joint than is possible with spikes. Steel.

9567—3 3/4 x 7 1/2 inches. For 2 x 8 joist.....\$0.35

9569—3 3/4 x 9 1/2 inches. For 2 x 10 joist..... .40



Picture shows Sash without Ventilator

METAL ROOF SASH

Positively guaranteed not to leak. Troughs at both sides of each pane carry off the water. Two panes of 10 x 28-inch glass held in place by copper clips and protected from hail by heavy wire netting, making it almost impossible to break glass from accidental causes. Frames made of galvanized iron.

The Van Tine windows can be quickly installed in old or new farm buildings. In old buildings remove sheathing and shingles, lay sash and frame on the opening and re-lay shingles over 4-inch flashing. Outside measurement (with flashing) 28 x 36 inches. Can be furnished with or without ventilators. Ventilator is opened or closed by cord from floor.

This window suitable for use on sloping roofs only. Write for price if you wish windows for flat roofs.

9701—Without Ventilators. Each.....\$2.45

9703—With Ventilators. Each..... 3.55

G.V.T. LADDERS *last longer*




STEP LADDERS

- A. Steel Rod under each step.
- B. Corrugated Steps.

Here is a strongly braced step ladder at an unusual low price. Each step extra braced by steel rod. Illustration B (see above) shows how rod extends through sides. Each step corrugated. Steel spreader locks ladder in position. Strong pail shelf. Built of selected ladder stock and pressed steel fittings.

Cat. No.	Height	Each
8531	4 Ft.	\$1.08
8531	5 Ft.	1.35
8531	6 Ft.	1.62
8531	8 Ft.	2.16
8532	10 Ft.	3.12



EXTENSION LADDERS

- Steel Sockets for Rungs
- Rungs Braced by Steel Rod

As shown above, rungs fit into steel sockets which are embedded in the sides and further held by steel brace rods. These rods extend through sides and are bolted for extra strength.

Built of selected stock flared wide at bottom. Push up type. Malleable iron hooks lock ladders automatically. Four steel guides, two having rollers. All metal parts, rust resisting galvanized.


Cat. No.	Length	Top or Bottom Section	Price Complete
8534	20 Ft.	10 Ft. Ea.	\$ 7.45
8534	24 Ft.	12 Ft. Ea.	8.93
8534	28 Ft.	14 Ft. Ea.	10.42
8534	32 Ft.	16 Ft. Ea.	11.90
8534	36 Ft.	18 Ft. Ea.	13.39
8534	40 Ft.	20 Ft. Ea.	14.87

Miscellaneous HARDWARE

SINGLE LADDERS


- Strong Hickory Rungs
- Well Balanced Ladder

Built of strongest, straight grained stock with hickory rungs. Well balanced. Ladder is wider at bottom than at top. Easy to handle. Every home owner should have one of these handy ladders. Note low prices quoted.




Cat. No.	Length	Each
8533	12 Ft.	\$3.72
8533	16 Ft.	4.96
8533	18 Ft.	5.58
8533	20 Ft.	6.20

STEEL FENCE POST



Cost little more than wood but last years longer. Easy to drive in. Fire-proof. Heavy anchor plate. "T" posts have smooth groove in which wire rests; "U" posts have "Self-Fastening Lips" for wire. No special tools needed to fasten wire tightly in place. Painted orange color with extra fine grade of metal enamel baked on. "T" posts have coat of rust-resisting asphalt paint 24 inches from bottom. Price each.

Height	6939 "T" Post	6627 "U" Post
6 Ft.	\$0.37	\$0.31
6½ Ft.	.39½	.33
7 Ft.	.42½	.38



WOOD PICKET FENCE

FARM FENCING

In this fence the pickets are all the same height—48 inches. Five double strands of heavily galvanized rust-resisting wire weave the pickets together with a bind that cannot slip.

Pickets have shaped tops and are strong, durable and made of rough sawn material. Size ¼ x 1 ½ inches, spaced two inches apart.

This fence is easy to erect and will stand straight and true because every roll is twice stretched under powerful tension during weaving.

Widely used for cribs, snow fence and for yard or garden use. Painted red. Shipped in rolls ready to hang on posts.

6125—Roll, 50 feet.....\$5.25

GARDEN FENCING

White Staggered Fencing is widely used in yards and gardens. Pickets are finely finished with a Gothic point. Every picket built of seasoned, selected material, and finished with an elastic, long-lived snow white oil paint.


The double strands of heavily galvanized, rust-resisting steel wire weave the pickets together with a bind that cannot slip. In weaving, every roll is twice stretched under powerful tension which makes it easy to erect, even over uneven ground. Will stand straight and true.

Supplied regularly with five cables. The fence is made with ½ x 1 ½-inch pickets. All pickets are spaced two inches apart. Shipped in rolls ready to hang on posts.

6126—Roll, 50 feet—4 feet high.....\$8.40

6127—Roll, 50 feet—3 feet high..... 6.20

TIN SHINGLES



Our tin shingles are made of best grade heavy roofing tin, cut to exact sizes. Useful in repairing old roofs. Painted on two sides. Sizes given in inches.

SIZE	7143 Each	Per 100
5 x 7 Inches	\$0.02	\$1.60

See pages 71 and 72 for prices on G.V.T. Slate Surfaced Asphalt Shingles.



Asbestos Paper

Asbestos Paper

For covering warm air pipes. Comes in rolls 18 inches wide.
Per 50-lb. roll.....\$4.40
Per lineal yard......07

Asbestos Dry Paste

For pasting asbestos paper to pipes. Comes in 2-lb. packages.
Per pkg.....\$0.30

Paste

Flue Thimble

Flue Thimble

5212—Galv. Steel Adjustable
Size, Inches.. 6 to 7 7 to 8 8 to 9
Each..... \$0.06 \$0.11 \$0.14

Smoke Pipe Damper

5284—Made of cast-iron. Carried in 8- and 9-inch.
Size.. 6 In. 7 In. 8 In. 9 In.
Each. \$0.15 \$0.21 \$0.35 \$0.50

Damper

5260—Galv. Steel. 24 Gauge.
Size.. 7 In. 8 In. 9 In. 10 In.
Each. \$0.85 \$0.95 \$1.20 \$1.40

Galvanized Angle

5242—Smoke pipe angle. Adjustable from straight to 45°. 24 Gauge Iron.
Size.. 7 In. 8 In. 9 In. 10 In.
Each. \$0.30 \$0.32 \$0.33 \$0.38

Tee

Angle

Elbow

Smoke Pipe

Galvanized Elbow

5254—For smoke pipe. Adjustable from straight to 90°. Made from 24 gauge iron.
Size.. 7 In. 8 In. 9 In. 10 In.
Each. \$0.39 \$0.42 \$0.48 \$0.53

Smoke Pipe

Galvanized. Made from No. 24 gauge iron. Comes in 2-foot lengths only.
Size.. 7 In. 8 In. 9 In. 10 In.
Per Piece. \$0.40 \$0.45 \$0.50 \$0.57

Stove and Pipe Enamel


A tough, elastic, hard drying black enamel. High gloss finish. Use on stovepipes, stoves, furnaces and all metal surfaces which come in contact with heat. Dries hard in 4 to 6 hours.

No. 440

	½ Pint	Pint	Quart
	\$0.19	\$0.28	\$0.49

COPPER BEARING

BOX GUTTER AND FITTINGS



All O. G. Gutters and Fittings **heavy Copper Bearing Steel**. Lasts twice as long as ordinary tinwork. Box Gutter must be soldered.

1. Box Gutter.

Top width 4 inches; depth 3 3/4 inches, girt 12 inches. Price 10-foot lengths.
7007—28 Gauge.....\$0.77
7021—26 Gauge......95

2. Right-Hand End.

7131—28 Gauge, each.....\$0.20
7024—26 Gauge, each......25

3. Outside Lap Miter.

7134—28 Gauge, each.....\$0.80
7022—26 Gauge, each..... 1.00

4. Strap Hanger.

1 1/4 inches wide. Complete with bolts. Heavy strap iron.
7129—Each.....\$0.05
7129—Per dozen......55

5. Square Conductor Pipe.

Size 2 3/8 x 3 3/4 inches. Price per 10-foot lengths.
7031—26 Gauge.....\$0.85

6. Square Outlet.

To fit square downspouts.
7025—26 Gauge, each.....\$0.25

7. Round Outlet.

For 3-inch round corrugated spout.
7123—28 Gauge, each.....\$0.23
7351—26 Gauge, each......25

8. Left-Hand End.

7133—28 Gauge, each.....\$0.20
7024—26 Gauge, each......25

9. Inside Lap Miter.

7135—28 Gauge, each.....\$0.80
7023—26 Gauge, each..... 1.00

10. Square Shoe.

7036—26 Gauge, each.....\$0.45

11. 60° and 75° Square Elbows, 26 Gauge.

7032—Ordinary Curve, each.....\$0.39
7034—Side Curve, each......39

12. Square Hooks

For Square Downspouts. Heavy strap iron.

For Frame Homes

7038—Each.....\$0.05
7038—Per dozen......55

For Brick Homes

7039—Each.....\$0.05
7039—Per dozen......55

Our O. G. Box Gutter is illustrated at the left. This design is very popular and is used on the best homes because of its attractive design.

Copper Bearing eaves trough and fittings cost little more than ordinary tinwork but will give you **DOUBLE** the service. We recommend using 26 gauge tinwork as it is 20% heavier than 28 gauge and will give years of extra service.

Plain Roof Gutter




Made of heavy Copper Bearing sheet steel, 15 inches wide, 3/4-inch bead, 3 1/4 inches high in 10-foot sections, with no cross seams. End pieces to be made by workman, who puts up the gutter and must be soldered. Practical and low-priced. Price per 10-foot length.

7009.....\$1.10


Hangers for Plain Gutter

Illustration at right shows how hangers are to be applied.

7129—Each.....\$0.05
7129—Per dozen......55




Spikes and Ferrules for Box Gutter



To apply Box Gutter as shown at left. Galvanized spikes with oval heads and chiseled points. Size 3/16 x 7 inches.

6061—Each.....\$0.05




Solder

1-pound bar. Half lead and half tin. We guarantee proportions to be as stated. Materials doubly refined. Smooth flowing. Priced per bar and per dozen bars.


7153—Per Bar.....\$0.95
7153—Dozen Bars.....11.00

How to Order Tinwork

Instructions for Slip Joint Eaves Trough




Left-Hand Trough



Right-Hand Trough

When ordering, state how much right-hand or left-hand eaves trough wanted. To tell, stand facing the house. Where water runs to right, you need right-hand eaves trough, and vice versa. Fittings for eaves trough should be same size as the trough. Conductor pipe is always smaller than the eaves trough, which it is to fit. Fittings for conductor pipe should be same size as conductor pipe.



Inside Corner

Eaves Trough Corners

Note pictures for difference between slip joint corners. Where water flows right, order right-hand corner. To left, order left-hand corner.



Outside Corner

Roofing Tin

Best steel coated with 20-pound I.C. Tin. Seams double locked and soldered. Painted both sides.



7015

Width	Per Lineal Foot	Roll 50 Feet
14 In.	\$0.15	\$5.75
20 In.	.19	7.35

Tin Shingles

Made of best grade heavy roofing tin, cut to exact sizes. Useful in repairing old roofs. Painted on two sides.


7143—5x7 In.
Each.....\$0.02
Per 100..... 1.60

METAL PLASTERING ARCHES—Ready Formed

- Plastering Arches Save 50% of Cost of Wooden Forms
- Plastering Arches are Easy to Erect—Provide True Arch
- For New or Old Buildings

You save money with Gordon-Van Tine Metal Plastering Arches, because they do away with the cost of building curved wood forms, corner bead cost, and other costly and difficult operations. Can be used in old or new homes. G.V.T. Metal Arches combine in one unit the three requirements of a true arch: plastering base, plaster ground and corner bead. See illustrations at the left. You save about 50% of the time and cost of building arches the old way—with wood forms. And more—you get an arch that is absolutely true.

As shown at the right we furnish arches in 6 sizes and in Elliptic Design, Gothic Design and Circle Design—the designs most widely used. Can be used for smaller openings. Prices cover arches for 2x4 studs; if you are using 2x6 or 2x8 studs, write for prices.



No.	Design	Radius	Space Between Studs	Pieces Per Set	Price Per Set
7251	Circle	10 In.	21 1/2 In.	2	\$2.00
7253	Circle	15 3/4 In.	33 In.	2	2.50
7255	Gothic	33 In.	4	2.75
7257	Gothic	51 In.	4	3.00
7259	Elliptic	63 In.	4	3.25
7261	Elliptic	72 In.	4	3.50

EAVES TROUGH

**DOUBLE LIFE
DOUBLE PROTECTION**
Costs no more!

Copper Bearing eaves trough offers you double the service at a cost little more than ordinary galvanized tinwork. You get year 'round protection against rust and decay and save repair bills year after year. We Guarantee our tinwork to be fully up to specifications. We also Guarantee Safe Delivery on tinwork shipments.




Slip Joint—No Solder Needed

Use Slip Joint Eaves Trough and fittings and save money. Easiest and quickest to put up because of slip joint. No solder required. One end slips into other making permanent, water-tight joint. See picture at left.

Slip Joint Eave Trough Fittings

Slip Joint Trough



Copper Bearing, 28 gauge. State right or left-hand—see instructions for ordering on page 54. Each length has one end with slip joint. No solder required.

Price 10-Foot Length		Width Across Top	
Right-Hand	Gauge	4-Inch	5-Inch
7001	28	\$0.62	\$0.65
Left-Hand	Gauge	4-Inch	5-Inch
7003	28	\$0.62	\$0.65

Eaves Trough Corners



Copper Bearing Slip Joint. See "How to Order", directions on page 54. Corner shown at top left is outside corner; at bottom, inside corner.

Inside Corner		Outside Corner	
For 4-Inch Trough	28 Gauge	For 4-Inch Trough	28 Gauge
7101—Right-Hand	\$0.40	7107—Right-Hand	\$0.40
7103—Left-Hand	.40	7109—Left-Hand	.40
For 5-Inch Trough		For 5-Inch Trough	
7101—Right-Hand	\$0.48	7107—Right-Hand	\$0.48
7103—Left-Hand	.48	7109—Left-Hand	.48

End Caps



Copper Bearing Slip or Lap Joint. 28 or 26 gauge. Order an End Cap for each end. When ordering, give size wanted.

To Fit Eaves Trough	4-Inch	5-Inch
7139—28 Gauge	\$0.12	\$0.13
7331—26 Gauge		.16

Lap Joint Eaves Trough



7005. Copper Bearing Steel Lap Joint Eaves Trough. No cross seams. Joints must be soldered. Price per 10-foot length.


Width Across Top	4-Inch	5-Inch
7005—28 Gauge	\$0.56	\$0.58
7301—26 Gauge		.70

Lap Joint Corners

Same as Slip Joint Corners illustrated but do not have slip end. Must be soldered.

	Gauge	4-Inch	5-Inch
7105—Inside Corner	28	\$0.30	\$0.34
7343—Inside Corner	26		.40
7111—Outside Corner	28	.30	.34
7347—Outside Corner	26		.40

All Gordon-Van Tine Tinwork is fully guaranteed.



Adjustable Outlet

Use an outlet for every downspout. Fits into slip joint on eaves trough. 28 gauge.

To Fit Eaves Trough.....	4	4	5	5
To Fit Conductor.....	2	3	3	4
7008—28 Gauge.....	\$0.23	\$0.23	\$0.25	\$0.25

Titelock Strap Hangers

7142—Holds trough rigidly. Use every 4 feet.

For 5-inch Trough—Each.....\$0.05
For 5-inch Trough—Dozen......55

Wire Hangers

7141—Has triple crossbars which act as brace as well as hanger. Use one hanger to every 4 feet of trough.

For 4-inch Trough—Dozen.....\$0.25
For 5-inch Trough—Dozen......28

Wire Strainers

Keeps leaves, etc., out of conductor pipe. 7121

Each—2-in. \$0.11 3-in. \$0.15 4-in. \$0.26

Corrugated Conductor Pipe

Copper Bearing. Has no cross seams. Will not burst when filled with ice as corrugation allows it to expand. Prices per 10-foot length.

Diameter, Inches.....	2	3	4
7013—28 Gauge.....	\$0.50	\$0.57	\$0.79
7307—26 Gauge.....		.68	

Elbows and Shoes

Be sure to state size, angle and number. Copper Bearing Steel. Corrugation prevents bursting if ice forms in elbow or shoe. 28 and 26 gauge.

Diameter, Inches.....	2	3	4	Gauge
7113—Elbow. 60 Degree....	\$0.16	\$0.22	\$0.37	28
7115—Elbow. 75 Degree....	.16	.22	.37	28
7117—Shoe.....	.22	.28	.37	28
7313—Elbow. 60 Degree....		.26		26
7319—Elbow. 75 Degree....		.26		26
7325—Shoe.....		.32		26

Conductor Hooks

Use 2 hooks to each 10-foot length of conductor. Heavy galvanized wrought iron for strength.

Diameter, Inches.....	2	3	4
7145—Each.....	\$0.04	\$0.05	\$0.07

Cut-Off

Diverts water to cistern or overflow. Just turn handle.

Diameter, Inches..	2	3	4
7119—28 Gauge....	\$0.50	\$0.60	\$0.80

Round Ridge Roll



Galvanized steel. Roll 1½-inch diameter, 8-inch girth, extra heavy weight, long wearing and presents a neat appearance. Comes in 10-foot lengths only.

7011—Price per length....\$0.49

Ridge Roll Finial

Use on ends of ridge roll. Heavy galvanized steel, very neat pattern. Order one Finial for each of your ridge rolls. Fits No. 7011 Ridge Roll.



7147—Price each.....\$0.25

Funnel

For running two conductors into one. Size of lower spout shown in price table.

Diameter Inches	7125 28 Gauge
2	\$0.30
3	.40
4	.50

QUALITY STEEL ROOFING



1 1/4" CORRUGATED

2 1/2" CORRUGATED

Made of first quality sheet steel, heavily coated. Gauges in strict accordance with United States Standard of Weights and Gauges.

28 Gauge

Long lasting, heavy weight roofing or siding. Carried in both galvanized and painted.

26 Gauge

Extra heavy—about 20% heavier than 28 gauge and will last longer. Galvanized only.

Painted and Galvanized

Painted sheets coated both sides with heavy coat of red mineral paint. Galvanized sheets heavily coated both sides and edges with zinc spelter.

Size of Sheets

Sheets are 26 inches wide, but cover only 24 inches due to side lap. Allow 6 inches for end lap when used as roofing, 2 inches when used as siding. No solder required.

In 1 1/4-inch roofing, corrugations are 1 1/4 inches wide from center to center; in 2 1/2-inch roofing, 2 1/2 inches wide from center to center.

2 1/2-Inch Corrugated—Per Sheet

Length of Sheets	6001 28 Gauge Painted	6003 28 Gauge Galvanized	6005 26 Gauge Galvanized
5 Ft.	\$0.40	\$0.56	\$0.61
6 Ft.	.48	.67	.73
7 Ft.	.56	.78	.86
8 Ft.	.64	.89	.98
9 Ft.	.72	1.00	1.10
10 Ft.	.80	1.12	1.22
11 Ft.	.91	1.26	1.38
12 Ft.	.99	1.38	1.50

1 1/4-Inch Corrugated—Per Sheet

Length of Sheets	6013 28 Gauge Galvanized	6015 26 Gauge Galvanized
5 Ft.	\$0.56	\$0.61
6 Ft.	.67	.73
7 Ft.	.78	.86
8 Ft.	.89	.98
9 Ft.	1.00	1.10
10 Ft.	1.12	1.22
11 Ft.	1.26	1.38
12 Ft.	1.38	1.50

HOW TO ORDER



Shed Roof

Divide length of roof (A) by 2 for the number of sheets needed across the length of roof as each sheet covers a 2-foot width. Then measure length of slope (B) to find length of sheets to be ordered. If slope is longer than longest sheet listed, order

two shorter lengths and allow about 6 inches for end lap.



Gable Roof

Follow same instructions as for Shed Type Roof above but be sure you multiply result by two in order to obtain number of sheets needed for both sides of roof.



Gambrel Roof

Divide length of roof (E) by 2 as each sheet covers a 2-foot width. Next measure length of slope (F) to get length of sheets needed for this section. Do same thing for slope (G). Next add 6 inches to measurement you arrived at for slope (F) to allow for extension of this sheet beyond roof joint where it meets slope (G). Multiply result by 2 for number of sheets needed for both sides of roof. Also allow 6 inches for end lap.

Guaranteed Quality—Prompt Shipment

We Guarantee our Quality Steel Roofing to be up to specifications in every way. Safe Delivery also guaranteed. We recommend using the 1 1/4-inch Corrugated Steel Roofing as it cost no more than the 2 1/2-inch, but makes a better job because you get a tighter, more weatherproof joint where sheets lap.


Steel roofing is carried in stock, ready for prompt shipment.



Ridge Roll



Nails



Terne Plates

Corrugated Ridge Roll

For use with steel corrugated roofing. 1 1/4 inches corrugations. Heavily galvanized. Price per 10-foot length.

6313
10-foot lengths.....\$0.75

Lead Headed Nails

Screw type. Best nail for applying steel roofing. Use 1 1/2 lbs. per 100 square feet of roofing. Will not work loose because of screw-type shank.

6067
1 1/4-inch, per pound.....\$0.18
2-inch, per pound......18

Terne Plates

Copper bearing base sheets coated with pure lead and tin. Rust proof. Sheet size 20 x 28 inches; 112 sheets per box.

7151
Per sheet.....\$0.35
Per box.....31.95

Quality Steel Roofing

Steel roofing is proof against fire from within and without the building. Easily grounded to make it proof against lightning. It is weatherproof and will not buckle, crack or curl. Easily applied. All you need is a hammer, tin snips and nails. Also widely used for siding, grain bins, etc.



ORNAMENTAL METAL CEILING

Made of first quality sheet steel stamped with clear dies giving handsome impression. Painted gray. 29 gauge. Specify number of sheets required for covering ceiling or side walls and sufficient border to run around ceiling of room. No allowance for lapping necessary.

Number	Sheet Size	Per Sheet
6201—Ceiling	24x96 Inches	\$0.80
6201—Ceiling	27x96 Inches	.90
6025—Border per Lineal Foot		\$0.04



BRICK FACE SIDING

Carefully stamped from first quality steel sheets and makes an accurate representation of pressed brick. Easily applied as siding on stores, garages, etc. Size of single brick 2 1/4 x 8 1/2 inches. 28 gauge. Painted sheets are painted red; galvanized sheets heavily coated. Prices are per sheet.

Number	Sheet Size	Per Sheet
6101—Painted	28x60 Inches	\$0.43
6103—Galvanized	28x60 Inches	.62

METAL CORNERS FOR WOOD SIDING

These corners are made of heavily galvanized iron and are for outside and inside use with wood siding. Corners extend 2 inches on each side from the corner. Pierced with nail holes, ready to put on. Lower edge is overlapped making a tight joint. By using these metal corners you have a perfect mitered corner. Are easy to bend so as to receive proper angle. Priced per 100. Note pictures below showing corners in use.

We carry these Metal Corners in stock for 4, 6, 8 and 10-inch wood siding.



Outside Corners for Wood Siding

Catalog No.	Size	Per 100
7213	For 1/2 x 4 Siding	\$1.30
7215	For 1/2 x 6 Siding	1.50
7236	For 5/8 x 8 Siding	2.10
7232	For 3/4 x 8 Siding	2.10
7237	For 5/8 x 10 Siding	2.35
7238	For 3/4 x 10 Siding	2.35




Inside Corners for Wood Siding

Catalog No.	Size	Per 100
7217	For 1/2 x 4 Siding	\$1.30
7218	For 1/2 x 6 Siding	1.50
7235	For 5/8 x 8 Siding	2.10
7231	For 3/4 x 8 Siding	2.10
7237	For 5/8 x 10 Siding	2.35
7233	For 3/4 x 10 Siding	2.35



Metal Corner Lath

Use for reinforcing all inside plaster corners. Each Metal Corner Lath is 3 x 3 inches by 8 feet long. Priced per 8-foot piece.



7229—Per 8-foot piece.....\$0.20

Corner Bead for Lath

Galvanized iron, heavy, straight, and strong, makes firm solid corners. Metal projects only on corner, thus safeguarding the plaster so corners cannot break off. Has large number of holes which form a good key and make plaster stick, no clips used. Nail holes at all mortar joints where needed.



Priced per length and per bundle of 10 lengths.

No.	Length	Lengths per Bundle	Per Length	Per Bundle
7203	6 Foot	10	\$0.21	\$2.00
7205	8 Foot	10	.27	2.60
7207	9 Foot	10	.31	3.00
7208	10 Foot	10	.34	3.30

RIBBED EXPANDED METAL LATH



A very strong and rigid lath. Note rib construction. Due to these ribs or corrugations, spaced 2 inches on center, lath requires no furring. Apply directly to sheathing. The plaster or stucco placed over this lath will have a very fine clinch; also this trussed reinforced construction prevents cracking or falling off of the plaster. The ribs or corrugations act as a furring for the lath, making it self-furring and also reinforce it so that it is considerably stronger than the usual expanded metal lath. Particularly desirable for exterior of stucco or plaster houses.

Painted black two sides. Corrugations 4 inches on center; sheets 27x96 inches, packed 10 sheets to the bundle, making 20 square yards to the bundle.

	7225
Per Square Yard.....	\$0.30
Per Bundle of 10 Sheets (20 square yards).....	6.00
Per 100 Square Feet.....	3.33

Expanded Metal Lath

For outside finish we recommend the 3.4-lbs. lath, and for interior work, 2.5-lbs. Guaranteed to clinch or hold mortar. Painted two sides.


Comes in bundles. Each bundle contains 10 sheets 27x96 inches, 20 square yards to each bundle.

7223—3.4 Lbs.

Per Square Yard.....	\$0.30
Per Bundle of 10 Sheets.....	6.00
Per 100 Square Feet.....	3.33

7201—2.5 Lbs.

Per Square Yard.....	\$0.25
Per Bundle of 10 Sheets.....	5.00
Per 100 Square Feet.....	2.77



Premium Brand Manila Rope

Top quality pure Manila rope. Waterproofed to prevent rot and mildew. Carefully manufactured for greatest strength. Priced per foot and per 100 feet.


3221

Diameter, Inches.....	1/4	5/16	3/8	1/2	5/8	3/4
Per Foot....	\$0.006	\$0.009	\$0.012	\$0.024	\$0.038	\$0.045
Per 100 Feet.....	.52	.80	1.05	2.10	3.64	4.45



SEND US YOUR LUMBER BILL for FREE ESTIMATE

Gordon Van-Tine BARN EQUIPMENT




Gravity Door Latch: For swinging or sliding doors. (A). This picture shows inside handle of swinging door latch. (B). Picture shows flush inside handle of sliding door latch. Outside handle same for both swinging and sliding latches. A heavy, dependable latch. State type wanted. 2 padlock plates included.

3009—For Swinging Doors, Each.....\$0.65
3019—For Sliding Doors, Each......65

(C). **Gravity Door Catch:** Fastens on side of building to hold door open. Size $3\frac{1}{2} \times 1\frac{1}{2}$ inches. Malleable iron.

3017—Each.....\$0.10



(A). **Flush Door Pull:** Used with sliding doors. Cast-iron, black finish. 3-inch grip.

3015—Each.....\$0.09

(B). **Barn Door Pull:** Wrought steel. Grip 4 inches long, 1 inch wide, black finish.


3507—Each.....\$0.10

(C). **Stay Roller:** Can be attached to Wood or Cement. Black Japan finish.

3024—Each.....\$0.19

(D). **Stay Roller:** Heavy steel with gimlet thread and strong wheel. Black Japan finish.

3025—Each.....\$0.11



(A). **Hinge Hasps:** Wrought steel complete with staples and screws. Size 6-inch.


3039—Each.....\$0.15

(B). **Hasps and Staples:** Wrought polished steel with stout staples.

3057—Set, 6-inch.....\$0.04 8-inch.....\$0.06

(C). **Hooks and Staples:** Wrought steel. Strong and durable. With staples.

3055—Each, 4-inch....\$0.03 6-inch.....\$0.06



(A). **Offset Hinge:** Malleable iron, steel pin. For gable hay doors. Keeps out rain and snow. Size $12\frac{1}{4} \times 4\frac{1}{2}$ inches. Painted grey.

3059—Per pair.....\$1.49

(B). **Thumb Latch:** For all sizes swinging doors. Easily installed. Steel.

3040—Each.....\$0.29

(C). **Metal Battens:** For closing cracks between barn boards. Rust-proof, galvanized iron.


7219—Price per length:

6-foot lengths.....\$0.08

8-foot lengths......10

10-foot lengths......13

BARN DOOR SETS



Van Tine Door Hanger and Track

Our strongest and finest Door Outfit. Will carry doors weighing up to 400 pounds. Ball wheels of heavy pressed steel $2\frac{1}{4}$ inches in diameter, roller bearing and easy running. Lateral and vertical adjustment on hanger. For doors from $1\frac{3}{4}$ inches to $2\frac{1}{2}$ inches thick. Track is 13 gauge steel, the heaviest used by any manufacturer and, being perfectly round, is self-cleaning. Continuous bracket riveted on top of track eliminates all brackets and makes waterproof. Wheels have a perfect bearing on both sides of track and cannot bind.

2999—Van Tine Adjustable Hanger. Complete per pair (including End Brackets).....\$2.70

2997—Track, 4, 6, and 8-foot lengths. Per foot (including bracket and lags) ...\$0.28

Junior Door Hanger and Track


A lighter outfit for doors up to 250 pounds. Strong, easy-running trouble-proof and fully adjustable. Machined Ball Wheels, $1\frac{3}{8}$ inches in diameter, roller bearing. Lateral and vertical adjustment for doors 2 inches thick. Track is 16 gauge steel, tubular and self-cleaning, non-binding and with even bearing for wheels on both sides. Continuous bracket riveted on top of track eliminates all brackets and makes waterproof.

3006—Van Tine Junior Adjustable Hanger. Complete per pair (including End Brackets).....\$1.80

3007—Track, 4, 6, and 8-foot lengths. Per foot.....\$0.19

(Price of track includes bracket and lags.)

HAYING EQUIPMENT



2970—Loose Tine Grapple Fork

Forged spring steel tines—guaranteed not to break or bend in use. Can be set separately or two at a time. In tough, heavy hay, each tine can be set independently and shoved in up to the shoulder. Never fails to take up a big load and to trip at the jerk of the trip rope. Easiest operating trip lock on the market. Lays hay out loosely in mow. Extra heavy $\frac{1}{4}$ -inch welded hoisting chain. Guaranteed satisfactory.

2970—Tines 26 in., tip to Shoulder. \$ 9.60

2970—Tines 32 in., tip to Shoulder. \$10.75

2956—Hay Sling

Center trip sling. Ropes are $\frac{1}{2}$ -inch loose lay, are strong and will not kink or gnarl. 5-foot bars, 3 ropes. Has an adjustable take-up at either end, so that sling can be shortened or lengthened to suit hayrack.

2956—5-foot Sling.....\$4.25

2955—Double Harpoon Fork

Strong steel tines. Length of tines under cross-bar 25 inches. Malleable iron trip levers.

2955—Each.....\$2.70

2968—Hay Fork Pulley

Plain solid cast frame pulley. Malleable swivel eye. 6-inch hard maple sheave.


2968—Each.....\$0.59

2967—Hay Pulley

Malleable Frame Knot-Passing Pulley, with large hollow pin. Hard maple sheave, 6 inches in diameter. Frame extra strong and heavy. Has malleable swivel eye. Frame constructed to prevent chafing of rope.

2967—Each.....\$0.89

HAY CARRIER




Equipped with nut locks to prevent frame bolts from working loose. Lock is of improved gravity type; has no springs to break or rust out. Double grapple principle allows pulleys to enter carrier at any angle. To prevent rope chafing, the locks are on the pulley frame and not on the wheel. Sheaves are grooved for either $3/4$ - or $7/8$ -inch rope or $3/8$ -inch cable.

Malleable iron frame, reinforced. Finished in aluminum. Self-closing fork hook. 3-inch track wheels. Wheel base $15\frac{1}{2}$ inches. 7-inch rope sheaves. Steel axle, lathe-turned. Trip block and 2 end stops included.

Operates on steel track below. Adjustable for any standard make steel track. Give make of track.

Each.....\$13.50

Steel Track



2 inches wide. Will carry heaviest loads. As strong at splice as at any other point. Easy to put up. Comes in 6- and 10-foot lengths.

2953—Per foot.....\$0.21

Rural Mail Box

Government approved, made of galvanized steel, aluminum painted. $23\frac{1}{2}$ inches long, 11 inches wide and $13\frac{1}{4}$ inches high. Corners and edges rounded to protect owner, carrier and the mail. Waterproof.

8549—Price.....\$2.39



G-V-T

BARN PAINT



How to Apply

Use our 4-inch Layton brush—see page 67. Coverage depends entirely on condition of surface. On sound wood or metal 1 gallon will cover 250 square feet, 2 full coats. On old dried-out wood the paint will not go as far. Two coats should always be used and a third applied on old surface.

99c. Per Gallon in 5 Gal. Kits

- Gallon Covers 200-250 Square Feet 2 Coats
- Durable, Lasting Colors

Our ready-mixed "Quality Brand" Barn Paint has been used on thousands of barns throughout the country with complete satisfaction. It can be used on shingles, metal roofs, fences, cribs, silos, etc. Gives full protection against all kinds of weather and adds years to the life of any surface. Made from natural oxide mineral pigments combined with vegetable paint oils of finest quality.

Colors: 550 — Red 551 — Grey

Gallons	5 Gallon Kits	30-55 Gallon Barrels
Reds \$1.12	Reds . . . 99c per gal.	Reds 93c per gal.
Grey 1.55	Grey . . . \$1.40 per gal.	Grey \$1.29 per gal.

ALUMINUM PAINT

- Protects Wood Against Moisture
- Easy to Apply—Dries Overnight
- Gallon Covers 500-700 Sq. Ft., 1 Coat

G-V-T Aluminum Paint gives a bright, durable coat of metal that protects wood against moisture and stops metal surfaces from rusting. The paste pigment is made of metallic aluminum pounded into tiny flakes which form a brilliant waterproof finish. Contains high-grade Spar Varnish. When mixed according to directions on can, one coat forms a durable finish that completely hides the old surface.



Has Many Uses

For new work, use it as a priming or finishing coat on metal surfaces—as a priming and back coat for wood siding, frames, etc., to stop moisture penetration. For farms, use it to protect tanks, silos, windmills and machinery. Gallon covers 500 to 700 square feet 1 coat. Easy to apply. Dries overnight.

No. 425—1 Quart. 95c
No. 425—1 Gallon. \$3.15

One Coat CASEIN PAINT

- Casein Base—Just Add Water
- Gallon Covers 500-700 Square Feet
- Has Great Hiding Power

Casein Paste Paint is an interior washable paint that dries with a flat finish. Saves you money because 1 gallon of paste mixed with ½ gallon of water makes 1½ gallons of paint. Dries quickly. You can use Casein Paint right over new green plaster; no long wait for plaster to dry which is necessary with oil paint. Also use on wall-board, insulation board, new inside concrete, etc. Has great hiding power and light reflection. Over sized or painted surfaces covers from 500 to 700 square feet per gallon. Over porous surfaces, slightly less. Easily applied; follow directions on can.



COLORS

220 — White 227 — Rose
221 — Ivory 229 — Azure
222 — Cream 230 — Grey
223 — Buff 231 — Blue
225 — Green 232 — Orchid
226 — Black 233 — Tan

Quart. 77c Gallon \$2.50
5 Gallon Can \$2.40 per Gallon

WAGON, IMPLEMENT PAINT

- Stops Rust and Wear
- Durable, Gloss Finish. Will Not Fade
- Will Not Crack or Chip

An improved varnish paint for wagons and farm implements. The durable, glossy finish prevents rust and protects your investment. Use on metal or wood. Will not crack, chip or peel and colors will not fade.

How to Apply

(1). Remove dirt, grease and oil. (2). Remove rust with steel wool or sand paper. (3). Apply 1 coat Metal Primer. (4). Apply 1 or 2 coats Implement Paint. Use 2½-inch Spur brush. See page 67.

COLORS: 541 — Red 543 — Black
542 — Green 544 — Grey
Pint 54c Quart 93c

G-V-T Metal Primer

Ready-mixed Primer for all bare metal parts. Use before applying Auto Enamel or Implement Paint. Neutral Grey color.

540
Pint 50c Quart 87c




BONDEX CEMENT PAINT

- Waterproof Cement Paint
- Beautifies and Preserves

Bondex is a decorative material designed especially for use on unpainted Stucco, Concrete and Cinder Block and Building Tile, Brick, Stone, Hollow Tile and other masonry wall surfaces. While described as a Waterproof Cement Paint, it is much more than a Paint, for it gives color, waterproofs and preserves in one operation. It comes in the form of a dry powder and is made ready for use by mixing with cold water. A 5-pound package mixed with 5 pints of water will cover 80 to 125 square feet. Bondex is applied with a brush or spray. Bondex **bonds** with the surface and forms an integral part of the wall itself. It has been styled "The Paint Eternal".

Directions for mixing and applying Bondex are included in each package.



Colors	5 Pound Package	25 Pound Drum
590—White	74c	\$3.44
591—Ivory	82c	3.88
592—Green	82c	3.88
593—Buff	82c	3.88
594—Gray	82c	3.88

Quality



HOUSE PAINT



Quality Brand Paint Formula [Outside White]

PIGMENT		VEHICLE	
White Lead.....	38%	Linseed Oil.....	75%
Zinc Oxide.....	13%	Driers.....	15%
Titanox.....	12%	Petroleum	
Asbestine.....	37%	Distillate.....	10%
	100%		100%

A PURE LINSEED OIL PAINT AT A RECORD LOW PRICE!

In our opinion—dollar for dollar—Quality Brand House Paint is the best paint value ever offered. It has good covering capacity, gives fine service, and the colors are true and long-lasting. Read our Guarantee below and the formula above. This formula makes our broad Guarantee possible.

One gallon of Quality Brand Ready-Mixed House Paint will cover 300 to 400 square feet of surface, two coats. Thus, it costs less to paint with Quality Paint because one gallon will go as far as two gallons of ordinary paint.

For best results, use G-V-T Paint Primer (see below) for first coat.

19 Beautiful Long-Lasting Colors

(Write for Free Color Card)

150 — Outside White	156 — Light Sage	162 — Lemont Stone
151 — Light Ivory	157 — Golden Brown	163 — Lead
153 — Ivory	158 — Maroon	164 — Sky Blue
152 — Light Cream	159 — Silver Gray	165 — Pea Green
154 — Cream	160 — Pearl Gray	166 — Bright Green
155 — Tan	161 — Light Gray	167 — Sash Black
		168 — Grass Green

Our Guarantee of Satisfaction


Our Paint Guarantee is one of Unconditional Satisfaction or Money Back. Our resources of over two million dollars, and our 73-year-old reputation, are back of it.

MONEY-SAVING PRICES

Quantity	Price
Quart.....	\$0.72
1 Gallon.....	2.45
5 Gallon Kits, per Gallon.....	2.25
25 Gallons (in 5-gallon kits) per Gallon.....	2.15

NOTE: We can supply two shades of green paint in non-fading colors. These are: 121-Marine Green and 123-Chromic Green.

Quart.....	99c	Gallon.....	\$3.45
------------	-----	-------------	--------



PAINT PRIMER

In painting your home use this primer for first coat over new wood or over an old surface that has been painted. Saves all the work of mixing primer; also danger of using incorrectly mixed primer, which might mean a poor paint job. Because this primer is mixed from an expert formula, it seals the pores and provides a waterproof foundation for the finish

coat. Gallon covers about 400 to 450 square feet. Nothing should be added to this Primer before applying.

No. 140

Quart.....	72c	Gallon.....	\$2.39	5 Gal. Kit	\$2.19 per Gal.
------------	-----	-------------	--------	------------	-----------------

How To Measure for Paint

Simply measure the length, width and height of your building. Say your building measures 20 feet wide, 30 feet long, and 20 feet high. You would figure as follows:

Front.....	20 feet
One Side.....	30 "
Rear.....	20 "
Other Side.....	30 "
Total.....	100 feet
Multiply by height.....	20 "
	2000 feet

Quality Paint—

One gallon of Quality Paint will cover about 400 square feet, 2 coats. Divide your number of square feet by 400 and you get the number of gallons to order. In this case 2000 square feet divided by 400 is 5, the number of gallons needed.

Super-Quality Paint—

If you use Super-Quality Paint you divide 2000 square feet by 450, which gives you 4½, the number of gallons needed.

NOTE: If you use our Paint Primer for first coat, you should order two-thirds Primer and one-third Paint. Example: In the case of Quality Paint, where you need 5 gallons to cover 2000 feet, you should order 3 gallons of Primer and 2 gallons of Quality Paint, for a 2-coat job. If the surface of your building is in poor shape, you should order half more paint.

For trimming, order 1 gallon of trim paint for every 5 gallons of body paint.

Super Quality

HOUSE PAINT

Guaranteed to the Last Drop

SUPER-QUALITY GUARANTEE

We guarantee Super-Quality Paint to the Last Drop! In seven simple words—We Guarantee Satisfaction or Your Money Back. Our resources of over \$2,000,000.00, and our record of over 73 years of fair dealing, are back of this Guarantee.

In All America there is no finer House Paint than Super-Quality! This is a strong statement but one that is backed up 100% by the formula and our Unqualified Guarantee. We ask you to study the formula and our Guarantee.

And the amazing thing is that Super-Quality Paint costs you no more per gallon than ordinary paint! In the end it actually costs much less. Why? Because it is easier to apply; because it covers more surface per gallon; because it lasts

from 1 to 2 years longer; because it gives better protection; because it looks better on your home. And more—when it is time to repaint, Super-Quality saves you money because it leaves the surface in perfect condition for new paint—wears off evenly—no need to pay out extra money for burning or scraping off the old paint.

You can buy Superior-Quality Paint knowing that there is no better paint in America—regardless of price.

COLORS

- 100 — Outside White
- 101 — Light Ivory
- 102 — Light Cream
- 103 — Ivory
- 104 — Cream
- 105 — Golden Brown
- 106 — Silver Gray
- 107 — Pearl Gray
- 108 — Light Gray
- 109 — Pea Green
- 110 — Grass Green

Write for Color Card



Formula

(Outside White)
Pigment

White Lead.....	50%
Zinc Oxide.....	30%
Titanox.....	10%
Asbestine.....	10%

Vehicle

Linseed Oil.....	92%
Driers and Thinners.....	8%

100%

Prices

Quart.....	87c
1 Gallon.....	\$3.05
5 Gallon Kits, per Gallon....	2.85
25 Gallons (5 gal. kits) per Gal..	2.75

GOING TO REPAINT?

Save 30%

USE G.V.T. 2 COAT SYSTEM

All over America are homes and farm buildings in need of paint protection. Many of them have not been painted in ten or more years. Some of them are literally falling to pieces for need of paint.

Ordinary paints were designed for new wood and sound wood. When such paint is applied to old, dried-out wood, it soaks in too far. To secure a real protective film, three or more coats may be required. This makes the cost too high. To meet these conditions we have developed the G-V-T 2-COAT PAINT SYSTEM. This System will produce a perfect protective film of paint in only Two Coats, with much less material and at lower cost in time and labor.

The 2-COAT PAINT SYSTEM consists of a "Foundation" coat and a "Finish" coat. The "Foundation Coat" is a liquid paint which covers 500 square feet per gallon. It seals wood pores and prevents the soaking in of the "Finish Coat." See details at right. Add nothing to "Foundation Coat" before applying.

The "Finish Coat" consists of a high-grade pigment ground in pure linseed oil. Ready to apply from the can. Will cover about 500 square feet per gallon over surface primed with "Foundation Coat".

How to Order: Figure the square feet of surface to be covered (see page 60) and divide by 500 (square feet coverage per gallon) to find number of gallons needed. Then order that many gallons each of Finish and Foundation Coat.



Finish Coat Colors		Use This Foundation Coat
100 — White	103 — Ivory	140
101 — Light Ivory	104 — Cream	
102 — Light Cream	106 — Silver Gray	572
107 — Pearl Gray	108 — Light Gray	
105 — Golden Brown		570
109 — Pea Green	110 — Grass Green	141

Quantity	Foundation Coat per Gallon	Finish Coat per Gallon
25 Gallons (5 gallon kits).....	\$2.09	\$2.75
5 Gallon Kits.....	2.19	2.85
1 Gallon.....	2.39	3.05
Quart.....	.72	.87

Why You Save

The diagram at the right represents the cross section of a plank which has been exposed to sun and rain for years and has become badly cracked. In Section A, you will see the result of painting such a plank with ordinary paint. The stain indicates how the paint soaks into the wood without filling the cracks or giving the surface any real protection.

It is clear why several coats of paint will be required to completely cover such wood. In Section B, the old wood has been given one coat of "Foundation Coat". See how this covers the cracks and seals them so that the "Finish Coat" which has been applied in Section C cannot sink into the cracks but is spread upon the "Foundation Coat" and completes the protective film which will save this lumber from further destruction.



P A I N T for



ALL PURPOSE ENAMEL

- A High Gloss Enamel. Washable.
- For Walls and Woodwork
- Gallon Covers 400 Square Feet

A high-gloss enamel that makes a perfect finish for walls, ceilings, kitchen cabinets, breakfast sets and woodwork in kitchens and bathrooms because it dries with a hard, glossy finish that resists smoke, grease and steam and is easy to keep clean. A gallon will cover 400 square feet, two coats. Dries hard overnight. The beautiful gloss finish is very durable and long-wearing. Can be washed repeatedly without harming its bright finish. Easy to apply—flows on evenly and smoothly without brush marks. Select your color from the 9 beautiful colors below. Guaranteed Satisfactory.

9 Beautiful Colors

NOTE: If you want to see the actual colors of this High Gloss Enamel, write for Free Color Card.

250.....White	255.....Green
251.....Ivory	256.....Pink
252.....Cream	257.....Buff
253.....Light Gray	258.....Tan
254.....Blue	

How to Apply

Stir thoroughly and apply right from the can. Use our Layton 3 or 3 1/4-inch brush. If you use White or other light colors we recommend a first coat of White Undercoater (shown below) followed by 1 coat of enamel.



MONEY-SAVING PRICES

Pint	Quart	Gallon
48c	79c	\$2.65

Painted walls are beautiful, because light tinted walls and ceilings are a perfect background for furniture and drapes. They are convenient and economical because painted walls can be washed and made like new over and over again. They are low in cost—you can save by applying the paint.

SEMI - GLOSS WALL PAINT

- For Walls and Woodwork
- Easy to Wash and Keep Clean
- Gives Mellow, Satin Finish
- Dries Overnight

COLORS

300 — White
301 — Ivory
302 — Cream
303 — Light Gray
304 — Blue
305 — Green
306 — Pink
307 — Buff
308 — Tan



Newest development in washable wall paints. Dries overnight with gloss finish which dies down to beautiful satin semi-gloss finish as paint hardens. It has great spreading capacity. One gallon will spread 400 square feet, two coats. Ideal for kitchens and bathrooms because it is not affected by steam, smoke or grease. Can be washed over and over again without harm to surface. Also widely used in stores and public buildings of all kinds. Flows on evenly and smoothly without runs or brush marks.



Easy to Clean

Semi-Gloss Enamel is covered by our Guarantee of Satisfaction. If you want to see actual colors, write for Free Color Card.

How to Apply

Follow same directions given for High Gloss Enamel.

Pint....49c	Quart.....83c	Gallon...\$2.85
-------------	---------------	-----------------

FLAT WALL PAINT

9 COLORS

Write for Free Color Card

200 — White
201 — Ivory
202 — Cream
203 — Buff
204 — Silver Gray
205 — Sky Blue
206 — Rose Pink
207 — Nile Green
208 — Pea Green



This wall paint dries truly flat. It is a sanitary oil paint, easy to put on, and dries with a beautiful, soft, velvet-like finish. 9 colors to choose from. Gallon covers 550 square feet, one coat. This paint is not only beautiful but it gives you a low-cost wall covering because it is so long-wearing—can be washed and renewed to practically its original freshness as often as desired. Made of purest materials which give it great durability and lovely soft finish. Dries hard overnight.

How to Apply

On unpainted plaster walls use first coat of Flat Wall Paint reduced 50-50 with 910 Wall Sealer. On Painted Walls use 2 coats Flat Wall Paint. On Sandfinish Plaster or Wallboard, use first coat of 909 Wall Primer.


Prices

Quart....73c	Gallon.....\$2.29
--------------	-------------------

WALL SEALER

WALL PRIMER


Enamel Undercoater



Use with Wall Paint and Semi-Gloss for first coat over smooth unpainted plaster walls. Mix first coat one-half Wall Paint and one-half Wall Sealer. Kills hot spots, water stains and other stains.

No. 910

Quart....62c	Gallon...\$2.15
--------------	-----------------



When Wall Paint is to be applied over Sandfinish plaster or Wallboard apply Wall Primer as first coat. Because of its hiding qualities it makes perfect foundation. Gallon covers 750 sq. ft., 1 coat.

No. 909

Quart....73c	Gallon....\$2.49
--------------	------------------



Use as first coat when white or light tints of enamel are to be applied on woodwork. Dries in 8 hours with flat finish. Easy to apply. Pure white color. Makes perfect foundation.

No. 430

Pint....45c	Quart....75c
Gallon....\$2.55	

Walls and Woodwork

In the manufacture of our enamels and varnishes, only the purest ingredients are used. This means paint that will give satisfaction. We want our paint to please you so well that you will buy more of it and will tell your friends of your satisfaction. Every item is fully Guaranteed.

Quick Drying COLOR ENAMEL

COLORS

Write for Color Card


400 — White
401 — Ivory
402 — Cream
403 — Yellow
404 — Nile Green
405 — Pale Jade
406 — Jade
407 — Orange
408 — Silver Gray
409 — Gray
410 — Tan
411 — Vermillion
412 — Auto Red
413 — Pale Blue
414 — Medium Blue
415 — Pink
416 — Orchid
417 — Auto Black
418 — Flat Black

Gold and Silver Enamel

For Radiators, picture frames, furniture, etc. Brilliant finish.

420—Gold
421—Silver

1/4-Pint.....30c
1/2-Pint.....49c
Pint.....87c



- Dries Hard in 4 Hours
- Choose From 19 Beautiful Colors
- Quart Covers 120 Square Feet

The finest product of the Paint Laboratory. Adds new beauty to every surface. Covers solidly in 1 coat over a painted surface and dries in 4 hours to a smooth, hard, gloss finish which is durable and long lasting.



Use It Inside

Hundreds of uses. Adds beauty and freshness to old furniture, wood or metal—tables, chairs, beds, dressers, cupboards, wash machines, toys, woodwork, shelves, etc. Makes old things new. Anyone can get perfect results.



Use It Outside

On porch and lawn furniture, bicycles, outdoor toys, ironwork, trucks, wagons, etc. This enamel is waterproof, weather-proof and durable. Resists sun, rain and changes in temperature. Easy to apply.



Use It on Cars

With 1 pint of our Auto Black enamel you can give your fenders a 2-coat job and paint four wheels. See special automobile colors in color table. In applying Color Enamel use our 1½- or 2-inch Lake brush. See page 67.

1/4 Pint	1/2 Pint	Pint	Quart
20c	37c	60c	\$1.05

Easy To Apply

For Refinishing Painted Surfaces: (1) Clean the surface. (2) Apply one coat of G.V.T. White Undercoat—see page 62. (3) Sandpaper lightly and apply one or two coats of color enamel.

For Bare Metal: Remove all dirt with gasoline. Remove rust with steel wool. Sandpaper and apply one or two coats Color Enamel.



VARNISH STAIN

COLORS

Write for Color Card

500—Ground
501—Light Oak
502—Dark Oak
503—Walnut
504—Mahogany

- Stains and Varnishes in One Operation

- For Woodwork and Furniture

- Dries in 3 to 6 Hours

Makes old varnished doors, woodwork, window sills, furniture, etc., look like new. Stains and varnishes in one operation, with beautiful, hard lustrous finish that resists water, heat, soap, acids, etc. One coat is usually enough to renew old varnish. Dries hard in 3 to 6 hours. Quart covers 200 square feet, 2 coats over varnished or painted surface; about 80 square feet on unpainted wood.



How to Apply

Use right out of can. If you want darker color on old light varnish use Dark Oak or Walnut. For light color on old dark woodwork, apply 1 coat Ground color and follow with coat of desired shade. Use our 2½-inch Winner brush shown on page 67.

Price

1/2-Pint...30c Pint...45c Quart...75c

PENETRATING OIL STAINS

- For New Woodwork, Furniture, Etc.
- Gallon Covers 700-1000 Square Feet

A specially prepared oil stain for new woodwork, furniture, etc. Brings out beauty of wood—does not raise or flake the grain. Used by many piano and furniture manufacturers. One gallon covers 700 to 1000 square feet, depending on kind and condition of wood.



COLORS

510—Walnut	513—Light Golden Oak
511—Dark Oak	514—Light Oak
512—Dark Golden Oak	515—Mahogany

1/2-Pint.....	30c
Pint.....	40c
Quart.....	60c
Gallon.....	\$1.95

KALSOMINE

WALL SIZE

Use as first coat before applying Kalsomine. In powder form—easily prepared by mixing with hot water. Pound of Wall Size makes about 1¼ gallons of size. Directions for using are given on package.



No. 475

1 Pound Pkg.
15c



• Lowest Cost Wall Finish

Won't rub off or crack. Easy to mix—just use hot or cold water. Easy to apply—flows off the brush freely. Dries quickly. One package will cover an entire room. One coat completely hides any light-colored plaster, paint or wallboard surface.

A 5-pound package will cover 450 square feet, depending upon the surface. Use first coat of Wall Size.

COLORS

450 — White	453 — Buff	456 — Rose Pink
451 — Ivory	454 — Silver Gray	457 — Nile Green
452 — Cream	455 — Sky Blue	458 — Pea Green

5 Pound Package.....40c

SEE PAGE 67 FOR MONEY-SAVING PRICES
ON PAINT BRUSHES

FINEST VARNISHES FOR FLOORS AND WOODWORK

Varnish should be applied with a clean, new brush. Never use old, dirty brushes. Do not shake the varnish can, as this causes air bubbles in the varnish and results in tiny specks in the finish. On 2-coat work, allow first

coat to harden at least 48 hours before applying second coat. Never use varnish on a rainy day. Best results are obtained during dry weather. See varnish brushes on page 67.



4 HOUR VARNISH


FLOOR and INTERIOR VARNISH

- Tough - Durable
- Gloss Finish
- Waterproof
- Easy to Apply

Finest quality, quick-drying varnish for floors, woodwork and furniture. Has a high gloss finish that

has great resistance to wear, water, acids, etc.

Many people want a varnish that will dry quickly. This varnish has been perfected to dry hard in about 4 hours under normal room conditions. Under ordinary conditions you can apply this fine varnish and replace your furniture and use the room in 4 hours. It can be used on floors, interior doors, woodwork and furniture. Quart covers about 150 square feet, 1 coat. Very easy to apply.



	601	
Pint		
65c	\$1.10	\$3.25



In this high quality varnish we have combined all the essential ingredients necessary to produce the finest floor varnish. Our G-V-T Floor and Interior Varnish is the toughest and most durable varnish for interior floors, doors and woodwork. Dries overnight with rich, glossy finish that is waterproof and wearproof. Will withstand the wear and tear of hardest traffic in the home. Resists acids, soap, boiling water, etc. Will not mar or scratch white. A gallon will cover 500 to 600 square feet, one coat. Free-flowing and easy to apply. Fully Guaranteed.

- Very Tough and Durable
- Beautiful Gloss Finish
- Waterproof - Wearproof
- Dries Hard Overnight
- Gallon Covers 500-600 Square Feet, 1 Coat

	600	
Pint		
59c	Quart 96c	Gallon \$2.95

UTILITY FLOOR and TRIM VARNISH

- A Good Varnish At a Record Low Price

For those who want a good varnish at a low price, we have developed Utility Floor and Trim Varnish. It can be used for all interior work and dries quickly with a durable, glossy finish that will give very good service. Easily applied, flows evenly and is self-leveling. A real value at a low, money saving price. Gallon covers 500 square feet, 1 coat.



	602	
Pint.....	33c	Quart.....55c
		Gallon....\$1.70

FLAT VARNISH

LIQUID WAX

FLOOR WAX

See Page 67 for Brushes



For use on interior woodwork where a hand rubbed finish is wanted instead of a glossy, shiny finish. Saves labor of hand rubbing. Gallon covers 400 to 600 square feet, 1 coat. Dries hard in 5 to 6 hours. Use over stained or filled surface. For new work use 1 coat G-V-T Interior Varnish and 1 coat Flat Varnish.

	605	
Pint..	65c	Quart.. \$1.10
		Gallon...\$3.45



Latest development in wax for home use. Eliminates hard work of rubbing and polishing. Simply apply to floor with mop or cloth, and let dry. In about 20 minutes floor will be brilliantly polished without the hard job of rubbing with heavy brush or electric polisher. Not as slippery as old-style wax. Quart covers 500 to 750 square feet.

	865	
Pint.....	35c	
Quart.....	59c	



Apply Floor Wax very sparingly with a cloth and in 10 or 15 minutes polish with a dry cloth, polishing mitt, or on floors, with a polishing brush. This will produce a rich, lustrous finish. Floors finished with this wax will not need to be entirely rewaxed more than once or twice a year. Pound will cover about 250 to 300 square feet.

	864	
1 Lb. 2 Lb. 4 Lb.		
35c 65c \$1.25		

PASTE WOOD FILLER

LIQUID WOOD FILLER

CREVICE FILLER

PURE SHELLAC

Use in filling the pores in all open grain woods such as Oak. About one quart of filler is required to cover 100 square feet. One gallon of benzine is sufficient to reduce 3 quarts of filler to the proper consistency. Natural Oak color. After filler has been applied five minutes, rub well with excelsior. Apply Varnish 15 hours later.



	851	
Half Pint		
18c	Quart 58c	Gallon \$1.98



	856	
Pint		
33c	Quart 55c	Gallon \$1.85



	855	
1 Lb. 5 Lb.		
19c 90c		

Filler for cracks or crevices in floors; also small openings in woodwork. Is not oily or greasy and dries sufficiently in 24 hours to permit finishing coats. Elastic and expands and contracts with wood.



Best quality Shellac, cut in 190 proof denatured alcohol. Heavy in body and light in color. Orange Shellac gives wood an oak color. White Shellac is used where no coloring is desired. Use Shellac for coating knots and sappy streaks before painting.

	627. White	626. Orange
1/2 Pints...	30c	28c
Pints.....	42c	38c
Quarts.....	68c	60c
Gallons....	\$2.10	\$1.80

G-V-T

SUPER FLOOR AND DECK ENAMEL



- Extra Hard, Durable Finish
- Wearproof—Weatherproof
- 9 Beautiful Colors

The finest floor enamel you can buy. This extra durable and long wearing enamel is just the thing for porch floors, steps, boats, lawn furniture and interior floors because it is wearproof, waterproof and weatherproof. Easily kept clean—constant washing does not dull the brilliant gloss finish. Has great covering capacity—a gallon will cover 800 square feet one coat, or 400 square feet two coats. A two-coat job will give longest service. Easily applied. Nine beautiful colors to choose from. Write for Free Color Card.

On concrete floors it adds beauty and makes floor easier to clean.



See Page 67 for Brushes

COLORS

360 — Grey	363 — Sand Stone	366 — Light Brown
361 — Slate	364 — Oak	367 — Tile Green
362 — Grey Green	365 — Garnet Red	368 — Dark Brown

Pint	Quart	Gallon
57c	95c	\$3.30

QUALITY FLOOR ENAMEL



Qt. 75c

• Good Wearing Enamel at Low Cost

A serviceable floor enamel that will give you attractive floors at low cost. A good, long wearing quality enamel for wood and cement floors, inside and out. Provides a durable coating that stands wear and is easy to clean.

Easy to apply, brushes evenly and covers old surfaces well. Dries overnight with a hard gloss finish that will not fade, mar or scratch easily. One gallon covers 700 square feet one coat.

COLORS

350 — Grey	353 — Sand Stone	356 — Light Brown
351 — Slate	354 — Oak	357 — Tile Green
352 — Grey Green	355 — Garnet Red	358 — Dark Brown

Pint	Quart	Gallon
48c	79c	\$2.65

WATER PUTTY

Dry powder that mixes with water. Hardens quickly, can be painted same day applied. Will not crack or shrink. Will fill any opening. Water Putty is easy to mix and apply.

860

1 Pound Package **13c**

Pure Linseed Oil Putty

A high-grade putty for filling nail holes or glazing windows. Dries hard and will not discolor white paints.

850

1 Lb... **10c** 5 Lbs... **36c** 25 Lbs... **\$1.50**

PAINT & VARNISH REMOVER

G-V-T Paint and Varnish Remover is the best on the market. Will do the work quicker and better at less cost. Will not endanger your health or injure woodwork. Guaranteed to remove paint, varnish or oil.

625

Pint.... **30c** Quart.... **50c** Gallon... **\$1.35**

STEEL SASH PUTTY

For glazing steel sash, skylights, etc.

859—1 Lb. **12c** 5 Lbs. **40c**

BLACK PUTTY

Linseed oil putty mixed with Lamp Black.


849—1 Lb. **12c** 5 Lbs. **40c**

SYNTHO SPAR VARNISH

Our Syntho-Spar Varnish will outlast and outwear any other Spar Varnish on front doors, window sills, boats, porch ceilings, table tops, etc. The production of this varnish from synthetic resins is one of the greatest advances in the paint industry. Gives you a surface of great durability and weatherproof qualities. Sun, water and ice-proof. Dries quickly with clear, long-lasting high gloss finish. Gallon covers 600 square feet, 1 coat.

604

Pint..... **75c**
Quart..... **\$1.35**
Gallon..... **4.25**



\$1.35
Quart

How to Apply

Use our Winner 2½-inch brush shown on page 67. This varnish will not keep well after can is opened, so order only enough for your job.

EXTERIOR SPAR VARNISH

• Low Priced Varnish for Outside and Inside

A weatherproof and waterproof finish for doors, window sills, porch furniture, porch ceilings—any surfaces exposed to the weather. Just the thing for table tops, counters and any surface that must withstand water or liquids. It dries quickly to a smooth surface with brilliant gloss. Easy to apply. Gallon covers 600 square feet, 1 coat.

603

Pint..... **55c**
Quart..... **95c**
Gallon..... **\$2.95**



95c
Quart

How to Apply

Its free flowing qualities makes this Spar Varnish easy to apply with our 2½-inch Winner brush—see page 67.

LINOLEUM VARNISH

- Dries 3-6 Hours.
- Quart Covers 120 Square Feet

Linoleum or composition rugs are best protected with a high-grade varnish such as our Linoleum Varnish, which forms a tough, elastic finish. Will not yellow linoleum. Recommended for oil-print linoleums as it will not cause colors to run. Produces a beautiful glossy finish which is grease, acid and water proof. Makes floor much easier to keep clean and brings out the original beauty of the linoleum pattern. Easy to apply. Pale in color—will not discolor pattern.



806

Pint..... **59c** Quart.... **98c** Gallon... **\$2.99**

ROOF COATINGS



**ADD YEARS OF LIFE
TO YOUR ROOF**

ASBESTOS FIBRE ROOF COATING

- Use on Composition, Gravel or Metal Roofs
- Fills and Seals Cracks, Holes and Seams
- Water and Weatherproof. Black Color

Makes old roofs like new and can be used on new roofs as well. Can be used on any kind of roof—gravel, slate, felt, composition, tile, metal, or paper roofs—also adds years of life to roof gutters. Seals cracks, joints, seams, holes, with a durable coating and makes your roof water and weather-tight. Not affected by heat or cold. Asbestos Roof Coating is a thick, liquid coating—easily applied like paint. Black color.

Gallon covers about 100 square feet. If surface is old and dried out, gallon will cover 50 to 75 square feet.



No. 562

55 Gallon Drum.....	\$20.80
30 Gallon Drum.....	12.60
5 Gallon Can.....	2.95
1 Gallon Can.....	.75


How to Apply

Apply with Roofing Brush (see page 67). Easy to apply because it is a ready-flowing, thick liquid. Any large holes or cracks should be filled with Plastic Roof Cement and then covered with Asbestos Roof Coating.

ASPHALT ROOF and METAL PAINT

How to Apply

Apply with ordinary 4-inch paint brush, or roofing brush for large surfaces. See page 67. Gallon covers 100 square feet of rough surface; 200 square feet of smooth surface roofing; about 300 square feet of smooth metal surface.



Metal Roofs



For Gutters



Metal Tanks

Gives a beautiful, durable and weather-proof coat to asphalt shingles, slate-surfaced roofing, tin, metal, ironwork, piping, machinery, wood, slate, tile and stone surfaces. Very easy to apply. Tough, durable, waterproof—will not peel or crack. Made from pure asphalt, special waterproof gums and varnishes. Contains no coal tar. Dries with a glossy, non-fading color.

Before applying, fill any bad holes with Plastic Roof Cement.

Comes in black, green and red colors.

PRICES

Quantity	560 Black	565 Green	564 Red
55 Gal. Drum	\$20.80		
30 Gal. Drum	12.60		
10 Gal. Kit	5.50		
5 Gal. Kit	2.95	\$7.25	\$5.25
1 Gal. Can	.75	1.55	1.10



PLASTIC ROOF CEMENT

- Repairs Holes and Cracks
- Durable, Waterproof

A thick, rubber-like cement. Gives a strong, lasting patch. Can be quickly applied with trowel over bad holes and roof cracks, around a flue or chimney, along the gutter and flashing, over a cornice, down a valley, around a skylight. Remains rubber-like and clings tightly to surface. Will not crack from sun or cold, or peel loose.



Ready for use right from can. Made of best Canadian Asbestos Fibre combined with asphaltum and water-proofing oils. Directions with every can. Takes from 5 to 10 pounds to flash around average chimney. 50 to 100 pounds for covering large surfaces. Drums shipped direct from manufacturer.



No. 563

1 lb. Can.....	15c	300 lb. Drum..	\$11.50
5 lb. Can.....	49c	550 lb. Drum..	19.00
50 lb. Kit.....	\$2.79		

CAULKING COMPOUND

For sealing cracks and crevices around frames, chimneys, foundations, etc. Keeps out cold, dust and water. A plastic material that adheres permanently to wood, brick, stone or concrete and seals openings. Can be applied with a putty knife, or with a gun.



Knife

Type No. 869	
1 lb. Cans..	18c
5 lb. Cans..	75c

Gun

Type No. 868	
Qt.....	55c
Gal.....	\$1.80

Roofing Lap Cement

A heavy, slow flowing asphalt liquid cement for patching holes or filling up seams on old roofs. In laying roofing on very flat roofs it is advisable to use additional cement in the lap so as to get the lap thoroughly coated.



No. 561

Pint.....	9c
Gal.....	70c
5 Gal.....	\$3.15

IRON OXIDE METAL PAINT

A bright red mineral paint for use on metal roofs, gutters, downspouts, etc. Prevents rust and corrosion, and adds life to any metal surface. Can be applied immediately to black iron, but new galvanized iron or tin should be allowed to weather at least 6 months before applying.



No. 549 PRICES

Pint.....	30c
Quart.....	50c
Gallon.....	\$1.65

Super Quality BRUSHES

Handles: Strong enameled handles, correctly shaped and balanced.
Rubber Cemented: Bristles set in liquid rubber composition.
Chinese Bristles: Pure Chinese Bristles are flexible and long-wearing.

Size Brush To Use

Large Pieces Furniture.....2 or 2 1/2 inch width.
 Walls, Woodwork, Floors.....3 or 3 1/2 inch width.
 Houses, Barns, etc.....3 1/2 or 4 inch width.

VARNISH BRUSHES FOR VARNISHES & ENAMELS

The Parker

Very fine quality Chiseled Varnish Brush with Black Chinese Bristles. Flat oval in shape. Long, wearing and smooth working.

Width	Bristles	Price
2 1/4 in.	3 1/2 in.	\$1.50

The Pilot

Here's just the brush for odd varnish or enamel jobs where the brush is forgotten when the job is done. Black Chinese Bristles.

Width	Bristles	Price
1 in.	1 1/4 in.	10c
1 1/2 in.	1 1/2 in.	15c
2 in.	1 1/2 in.	20c

The Spur

Good reliable home owners' brush with double thickness of Black Chinese Bristles. Chisel edge.

Width	Bristles	Price
1 in.	1-15/16 in.	20c
1 1/2 in.	2-3/16 in.	30c
2 in.	2-7/16 in.	40c
2 1/2 in.	2-11/16 in.	55c

The Lake

A fine varnish or enamel brush. Can be used for years. Triple thickness of Chinese Bristles with chisel edge.

Width	Bristles	Price
1 1/2 in.	2 1/2 in.	48c
2 in.	2-13/16 in.	67c
2 1/2 in.	3-1/16 in.	\$1.05
3 in.	3-1/16 in.	1.40

The Winner

Long-wearing brush. Soft and elastic—best for flowing enamel. Chisel edge. Will give very best finish. Black Chinese Bristles.

Width	Bristles	Price
2 1/2 in.	3 3/4 in.	\$1.45
3 in.	3 3/4 in.	2.25

The Taft

This brush has chiseled edge which will give better and smoother enamel or varnish job. Black Chinese Bristles.

Width	Bristles	Price
1 1/2 in.	1-9/16 in.	10c
1 in.	2 1/4 in.	15c
1 1/2 in.	2 1/2 in.	20c
2 in.	2 1/2 in.	25c
2 1/2 in.	2-3/8 in.	38c

Flint Sandpaper

938. Sheets 8 3/4 x 10 1/2. Price dozen sheets.
 No. 00 No. 0 No. 1/2 No. 1 No. 1 1/2 No. 2
 15c 15c 16c 18c 20c 24c

PAINT BRUSHES FOR INSIDE & OUTSIDE

The Norton

Just the brush for odd jobs where long-wearing qualities are not important. Black Chinese Bristles. Flat handle.

Width	Bristles	Price
4 in.	2 3/4 in.	72c

The Harper

A good quality brush for inside or outside work. Longer Chinese Bristles.

Width	Bristles	Price
3 in.	2 3/4 in.	65c
3 1/2 in.	2 3/4 in.	89c
4 in.	3 1/4 in.	\$1.20

The Layton

A fine brush that can be used over and over again. Selected Black Chinese Bristles. Beaver tail handle.

Width	Bristles	Price
3 in.	2 3/4 in.	88c
3 1/2 in.	3 1/4 in.	\$1.20
4 in.	3-5/16 in.	1.55

The Iowa

A Master Painters' brush. Selected Chinese Bristles. Beaver tail handle. Perfect balance.

Width	Bristles	Price
3 1/2 in.	3-13/16 in.	\$2.40
4 in.	4-1/16 in.	3.50

ROOF PAINT BRUSH

Made with 3 knots with heavy, round ferrules. No handle. Can be used with or without handle. Width 5 1/2 inches. Length bristles 2-13/16 inches.

8528..... 75c

Low priced roof brush for temporary work. No handle. Can be used with or without handle. Width 6 inches. Length bristles 3 1/2 inches.

9309..... 49c

8552. Steel wire brush. Bristles wired in. For removing old paint and rust.

Price..... 20c

8550. Best steel wire. Block 2x7 inches. For removing old paint and rust.

Price..... 29c

SPECIAL BRUSHES

Flat Sash Brush

Chisel edge sash or trim brush. Selected Black Chinese Bristles. Long handle.

Width	Bristles	Price
1 in.	2 in.	26c
1 1/2 in.	2 1/4 in.	36c

Oval Sash Brush

Black Chinese Bristles. Chisel edge.

Width	Bristles	Price
7/16 in.	1-9/16 in.	20c
11/16 in.	1-13/16 in.	25c
3/8 in.	2-1/16 in.	30c
1 in.	2-1/4 in.	35c

Flat Duster

Good quality hair bristles cemented in rubber. 4 1/4 inches wide. Bristles 3 3/4 inches long.

8522
 Each..... \$1.75

Paints

For complete line of Guaranteed Paints—and money-saving prices—see pages 59 to 68.

Flat Kalsomine Brush

Good brush for family use. Bristles of mixed fibre. Metal bound tin ferrules.

Width	Bristles	Price
6 in.	3-1/16 in.	\$1.70
7 in.	3-5/16 in.	2.29

(See Kalsomine Page 63)

Savabrush

Makes old brushes new. Dissolve in warm water, soak brushes until paint is loosened, dry brushes and use. Saves cost of new brushes time and time again. Instructions on package.

934—Price 2 1/2 oz. Pkg..... 10c

926—Casein Glue

Glues everything permanently. Just mix with water.

1 1/2 oz. 10c 1/4 lb... 25c
 1/2 lb... 40c 1 lb... 65c

925—Le Page's Liquid Glue

Liquid glue. Use on wood, leather, paper, glass, rubber, etc.

1 oz... 18c 1/4 pt... 27c
 1/2 pt... 45c Pint... 75c

927—Liquid Solder

Use right out of tube. Solders metal, pipes, radiators, copper, tin, etc.

Tube..... 25c

Steel Wool

Fine steel fibres which, while sharp, do not scratch. For rubbing down hardwood floors, interior finish, etc.

936
 0. Very Fine.
 1. Fine.
 2. Fine.
 Lb.... 30c

Steel Wool

Cleans and scours skillets, etc. Use these handy pads over and over again.

No. 6765
 Box 6
 Balls 10c



Miscellaneous PAINT MATERIALS



SCREEN ENAMEL

STOVE AND PIPE ENAMEL

- For Screens, Screen Doors, Wire
- Durable, Gloss Finish

- High Gloss Finish
- Dries in 4-6 Hours

See Page 7
for Window Screens



30c.
PINT

Our Screen Enamel is a high-grade enamel for protecting window and door screens, storm sash and window stiles and rails. Equally good on wire or wood. Will not clog the wire mesh. Jet black or sash green colors. Quart will paint ten full-sized screens on both sides, wood and wire. Dries very quickly with long lasting finish. Free flowing, easy to apply.

435—Black
½ Pint 19c

Pint 30c

436—Green
Quart 50c



440
½ Pint Cans 19c
Quarts 49c
Pints 28c

A tough, elastic, hard drying black enamel. Dries with a high gloss finish. Use on stovepipes, stoves, furnaces and all metal surfaces which come in contact with heat. Dries hard in 4 to 6 hours. Best results are obtained if enamel is applied on a warm metal surface.



SHINGLE STAIN

COLORS

- 520 — Silver Gray
- 521 — Brown
- 522 — Moss Green
- 523 — Red



\$1.70
GALLON
in
5 Gal. Kits



Shingle stain will add years to the life of your roof and make it more attractive. Makes shingles proof against rot and water. Will not wash off. Shingles can be dipped or painted. Wherever new shingles are being laid we advise dipping as it stains shingles above and below. When dipping you only dip 10 inches of shingle from the butt end up. Gallon will cover 150 square feet when applied with brush or will dip 500 shingles two-thirds their length.

1 Gallon.....\$1.85
5 Gallon Kits, per Gal... 1.70



DUTCH BOY WHITE LEAD

- Strictly Pure

Made under the old Dutch process. Manufactured by the National Lead Co. No better white lead can be bought. Absolutely pure and ground in pure high-grade linseed oil, corroded by the old Dutch process, ground as fine as the very latest modern machinery can produce it. Great covering capacity and fine whiteness. Prices on White Lead are subject to market change. Write for wholesale price in any quantity. We will give you benefit of lowest market price.



COLORS IN OIL

DRY COLORS

PAINT THINNERS Etc.

Highest grade and strongest colors ground in pure linseed oil. When used for coloring or tinting paint or enamel, it is not necessary to thin them, as they are semi-fluid and mix readily with paint. Come in convenient sized tubes and 1/2-pint cans.

No.	Color	Tube	½ Pint
800	Light Chrome Yellow	\$0.20	\$0.40
801	Medium Chrome Yellow	.20	.40
802	Orange Chrome Yellow	.20	.40
803	French Ochre	.20	.25
804	Light Chrome Green	.20	.37
805	Medium Chrome Green	.20	.37
806	Dark Chrome Green	.20	.37
807	Chromic Oxide Green	.20	.59
808	Prussian Blue	.20	.40
809	Ultramarine Blue	.20	.35
810	Cobalt Blue	.20	.45
811	Bulletin Red	.20	.62
812	American Vermilion	.20	.53
813	Venetian Red	.20	.25
814	Orchid Tinter	.20	.58
815	Lamp Black	.20	.25
816	Drop Black	.20	.25
817	Raw Sienna	.20	.30
818	Burnt Sienna	.20	.30
819	Raw Umber	.20	.25
820	Burnt Umber	.20	.25
821	Van Dyke Brown	.20	.25

Our Dry Colors are best for strength, permanence and purity. Probably no other article is so easily adulterated as Dry Colors, so purchase these from a firm in whom you have faith. We Guarantee our Dry Colors.

No.	Color	Prices per Lb. 50-100 Lb. Drums	Per Lb.
830	English Venetian Red	\$0.06	\$0.07
831	American Venetian Red	.06	.07
832	Yellow Ochre	.08	.09
833	Gray Ochre	.08	.09
834	Burnt Umber	.15	.17
835	Raw Sienna	.16	.18
836	Old Abe Germantown Lamo Black		.35

Whiting

837. Gilder's Extra Quality Whiting.
Price per pound.... 3c

Plaster Paris

838. High-Grade Plaster Paris.
Price per pound.... 3c

Japan Dryer

912. Strong, elastic Oil Dryer. Will not burn up paint. Use about 1 gallon to 20 gallons of oil.

Pint 26c Quart 42c Gallon \$1.30



Drop Black in Japan

Used for finishing iron work on interior of a home such as Grates, Andirons, etc., where dead black finish is wanted.

822

Pint48c

Mixing Paddle



930. Iron paint mixing paddle with perforated blade and long handle.
Each20c

Wall Scraper



932. Strong steel wallpaper scraper with blade 3 1/2 inches wide.
Each25c

Pure Linseed Oil

Write us for lowest market price on boiled or raw Linseed Oil. Use boiled Linseed Oil for best results unless you are thoroughly familiar with the use of raw oil.

Pure Turpentine

We can save you money on Pure Turpentine. No prices are quoted here because the market changes so rapidly. Write for wholesale price.

Naphtha

Because of rapid market changes it is not possible to show fixed prices in catalog. Write for money-saving prices on any quantity.

Alcohol

Denatured alcohol for cutting shellac and for anti-freeze solution. Because of rapid market changes we cannot quote fixed catalog price. Write for price.

Patching Plaster

For filling plaster cracks and holes. In powder form—mixes easily with water—nothing else to be added. Dries in 1/2 hour. Will not shrink or crack like plaster paris. Easy to use—directions with each package.

975

2 1/2 lb. Pkg.....20c

5 lb. Pkg.....35c



Plastic Wood

Wood in the form of paste. Apply with putty knife. Waterproof, grease-proof. Can be sawed, planed, whittled, turned with lathe. Will hold screws and nails without splitting. Can be painted, varnished or enameled. Sticks to metal wood or stone.

961

3/4 oz. Tube.10c

1/4 lb. Can...28c

1 lb. Can...75c



**G-V-T Smooth
Mica Surface**

ASPHALT ROOFING

G-V-T HEAVY WEIGHT

- Heavily Coated with Asphalt
- Fire and Weather Resisting
- 65 and 55 Pound Weights

G-V-T Smooth Surfaced Asphalt Roofing is the best and heaviest grade of smooth surface roll roofing manufactured. Made of strong, tough roofing fibre felt into which is forced, under friction, high test mineral asphalt. Thoroughly covered with mica on both sides to make it fire and weather resisting. Has no oil in the composition. Will remain soft and pliable for years. Will not dry out and crack. Comes in a very dark grey color. Nails and cement included.

Every roll contains 108 square feet to cover 100 square feet of surface with 2-inch lap.

Nails and Cement Included	2003 55 pounds per Roll	2004 65 Pounds per Roll
With 1-inch Nails— For New Roofs.	\$1.80	\$2.25
With 1¾-inch Nails— For Over Old Roofs.	1.95	2.40

55 lbs. PER ROLL

65 lbs. PER ROLL

G-V-T-MEDIUM WEIGHT

- Medium Grade
- 45 Pounds per Roll

G-V-T Medium Weight Roofing is a medium grade, smooth surfaced roofing, made on a good quality of rag felt, and saturated and coated with a good grade of asphalt. The best quality, medium grade roofing at the lowest price we know of. Weighs 45 pounds per roll. Roll contains 108 square feet to cover 100 square feet. Nails and cement included.

2032—With 1-inch Nails.....**\$1.55 per Roll**
2032—With 1¾-inch Nails **1.70 per Roll**

G-V-T-LIGHT WEIGHT

- For Temporary Buildings
- 35 Pounds per Roll

Our lowest priced asphalt roofing. It is made of a fair quality felt, saturated and coated with asphalt and surfaced both sides with talc. Use our Light Weight Roofing for temporary buildings or for house sheathing. Nails and cement included. Weighs 35 pounds per roll. Roll contains 108 square feet to cover 100 square feet of area.

2021—With 1-inch Nails.....**\$1.00 per Roll**
2021—With 1¾-inch Nails **1.15 per Roll**

Get Free Estimate

If you prefer, just send us the measurements of your roof and we will figure out the amount of roofing you need and send you a freight paid price to your station. No obligation.

How to Figure Amount of Roofing You Need

Turn to page 70 where you will find complete instructions for measuring any type of roof for amount of roofing needed.

Fast, Safe Delivery

Roofing can be shipped promptly from Davenport or Chicago. We Guarantee Safe Delivery.

Color

All smooth surfaced roofings are Dark Grey in color.

Roofing Asphalt

For use in laying built-up or gravel roofs. Comes cold in drums weighing about 400 pounds. Must be heated over outside fire or in roofing kettle.

2155

Per Drum.....**\$6.45**

Roofing Knife



A strong knife for cutting roofing or linoleum. Also used for pruning. Curved blade of high carbon steel. 5-inch wood handle with good grip. 2½-inch blade.

6678

Each**35c**

Asphalt Felt



Made of strong felt thoroughly saturated with best asphalt. Comes in two weights—one weighing 15 pounds per 100 square feet, the other 30 pounds. Used for "built-up" asphalt and gravel roofs, or as a sheathing where waterproofing qualities are wanted.

Asphalt Felt is widely used in lining poultry houses, as the asphalt acts as a disinfectant. Rolls are 36 inches wide.

15-Lb. Felt

2151. Roll contains 432 square feet. Weight 65 pounds.
Per Roll.....**\$2.40**

30-Lb. Felt

2153. Roll contains 216 square feet. Weight 65 pounds.
Per Roll.....**\$2.40**

TWO INCH WATERTIGHT UNDERLAP

G-V-T


HEAVY 90 POUND

**SLATE SURFACED
ROLL ROOFING**

\$2.20
\$1.78

PER ROLL

with 1-in. nails




Roll Weighs 90 Pounds



Fire-Resisting




Carries Underwriters' Label



True, Lasting Colors



Watertight Lap



Free Nails and Cement

- Roll Weighs 90 Pounds
- Made to Last 17-20 Years

Buy G-V-T Slate Surfaced Roll Roofing—the best and finest roofing you can buy—at this bargain price. Made to last 17 to 20 years! Every roll weighs 90 pounds which shows how tough and strong this roofing is. Each roll is 36 inches wide and contains 108 square feet, to cover 100 square feet of surface with a 2-inch lap. Our low price includes nails and roofing cement.

G-V-T Roofing is fire resisting and every roll carries the Underwriters' Label. Sparks or flying embers cannot set fire to your building through the roof. This feature gives you a saving in insurance rates as compared to wood shingles.

Only the best long fibre felt, saturated with pure asphalt, is used. Into this is embedded a layer of genuine crushed slate of either Cedar Green, Ruby Red or Velvet Black colors. These colors are true colors and are not affected by heat or cold. They will not discolor or add an unpleasant taste to cistern water.

2065 — Cedar Green

2059 — Ruby Red

2063 — Velvet Black

With 1-inch Nails—for New Roofs

\$2.20 per Roll

With 1¾-Inch Nails—for Over Old Roofs

\$2.35 per Roll

How to Figure Amount of Roofing You Need

Each roll of roofing (or square of shingles) shown in this catalog covers 100 square feet of roof surface, allowing for seams or laps. By following the instructions you can tell the exact amount of roofing you will need.



No. 1. PLAIN GABLE ROOF. Multiply length of the roof "A" by length of rafter "B". For instance, if "A" is 32 feet and "B" is 15 feet, total square feet for one side of roof would be

480 feet, giving 960 square feet for both sides. To cover 960 square feet you need 10 rolls of roofing or 10 squares of shingles.



No. 2. HIP ROOF. Multiply the distance "A" and the length of the rafter "B". If "A" is 20 feet wide and "B" 10 feet, you get 200 square feet, which will cover

two sides of roof. This roof has four sides, so you multiply 200 by 2 and get 400 square feet of surface which takes 4 rolls or 4 squares.



No. 3. GAMBREL ROOF. Add the number of feet shown by "B" and "C" and multiply by

the number of feet shown by "A". If "B" is 14 feet and "C" 10 feet, you have a total of 24 feet. Multiply this by the length "A", which we will say is 36 feet, equals 864 square feet for one side of roof or 1,728 square feet for both sides. You need 18 rolls or 18 squares.

NOTE: If you would like us to figure out the amount of roofing or shingles you need, just send us your measurements of your roof and we will send you an estimate. There is no obligation.

BUILDING PAPERS

4 PLY SAFEKOTE BUILDING PAPER

The strongest building paper you can buy. Made of special paper with asphalt filler. Heavy cotton cords imbedded in asphalt prevents tearing. 500 feet per roll. Roll 36 inches wide. Weight 34 pounds per roll.

2075—Roll.....\$5.50
2075½—1/2 Roll... 2.75



DEADENING FELT

Deadening Felt stops sound from traveling to the rooms below or above. When laid between sub-floor and finish floor it makes a better floor.

2067. Roll containing 50 square yards 36 inches wide. Weight 50 pounds.

Roll.....\$2.60



RED ROSIN BUILDING PAPER

Will last as long as the building. You will save the cost of our Red Rosin Sized Sheathing in your fuel bill. Never expose to weather.

2073. Roll containing 500 square feet. Weight 30 pounds.

Roll.....\$1.25



WATERPROOF BUILDING PAPER

Highest quality sheathing paper. Made of extra strong, tough fibres of special texture, thoroughly saturated with waterproof asphalt and coated both sides with pure asphalt in wax finish. Can be used under stucco or siding. Comes in rolls 36 inches wide, containing 500 square feet; weight 35 pounds per roll.

2077—Roll.....\$2.70



TARRED FELT

The low price is no reflection on the quality. We do not call it "roofing" as many do. We sell it for exactly what it is—a satisfactory material for temporary roofs and siding, at trifling cost. 32 inches wide.

2071. Weight 49 pounds per roll. One roll will cover 324 square feet.
Roll.....\$2.00



SLATER'S WEATHERPROOF FELT

High-grade building paper. Made of strong felt stock saturated with boiling coal tar. It will add greatly to the comfort of your home, year round. Each roll weighs about 30 pounds, 36 inches wide, 500 square feet per roll.

2079—Roll.....\$1.20



DIAMOND POINT ROOFING

• Makes Handsome Roof

Very widely used for reroofing old homes. G-V-T Diamond Point Slate Surfaced Roofing is laid from gable to gable and makes a beautiful, long-lasting, fire-resisting roof.

G-V-T Diamond Point Slate Surfaced Roofing is made of long fibre felt, saturated with pure asphalt. Covered with a layer of slate in attractive colors listed below. Every roll weighs 105 pounds and contains 128 square feet which will cover 100 square feet when laid with 2-inch lap. Size of roll 32 inches wide by 48 feet long. Nails not included—order 2 pounds of 1¾-inch nails per roll. See page 73. No cement needed.

COLORS

2080—Cedar Green

2083—Warm Variegated

Per Roll.....\$2.75



See Page 73
for
Roofing Nails

STAGGERED EDGE ROOFING

• Adds Beauty to Any Home

For reroofing old homes, no roofing is as popular as G-V-T Staggered Edge Slate Surfaced design. Makes an unusually good-looking roof that is weathertight, snug and fire-resisting.

Every roll contains 128 square feet, to cover 100 square feet of area with a 2-inch lap. Every roll weighs 105 pounds. Made from tough fibre felt, thoroughly asphalt saturated and covered with slate in color shown below. Nails not included—order 2 pounds 1¾-inch nails. See page 73. No cement needed.

2090—Spruce Green with Black Border.

Per Roll.....\$2.75



All Roofing
Can Be
Shipped Promptly

BRICK SIDING

Brick Siding comes in strips of four bricks each. Makes old or new frame homes look like they have handsome brick walls. Saves you painting costs; also cuts your fuel bill because it helps insulate your home. Upper portion of strips surfaced with black crushed rock. Tabs are surfaced with buff so that the strips above overlap the ones below about a half-inch above the buff color giving the appearance of mortar joints. Result: your walls look like they are laid of brick. Size of strips 7x36 inches. 134 strips per square, weight 210 pounds. Easy to apply over new sheathing boards or over old wood siding. Extra heavy weight. Square covers 100 square feet of area.



CORNER PIECES

Use with Brick Siding. Made of same material properly bent, ready to apply. Packed 44 right-hand and 44 left-hand per box to cover 15 lineal feet.

3083—Buff, per box.....\$2.55



G-V-T

Slate Surfaced SHINGLES



4-in-1 Strip Shingles

- Fire-Resisting
- Made to Last 17-20 Years
- All-Weatherproof

Our 4-in-1 Strip Shingles have all the beauty of individual shingles but can be applied at a big saving in labor because they go on much faster. These 12½-inch shingles give you double coverage over the entire roof. The beautiful colors will remain true in any weather or climate.

Finest Quality

4-in-1 Strip Shingles are made to last 17 to 20 years. They are made of the finest long fibre felt thoroughly saturated and coated with genuine asphalt. Will not curl. Finely chipped slate of selected quality is sifted on shingles while asphalt is hot and then rolled in under hydraulic pressure. Slate is in lasting natural colors and has a rock-wearing surface. Fire-resisting—carry Underwriters' Label and meet all Building Codes.

Note: Cool Variegated color is a mixture of cool (green) shades. Warm Variegated color is a mixture of warm (red) shades.



4-in-1 Strips, 12½-inch Width

4-in-1 Strips are 12½ inches wide by 36 inches long. 3 bundles per square. A square of slab shingles, laid 4 inches to the weather, will cover 100 square feet, with a 4½-inch lap. Makes a heavy, all-weatherproof roof. Double coverage over your entire roof. Weight, 262 pounds per square. Correct Shingle Nails to use are shown on page 73.

Prices on 4-in-1 Strip Shingles

No.	Color	Per Square
3017	Ruby Red	Phone for Prices
3019	Cedar Green	
3018	Velvet Black	
3063	Warm Variegated	
3064	Cool Variegated	

Hexagonal Strip Shingles

- Beautiful, True Colors
- Made to Last 17-20 Years


Hexagonal Strip Shingles are popular because they make an unusually attractive roof. For new roofs or for applying over old roofs. The single lap 11-1/3 x 36-inch size is a fine shingle to put right over your old roof.

No Finer Quality Made

These shingles are made to last 17 to 20 years. Every square is fire-resisting—carries Underwriters' Label and will meet all Building Codes. Selected quality long fibre felt saturated with asphalt into which the slate is rolled in under great hydraulic pressure. Colors are not affected by sun, rain, ice or snow.

Hexagonal 11½-inch Width. Size of strip 11-1/3 x 36 inches. 2 bundles per square. Square, laid 4-2/3 inches to weather, covers 100 square feet, with 2-inch lap. Weight 168 pounds per square.

Hexagonal 12¼-inch Width. Size of strip 12¼x36 inches. Square, laid 4 inches to weather, covers 100 square feet with 4-inch lap. Weight 220 pounds per square. 2 bundles per square.



Prices on Hexagonal, 11½-inch Width

No.	Color	Per Square
3023	Ruby Red	Phone for Prices
3024	Cedar Green	
3025	Velvet Black	
3026	Warm Variegated	
3027	Cool Variegated	



Prices on Hexagonal, 12¼-inch Width

No.	Color	Per Square
3029	Ruby Red	Phone for Prices
3030	Cedar Green	
3035	Velvet Black	
3033	Warm Variegated	
3034	Cool Variegated	

Asphalt SHINGLES

MADE TO LAST 17 TO 20 YEARS

WEATHER PROOF



3-in-1 Strip Shingles Husky-Tab Shingles

- Butts Are Extra Thick
- Will Last Years Longer

3-in-1 Shingles will give you many extra years of service because the butts, which are exposed to the weather, are extra thick and are double dipped in asphalt. Made to last 17-20 years. Are fire-resisting—carry Underwriters' Label. Heavy fibre felt base saturated with asphalt into which the slate is embedded. Colors will retain their natural beauty permanently.

Size of strips 12x36 inches. 2 bundles per square. Square, laid 5 inches to weather will cover 100 square feet. Square weighs 220 pounds.

- Beautiful Design
- Made to Last 17-20 Years

Husky-Tab Slate Surfaced Shingles are an excellent choice for the new home and are recommended for reroofing over old shingles or roofing. In both cases, they will add charm, roofing satisfaction, and fire protection. Listed by the Fire Underwriters', Husky-Tab Shingles will cut your fire risk. Corner angle braces hold shingles flat at all times.

Size of strips 10x36 inches. 2 bundles per square. Square covers 100 square feet laid 4 inches to weather. Square weighs 173 pounds.

ASPHALT SHINGLE PRICES: Because conditions in the Asphalt Shingle market are so uncertain, it is impossible to print catalog prices that will hold good during the life of the catalog. Therefore, if you will call at our store, we will be able to give you the benefit of lowest prices; also show you our big roofing display and actual samples and colors as they will look on your roof. There is no obligation.

ZINC COATED NAILS



Five pounds of large headed hot dipped zinc roofing nails are needed for one square of G-V-T shingles. When shingles are laid over tight roof sheathing, we recommend 1-inch nails. When shingles are laid over old wood shingles, we recommend 1 3/4-inch nails.

6024—1-inch long, 5 lb. package..... 40c
Per keg, 100 lbs..... \$6.50
6023—1 3/4 inches long, 5 lb. package..... 40c
Per keg, 100 lbs..... \$6.30

Fast Service

Slate Surfaced Asphalt Shingles and Roofing can be shipped promptly from Davenport or Chicago. Safe Delivery is Guaranteed.

Underwriters' Label

The Underwriters' Label which appears on all our Slate Surfaced goods is your assurance that your roof will be fire-resisting.

INDIVIDUAL SHINGLES

Your choice of two sizes: 9x12 1/2 inches and Giant size 12x16 inches. Laid just like wood shingles; over old or new roofs. Finest fibre felt and asphalt covered with crushed slate. 9x12 1/2-inch shingles weigh 240 pounds per square. Giant shingles—the very best you can buy—weigh 325 pounds per square. Square covers 100 square feet. Also used for laying Boston Ridge Caps on Asphalt Roofs.



9x12 1/2 Size	Colors	12x16 Size
See Above	Cedar Green Velvet Black	See Above

LUMBER

AT MILL-TO-YOU PRICES

Five words tell why you can buy lumber from Gordon-Van Tine and save real money. "You Buy Direct-From-Mill." No middlemen. You put all in-between profits in YOUR pocket.

Our Lumber Mills are located right in the heart of the greatest lumber districts in the United States. They carry in stock millions of feet of top-grade, clean, bone-dry lumber.

As a thrifty and shrewd buyer you will want our low, wholesale price on your lumber bill. This costs you nothing—all we ask is a chance to place our price before you. You be the judge of whether or not it merits your business.



Lumber Mill at
Hattiesburg, Miss.

Lumber Mill at
Chehalis, Wash.

Lumber Mill at
St. Louis, Mo.



LUMBER

AT MILL-TO-YOU PRICES

Five words tell why you can buy lumber from Gordon-Van Tine and save money. "You Buy Direct-From-Mill." No middlemen. You put all in-between profits in YOUR pocket.

Our Lumber Mills are located right in the heart of the greatest lumber district in the United States. They carry in stock millions of feet of top-grade, clear, bone-dry lumber.

As a thrifty and shrewd buyer you want our low, wholesale price on your lumber bill. This costs you nothing; we ask is a chance to place our product before you. You be the judge of whether or not it merits your business.

Lumber
Hats

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

